



Spyderco®



2019 PRODUCT GUIDE

**WELCOME TO THE 2019 SPYDERCO PRODUCT GUIDE
AND A NEW ERA OF "THE SPYDERCO WAY."**

Our approach to doing business has always been a careful balance of providing state-of-the-art innovation and product quality while maintaining traditional values and best-in-class customer service. We have also been extremely open and honest in sharing our product ideas—often well before the products themselves actually hit the shelves. We do this because we truly value the feedback our method provides and sincerely believe our products are better because of our customers' insights.

In many ways, Spyderco customers have been conditioned to expect more from us because we have always worked hard to deliver more. In today's marketplace, however, it's not enough to provide superior products and service. The best companies also have to satisfy the full spectrum of their customers' expectations. That means balancing the excitement and anticipation of the products we show with the timeliness of the products we deliver more carefully than ever before. To do that, we are redefining our own traditions and making some calculated changes to the way we do things.

Like our products, Spyderco's processes are always constantly improving. Thank you for evolving with us as we refine what we do without ever compromising who we are.

Welcome



NEW-PRODUCT-RELEASE ANNOUNCEMENT

Today's world is a rapidly changing place where technology and convenience are quickly overtaking traditional business practices. To remain competitive in this dynamic, fast-paced environment, smart companies have to change with the times.

For four decades, Spyderco's annual product guide has been one of the most anticipated catalogs in the cutlery industry. Seasoned knife enthusiasts looked forward to it as not only the most up-to-date reference on our current product line, but also as a preview of the exciting new designs we planned to release throughout that year. Although they knew they would have to wait patiently for those knives, the "sneak peek" the catalog provided was always worth it.

Customers new to Spyderco, however, didn't always understand this tradition. If a knife was included in the catalog, they expected it to be available for purchase. If it wasn't, they wanted to know exactly when it would be. And since our product development process emphasizes peerless quality over speed, that was a question we couldn't always answer accurately.

After careful consideration of today's market expectations, we've decided to start doing things differently. Our yearly product guide will now focus on products that are in active inventory and ready, or almost ready, to be purchased*. Our new products will then be announced throughout the year on a dedicated page of our web site (spyderco.com/reveal) and in a number of printed "New Product Reveals." We are confident that this new method will allow us to share the excitement of our new products while keeping the time between their announcement and actual availability as short as possible.

Trust us, 2019 is going to be filled with lots of innovative new Spyderco knives, sharpeners, and accessories. And while our new system won't guarantee instant gratification, we assure you that the "wait" after the "want" will be as short as possible.

*As we implement this new policy, we must also acknowledge products we have already announced in previous marketing materials. We have therefore included all the knives announced in our 2018 Mid-Year Supplement in this product guide, regardless of their current availability. Future annual product guides will focus exclusively on delivered products.

Contents

TABLE OF CONTENTS

SIGNATURE	2
RESCUE	48
RESTRICTED ITEMS	52
SALT™ SERIES	56
FLIPPERS	70
SPECIALTY	76
ETHNIC SERIES	89
PRESTIGE	90
NON-LOCKING	96
CLIPITOO™ SERIES	102
VALUE FOLDERS	106
FIXED BLADES	114
SALT FIXED BLADES	123
HAWKS, HATCHETS & THROWERS	128
KITCHEN	132
SHARPENERS	136
ACCESSORIES	144
BALIYO®	148
WARRANTY	149
BYRD KNIFE®	150
EDGE-U-CATION®	168





SIGNATURE KNIVES

Spyderco knives have always emphasized performance and reliability over pure aesthetics. Over time, that unrelenting commitment to functionality gave our knives a “look” all their own and established many of our designs as true classics. Iconic, instantly recognizable, and unmistakably unique, we proudly refer to these knives as our “Signature Models.” Although many of them have evolved over the years, their original spirit and distinctive Spyderco style remain timeless.

Signature

POLICE MODEL™

C07PS

One of the most recognizable folding knives ever produced, the original Spyderco Police Model was developed in the early 1980's specifically to meet the needs of law enforcement professionals. They asked for a lean, easily carried folder that could cut with serious authority. What we delivered has become legendary.

The classic "old-school" Police Model features a sleek, satin-finished stainless steel handle with chamfered edges. Its blade is hollow ground from VG-10 stainless steel and has a dramatic swedge (unsharpened bevel) to ensure an acute point. Depending upon the user's preference, it is available with either a PlainEdge™, SpyderEdge™, or CombinationEdge™ blade, all with a Trademark Round Hole™ for agile one-handed opening. A high-strength back lock mechanism locks the blade securely open when in use and, together with a four-position hourglass clip, makes carry and operation of this ageless design completely ambidextrous.



CARRY:
4-POSITION
AMBI

POLICE MODEL

WEIGHT: 5.8 oz 164 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P, S, PS
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
4.15 in
105 mm
EDGE:
3.76 in
96 mm

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
5.32 in
135 mm

OVERALL:
9.47 in
241 mm

LOCK:
BACK
HANDLE:
STAINLESS

4

POLICE™ 4

C07GP4

The fourth-generation Police 4 features a broad full-flat-ground blade crafted from Böhler-Uddeholm K390 particle metallurgy tool steel. Its handle includes skeletonized full stainless steel liners, a solid steel back spacer, and textured G-10 scales to ensure maximum structural strength and a non-slip grip. A high-strength back lock mechanism, four-position hourglass clip, and oversized Trademark Round Hole™ also guarantee easy accessibility and swift, fully ambidextrous operation.

CARRY:
4-POSITION
AMBI

POLICE 4

WEIGHT: 4.5 oz 128 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: K390
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
BLADE:
4.42 in
112 mm
EDGE:
4.00 in
102 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
5.55 in
141 mm

HANDLE:
G-10

LOCK:
BACK

OVERALL:
9.97 in
253 mm

ENDURA® 4

Released in 1990, the original Spyderco Endura and its smaller counterpart, the Delica®, literally redefined the concept of today's folding knife. As the very first lightweight, clip-carry, one-hand-opening folders, they set a new standard. After decades of refinement, the fourth-generation Endura continues to set the standard as one of the best-selling folding knives ever made. In the process, it has also spawned an entire family of variations to meet virtually every user's needs and preferences.

The direct descendants of the original model, Endura 4 Lightweights feature skeletonized stainless steel liners and injection-molded fiberglass-reinforced-nylon (FRN) handles. They come in a full spectrum of colors and a variety of different grinds, edge configurations, and blade steels. Specialized versions include one with an Emerson Opening Feature that automatically opens the blade as the knife is drawn, a blunted red-handled trainer, and hand-dyed Zome versions with multi-colored handles.

For those who prefer greater strength and heft, the Endura 4 is also available with a satin-finished stainless steel handle and saber-ground blade. All members of the Endura 4 family include a four-position clip, a high-strength back lock mechanism, and Spyderco's Trademark Round Hole, making both carry and operation of these hardworking knives completely ambidextrous.

ENDURA 4 BLACK BLADE


C10PSBBK

Signature

ENDURA 4

C10PSBK

The Endura 4 Lightweight's FRN handle is reinforced by skeletonized stainless steel liners and features molded Bi-Directional Texturing™ for a secure grip. Its saber-ground blade combines strength and cutting performance and is available in all three edge configurations.



CARRY:
4-POSITION
AMBI

The black-bladed Endura 4 lightweight features a non-reflective titanium carbonitride (TiCN) coating.

CARRY:
4-POSITION
AMBI

ENDURA 4

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P, PS, S
MADE IN JAPAN

GRIND:
SABER
BLADE:
3.80 in
97 mm
EDGE:
3.40 in
86 mm

HOLE DIAMETER:
0.51 in 13.0 mm

OVERALL:
8.78 in
223 mm

LOCK:
BACK

HANDLE:
FRN

ENDURA 4 BLACK BLADE

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: PS
MADE IN JAPAN

GRIND:
SABER
BLADE:
3.80 in
97 mm
EDGE:
3.40 in
86 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.98 in
126 mm

OVERALL:
8.78 in
223 mm

LOCK:
BACK

HANDLE:
FRN

ENDURA 4

ZDP-189

C10PGRE

ENDURA 4

ZOME GREEN

C10ZFPGR



The multi-colored green patterns on the FRN handles of this model are individually hand dyed by Japanese artisans, giving each knife its own distinctive character.

Endura 4 with a full-flat-ground blade made from ultra-high-carbon ZDP-189 steel and a British Racing Green FRN handle.

CARRY:
4-POSITION
AMBI



CARRY:
4-POSITION
AMBI



ENDURA 4 ZOME GREEN

WEIGHT: 3.3 oz 94 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
BLADE:
3.80 in
97 mm
EDGE:
3.44 in
87 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.98 in
126 mm

OVERALL:
8.78 in
223 mm

LOCK:
BACK

HANDLE:
FRN

6

ENDURA 4 ZDP-189

WEIGHT: 3.3 oz 94 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: ZDP-189
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
BLADE:
3.80 in
97 mm
EDGE:
3.46 in
88 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.98 in
126 mm

HANDLE:
FRN

LOCK:
BACK

OVERALL:
8.78 in
223 mm

ENDURA 4 FLAT GROUND COLORS

C10FPBN

Signature


Full-flat-ground Enduras offer low-friction edge geometry and a spectrum of handle colors to suit every taste (black, blue, green, gray, orange, purple and brown).



C10FPBK C10FPBL C10FPGR C10FPGY C10FPOR C10FPPR

CARRY:
4-POSITION
AMBI 

ENDURA 4 FLAT GROUND

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN 

GRIND: FULL-FLAT
EDGE: 3.44 in 87 mm
BLADE: 3.80 in 97 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.98 in
126 mm

OVERALL:
8.78 in
223 mm

LOCK:
BACK

HANDLE:
FRN

ENDURA 4 TRAINER

C10TR



The Endura 4 Trainer has a purpose-designed blunted blade for safe, realistic personal-defense training. Mechanically identical to its live-blade counterparts, it is also an excellent tool for teaching novice knife enthusiasts proper knife handling skills.

CARRY
4-POSITION
AMBI

ENDURA 4 TRAINER

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: AUS-6
EDGE: BLUNTED
MADE IN JAPAN



ENDURA 4 FOLIAGE GREEN

C10PSFG



Designed to blend naturally with most colors and camouflage motifs, the foliage-green-handled Endura 4 features a saber-ground blade with a CombinationEdge.

CARRY
4-POSITION
AMBI

ENDURA 4 FOLIAGE GREEN

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: PS
MADE IN JAPAN




ENDURA 4 STAINLESS

C10PS



The stainless-handled Endura 4 offers heft and strength and provides an ideal canvas for aftermarket engraving or embellishment.



CARRY:
4-POSITION
AMBI

ENDURA 4 STAINLESS

WEIGHT: 5.6 oz 159 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P, PS, S
MADE IN JAPAN

GRIND:
SABER
BLADE:
3.85 in
98 mm
EDGE:
3.42 in
87 mm

HOLE DIAMETER:
0.51 in 13.0 mm

OVERALL:
8.77 in
223 mm

LOCK:
BACK
HANDLE:
STAINLESS

CLOSED:
4.92 in
125 mm

ENDURA 4 TITANIUM DAMASCUS

C10TIPD



This refined version of the Endura 4 has a flat-ground blade with a VG-10 stainless steel core flanked on each side by 15-layer Damascus. It is paired with a high-tech titanium handle and four-position hourglass clip.

CARRY:
4-POSITION
AMBI

ENDURA 4 TITANIUM DAMASCUS

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10/DAMASCUS
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
BLADE:
3.83 in
97 mm
EDGE:
3.45 in
87 mm

HOLE DIAMETER:
0.51 in 13.0 mm

OVERALL:
8.75 in
222 mm

LOCK:
BACK
HANDLE:
TITANIUM

CLOSED:
4.92 in
125 mm

Signature

ENDURA 4 WITH EMERSON OPENER

C10PGYW



An Emerson Opener is a small integral hook on the spine of a knife's blade that catches on the edge of the pocket as the knife is drawn. As the knife clears the pocket, the hook pivots the blade into the open position. Spyderco is proud to license this feature from its inventor, Ernest Emerson, and offer it on select models like the Endura 4.

CARRY:
4-POSITION
AMBI



ENDURA 4 EMERSON OPENER

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND: SABER	BLADE: 3.80 in 97 mm
EDGE: 3.46 in 88 mm	

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.98 in
126 mm

OVERALL:
8.78 in
223 mm

LOCK:
BACK

HANDLE:
FRN

10

DELICA 4 WITH EMERSON OPENER

C11PGYW



This Delica 4 comes with a licensed Emerson Opener for rapid opening.

CARRY:
4-POSITION
AMBI



DELICA 4 EMERSON OPENER

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND: SABER	BLADE: 2.90 in 74 mm
EDGE: 2.56 in 65 mm	

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.15 in
182 mm

HANDLE:
FRN

LOCK:
BACK

DELICA® 4

An equal partner in the history-making accomplishments of the Endura, the Delica 4 offers all the same outstanding qualities in a more compact package. The Delica 4 Lightweight family includes a full range of handle colors, blade grinds, and edge configurations, as well as a blunted training version and a model with the Emerson Opening Feature. All lightweight models feature skeletonized stainless steel liners for strength and textured handles molded from tough fiberglass-reinforced nylon.

For those who prefer strength and heft, the Delica 4 is also available with a satin-finished stainless steel handle, saber-ground blade, and a choice of edge configurations. Like its lightweight kin, the stainless-handled version features a high-strength back lock mechanism and a four-position hourglass pocket clip for ambidextrous carry and operation.

DELICA 4 BLACK BLADE

C11PSBBK

Signature

DELICA 4

C11PSBK

The fourth-generation Delica 4 Lightweight has a saber-ground blade for strength and is available in three edge configurations. Its molded fiberglass-reinforced-nylon handle features high-traction Bi-Directional Texturing, sturdy skeletonized stainless steel liners, and a four-position hourglass clip ready for all possible carry options.



CARRY:
4-POSITION
AMBI

See page 60 for a
Salt Series version

To eliminate light reflection in specific environments, the black-bladed Delica 4 features a low-profile titanium carbonitride (TiCN) coating.

CARRY:
4-POSITION
AMBI

DELICA 4

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P, PS, S
MADE IN JAPAN

GRIND:
SABER
BLADE:
2.90 in
74 mm
EDGE:
2.56 in
65 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.15 in
182 mm

LOCK:
BACK

HANDLE:
FRN

DELICA 4 BLACK BLADE

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: PS
MADE IN JAPAN

GRIND:
SABER
BLADE:
2.90 in
74 mm
EDGE:
2.56 in
65 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.15 in
182 mm

LOCK:
BACK

HANDLE:
FRN

DELICA 4 ZOME GREEN

C11ZFPGR



Individually hand dyed by Japanese artisans, the unique multi-colored green patterns on the FRN handles of this model give each knife its own distinctive character.

CARRY:
4-POSITION
AMBI

DELICA 4 ZOME GREEN

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
EDGE:
2.56 in
65 mm

BLADE:
2.90 in
74 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.15 in
182 mm

LOCK:
BACK

HANDLE:
FRN

DELICA 4 WHARNCLIFFE

C11FPWCBK



This uniquely functional variant of the Delica 4 Lightweight was inspired by a request from a Spyderco customer who used a standard Delica 4 Lightweight every day in his job at a warehouse, but appreciated the extreme cutting power and control that straight-edged Wharncliffe blades provide. Based on his suggestion we combined all the qualities of the Delica 4 Lightweight with the enhanced edge geometry and cutting performance of a full-flat-ground Wharncliffe-style VG-10 stainless steel blade.

C11FSWCBK

C11FPWCBK

CARRY:
4-POSITION
AMBI

See page 58 for a
Salt Series version

DELICA 4 WHARNCLIFFE

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P, S
MADE IN JAPAN

GRIND:
FULL-FLAT
EDGE:
2.53 in
64 mm

BLADE:
2.87 in
73 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.12 in
181 mm

HANDLE:
FRN

LOCK:
BACK

DELICA 4 FLAT GROUND COLORS

C11FPBL

Full-flat-ground Delica 4 Lightweights come in a palette of color choices, including black, brown, gray orange, green, purple, and blue.



C11FPBK C11FPBN C11FPGY C11FPOR C11FPGR C11FPPR

CARRY:
4-POSITION
AMBI

CARRY:
4-POSITION
AMBI

DELICA 4 ZDP-189

C11PGRE

This Delica 4 Lightweight features a high-carbon ZDP-189 blade steel and a full-flat grind for friction-free cutting performance with a British Racing Green FRN handle.

Signature



DELICA 4 FLAT GROUND

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND: FULL-FLAT
BLADE: 2.90 in 74 mm
EDGE: 2.56 in 65 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.15 in
182 mm

LOCK:
BACK

HANDLE:
FRN

DELICA 4 ZDP-189

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: ZDP-189
EDGE: P
MADE IN JAPAN

GRIND: FULL-FLAT
BLADE: 2.90 in 74 mm
EDGE: 2.56 in 65 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.15 in
182 mm

LOCK:
BACK

HANDLE:
FRN

DELICA 4 FOLIAGE GREEN

C11PSFG



DELICA 4 TRAINER

C11TR



Mechanically identical to its live-blade counterparts, the Delica 4 Trainer has a blunted edge and tip for safe training or for learning the basics of folding knife operation.

CARRY:
4-POSITION
AMBI



CARRY:
4-POSITION
AMBI





DELICA 4 TRAINER

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: AUS-6
EDGE: BLUNTED
MADE IN JAPAN 



DELICA 4 FOLIAGE GREEN


WEIGHT: 2.6 oz 74 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: VG-10
EDGE: PS
MADE IN JAPAN 



DELICA 4 STAINLESS

C11P

The ideal platform for engraving and aftermarket customization, the Delica 4 with stainless steel handle is perfect for those who prefer the weight of a heavier knife. Its saber-ground blade style is available in three edge configurations.



CARRY:
4-POSITION
AMBI

DELICA 4 STAINLESS

WEIGHT: 3.9 oz 111 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P, PS, S
MADE IN JAPAN

GRIND:
SABER

BLADE:
2.95 in
75 mm

EDGE:
2.56 in
65 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.20 in
107 mm

OVERALL:
7.15 in
182 mm

LOCK:
BACK

HANDLE:
STAINLESS

DELICA 4 TITANIUM DAMASCUS

C11TIPD

Signature

This premium version of the Delica 4 combines the classic beauty of a Damascus-clad blade with the high-tech elegance of solid titanium handle scales. The full-flat-ground blade has a VG-10 stainless steel core flanked on each side by 15-layer Damascus. Its striking pattern stands in contrast to the bead-blasted matte finish of the titanium handle and four-position hourglass clip.

CARRY:
4-POSITION
AMBI

DELICA 4 TITANIUM DAMASCUS

WEIGHT: 3.1 oz 88 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10/DAMASCUS
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT

BLADE:
2.90 in
74 mm

EDGE:
2.56 in
65 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.20 in
107 mm

OVERALL:
7.10 in
180 mm

LOCK:
BACK

HANDLE:
TITANIUM

MATRIARCH™ 2

C12SBK2

CIVILIAN™

C12GS

The Civilian is a purpose-designed personal-protection tool originally intended for use by undercover narcotics officers operating without firearms. Its defining feature is its Reverse "S" SpyderEdge blade, which provides fearsome cutting performance even when wielded with gross motor skills and minimal training. Its highly capable blade is supported by a handle constructed with a single stainless steel liner, textured black G-10 scales, and a high-strength back lock mechanism. A two-position clip offers tip-up or tip-down carry on the right side. One of the most unique production knives ever made, the Civilian comes with a zippered storage pouch.

CARRY:
TIP-UP/DOWN
RIGHT

The Spyderco Matriarch was inspired by a request from our South African distributor for a smaller and more economical version of the Civilian as a personal-protection tool for women. That concept ultimately evolved into the Matriarch 2, which integrates the Civilian's aggressive blade shape and Reverse "S" edge profile with the lightweight handle construction of the popular Endura 4. Its SpyderEdge VG-10 stainless steel blade offers extreme cutting performance while its sturdy back lock mechanism, four-position clip, and Trademark Round Hole ensure fully ambidextrous carry.

CARRY:
4-POSITION
AMBI

CIVILIAN

WEIGHT: 4.8 oz 136 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: S
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
4.09 in
104 mm
EDGE:
3.73 in
95 mm

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
5.20 in
132 mm

OVERALL:
9.29 in
236 mm

LOCK:
BACK

HANDLE:
G-10

MATRIARCH 2

WEIGHT: 3.6 oz 102 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: S
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
3.57 in
91 mm
EDGE:
3.27 in
83 mm

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
4.98 in
126 mm

HANDLE:
FRN

LOCK:
BACK

OVERALL:
8.55 in
217 mm

MATRIARCH 2 WITH EMERSON OPENER BLACK BLADE

C12SBBK2W

MATRIARCH 2 WITH EMERSON OPENER

C12SBBK2W

Signature

An Emerson Opener is an integral hook on the back of the blade that snags the corner of your pocket as the knife is drawn, automatically opening the blade as the knife clears the pocket. The invention of custom knifemaker Ernest Emerson, it is a natural complement to the Matriarch 2 and ensures quick opening of its Reverse "S" blade.

The ultimate expression of the Matriarch 2 concept, this dynamic knife combines lightweight construction, an aggressive fully serrated Reverse "S" blade, a high-speed Emerson Opener, and a black titanium carbonitride (TiCN) coating into a state-of-the-art personal-defense tool.

CARRY:
4-POSITION
AMBI



CARRY:
4-POSITION
AMBI



MATRIARCH 2 EMERSON OPENER

WEIGHT:	3.5 oz 99 g
BLADE THICKNESS:	0.118 in 3.0 mm
STEEL:	VG-10
EDGE:	S
MADE IN JAPAN	●

GRIND:
HOLLOW

EDGE:
3.27 in
83 mm

BLADE:
3.57 in
91 mm

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
4.98 in
126 mm

HANDLE:
FRN

LOCK:
BACK

OVERALL:
8.55 in
217 mm

MATRIARCH 2 EMERSON OPENER BLACK BLADE

WEIGHT:	3.5 oz 99 g
BLADE THICKNESS:	0.118 in 3.0 mm
STEEL:	VG-10
EDGE:	S
MADE IN JAPAN	●

EDGE:
3.27 in
83 mm

GRIND:
HOLLOW

BLADE:
3.57 in
91 mm

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
4.98 in
126 mm

OVERALL:
8.55 in
217 mm

LOCK:
BACK

HANDLE:
FRN


HARPY™

C08S

CRICKET™

C29S

The stainless steel Cricket is a deceptively capable combination of small size and serious cutting performance. Inspired by the natural perfection of a water-worn river rock, its oval handle provides a palm-filling grip, as well as an ideal foundation for the Reeve Integral Lock (R.I.L.) that locks its blade securely in the open position. Its Reverse "S" edge profile maximizes the blade's cutting power while providing an exceptionally fine tip for detail work. Compact and unobtrusive, the Cricket can be clipped almost anywhere by virtue of its stainless steel pocket clip, which also makes it an elegantly functional money clip when carried in the pocket.




CARRY: TIP-DOWN RIGHT

CARRY: 4-POSITION AMBI

Like an animal's claw, a hawkbill blade pierces with the point and draws the material being cut into the natural curve of the edge. The Spyderco Harpy was the first knife to integrate the dynamics of the hawkbill blade profile with the voracious cutting power of our fully serrated SpyderEdge. Its hollow-ground VG-10 stainless steel blade cuts with an authority far beyond its size and makes it the tool of choice for cutting netting, rope, cord, and webbing. Capable of right/left, tip-up/tip-down carry, the Harpy features solid stainless steel handle construction, a sturdy back lock mechanism, and a drying vent/shackle key.

CRICKET

WEIGHT: 1.8 oz 51 g
BLADE THICKNESS: 0.079 in 2.0 mm
STEEL: VG-10
EDGE: P, S
MADE IN JAPAN



CLOSED: 2.78 in 71 mm

HARPY


WEIGHT: 3.8 oz 108 g
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: VG-10
EDGE: S
MADE IN JAPAN



USA-MADE

Spyderco takes tremendous pride in every knife we make, but the ones crafted in our Golden, Colorado factory are special. Because the talented members of the Spyderco "Crew" are directly involved in every step of their design, engineering, manufacture, assembly, and inspection, we truly invest a piece of ourselves in every USA-Made knife we create. In the process, we make every effort to showcase state-of-the-art American-made materials and the uncompromising craftsmanship and innovation that has always made our country great. Simply put, Spyderco's USA-Made products represent the best of who we are.

USA-Made




NATIVE 5

The Native model has been a mainstay of Spyderco's product line for decades. A shining example of the quality and affordability of our American-made products, it is now in its fifth generation of design evolution and continues to define the state of the art in back lock folding knives. The components of its highly refined lock mechanism are painstakingly machined to extreme tolerances, ensuring an unparalleled combination of strength, precision, and ease of operation. Its blade design is also highly evolved, featuring a low-friction full-flat grind, a textured index-finger choil and thumb ramp, and a fully accessible Trademark Round Hole for easy one-handed opening.

The Native 5 is available with an array of handle choices and colors, including textured G-10, injection-molded fiberglass-reinforced nylon (FRN), and solid carbon fiber. Originally produced with CPM S35VN™ blades, most Natives are now in the process of transitioning to CPM S30V, while others continue to showcase elite, high-performance steels like CPM S110V and Maxamet®. All versions also feature an exceptionally stout four-position pocket clip that, together with the knife's other features, make its design completely symmetrical and its operation fully ambidextrous.

NATIVE 5 CPM S110V

C41GPDBL5



This high-end version of the Native 5 features a high-performance CPM S110V stainless steel blade, linerless scales and signature dark blue textured G-10 scales.

CARRY 4-POSITION AMBI

NATIVE 5 CPM S110V

WEIGHT	2.7 oz / 76 g
BLADE THICKNESS	0.125 in / 3.2 mm
STEEL	CPM S110V
EDGE	1000 µ
MADE IN USA	

GRIND: FULL-FLAT

EDGE: 2.42 in / 61 mm

BLADE: 2.95 in / 75 mm

HOLE DIAMETER: 0.50 in / 12.7 mm

CLOSED: 5.00 in / 127 mm

OVERALL: 6.95 in / 177 mm


LOCK BACK

HANDLE: G-10

20

NATIVE 5 LIGHTWEIGHT CPM S110V

C41PDBL5



A dynamic combination of lightweight construction and extreme cutting performance, this Native 5 pairs a dark blue FRN handle with a state-of-the-art CPM S110V blade.

CARRY 4-POSITION AMBI

NATIVE 5 LIGHTWEIGHT CPM S110V

WEIGHT	2.6 oz / 71 g
BLADE THICKNESS	0.125 in / 3.2 mm
STEEL	CPM S110V
EDGE	1000 µ
MADE IN USA	

GRIND: FULL-FLAT

EDGE: 2.42 in / 61 mm

BLADE: 2.95 in / 75 mm

HOLE DIAMETER: 0.50 in / 12.7 mm

CLOSED: 5.00 in / 127 mm

HANDLE: FRN

LOCK BACK

OVERALL: 6.95 in / 177 mm

NATIVE 5 G-10

C41GP5



The linerless construction of the G-10-handled Native 5 reduces weight while ensuring a solid, secure, grip.

CARRY:
4-POSITION
AMBI

NATIVE 5 G-10

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT	BLADE: 2.95 in 75 mm
EDGE: 2.42 in 61 mm	

HOLE DIAMETER:
0.50 in 12.7 mm

CLOSED:
4.00 in
102 mm

OVERALL:
6.95 in
177 mm

LOCK:
BACK

HANDLE:
G-10



NATIVE 5 MAXAMET

C41PGY5



The complex Maxamet alloy in the blade of this enhanced version of the Native 5 offers tremendous edge retention and toughness. It is further showcased by its distinctive gray FRN handle.

CARRY:
4-POSITION
AMBI

NATIVE 5 MAXAMET

WEIGHT: 2.5 oz 71 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: MAXAMET
EDGE: P
MADE IN USA

GRIND: FULL-FLAT	BLADE: 2.95 in 75 mm
EDGE: 2.42 in 61 mm	

HOLE DIAMETER:
0.50 in 12.7 mm

CLOSED:
4.00 in
102 mm

OVERALL:
6.95 in
177 mm

LOCK:
BACK

HANDLE:
FRN





USA-Made

NATIVE 5 LIGHTWEIGHT

C41SBK5

When you choose the Native 5 Lightweight, you choose the most advanced blade design available. The Native 5 Lightweight is a high-performance blade that is designed to cut through a wide variety of materials. The blade is made of a special alloy that is designed to be lightweight and strong. The blade is also designed to be easy to use and to last for a long time. The Native 5 Lightweight is the perfect choice for anyone who needs a reliable and durable blade.



When you choose the Native 5 Lightweight, you choose the most advanced blade design available.

NATIVE LIGHTWEIGHT

100% POLYMER
100% POLYMER
100% POLYMER
MADE IN USA



NATIVE 5 BLACK BLADE

C41PSBBK5

For maximum performance, choose the Native 5 Black Blade. The Native 5 Black Blade is a high-performance blade that is designed to cut through a wide variety of materials. The blade is made of a special alloy that is designed to be lightweight and strong. The blade is also designed to be easy to use and to last for a long time. The Native 5 Black Blade is the perfect choice for anyone who needs a reliable and durable blade.



NATIVE BLACK BLADE

100% POLYMER
100% POLYMER
100% POLYMER
MADE IN USA



NATIVE 5 PINK

C41PPN5

The bright pink handle of this Native 5 Lightweight makes it an ideal cutting tool for the ladies. Sales of this model also support Pink Heals / Guardians of the Ribbon, a charity that provides direct support to women battling all forms of cancer.

Pink Heals mission is to provide communities with a program that supports people in need on a personal level in partnership with public safety and local businesses. For more information, please visit pinkheals.com.



CARRY:
4-POSITION
AMBI



NATIVE 5 PINK

WEIGHT: 2.5 oz 71 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 2.95 in 75 mm
EDGE: 2.42 in 61 mm



NATIVE 5 FLUTED CARBON FIBER

C41CFFP5

Inspired by our collectible 40th Anniversary knife, this Native 5 features solid carbon fiber handle scales intricately machined with a fluted sunburst pattern. The linerless handle includes special threaded inserts to anchor the four-position pocket clip and is paired with a high-performance blade crafted from premium CPM S90V® stainless steel.

CARRY:
4-POSITION
AMBI



NATIVE 5 FLUTED CARBON FIBER

WEIGHT: 2.8 oz 79 g
BLADE THICKNESS:
0.126 in 3.2 mm
STEEL: CPM S90V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 2.95 in 75 mm
EDGE: 2.45 in 62 mm



USA-Made

LIL' NATIVE BACK LOCK

C230MBGP

The iconic Native has been a mainstay of Spyderco's American-made product line for decades. Now all the highly evolved performance features of this incredibly popular design have been distilled into an even more compact, easy-to-carry format. The back lock version of the Lil' Native is truly a scaled-down expression of the Native 5. Its full-flat ground CPM S30V blade includes a fully accessible Trademark Round Hole and an indexing choil for a solid, four-finger grip. Available in either PlainEdge or SpyderEdge, the blade is housed in a linerless handle that includes textured G-10 scales, a stainless back spacer, and a precision-machined high-strength back lock mechanism. A broad-based four-position pocket clip completes the package, making the knife's carry and operation completely ambidextrous.

LIL' NATIVE COMPRESSION LOCK™

C230GP

Fans of Spyderco's user-friendly Compression Lock mechanism will appreciate this version of the Lil' Native, which combines the compact functionality and ergonomics of this refined design with nested stainless steel liners and our patented Compression Lock. It also showcases a reversible deep-pocket wire clip that offers discreet left or right-side tip-up carry.

LIL' NATIVE COMPRESSION LOCK BLACK BLADE

C230GPBBK

For the ultimate in low-profile carry, this version of the Lil' Native Compression Lock features a non-reflective Diamond Like Carbon (DLC) blade coating, black handle hardware, and a reversible black deep-pocket wire clip.

C230MBGS



C230MBGP



C230GS



C230GP



C230GSBBK



C230GPBBK



LIL' NATIVE BACK LOCK

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P, S
MADE IN USA

GRIND: FULL-FLAT
EDGE: 2.02 in 51 mm

BLADE: 2.42 in 61 mm

HOLE DIAMETER: 0.44 in 11.2 mm

HANDLE: G-10

LOCK: BACK

CLOSED: 3.47 in 88 mm

OVERALL: 5.89 in 150 mm

LIL' NATIVE COMPRESSION LOCK

WEIGHT: 2.5 oz 71 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P, S
MADE IN USA

GRIND: FULL-FLAT
EDGE: 2.02 in 51 mm

BLADE: 2.42 in 61 mm

HOLE DIAMETER: 0.44 in 11.2 mm

LOCK: COMPRESSION

CLOSED: 3.47 in 88 mm

OVERALL: 5.89 in 150 mm

HANDLE: G-10

LIL' NATIVE BLACK BLADE

WEIGHT: 2.5 oz 71 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P, S
MADE IN USA

GRIND: FULL-FLAT
EDGE: 2.02 in 51 mm

BLADE: 2.42 in 61 mm

HOLE DIAMETER: 0.44 in 11.2 mm

LOCK: COMPRESSION

CLOSED: 3.47 in 88 mm

OVERALL: 5.89 in 150 mm

HANDLE: G-10

SHAMAN BLACK BLADE

C229GPBK

SHAMAN™

C229GS

The aptly named Shaman transcends the “spirit” of Spyderco’s Native to offer a larger, even more capable expression of its iconic design theme. The soul of the Shaman is its CPM S30V stainless steel blade, which features a full-flat grind to create outstanding edge geometry and an acute point. It is supported by an exceptionally ergonomic handle built with full skeletonized stainless steel liners and contoured matte-finished G-10 scales. This robust construction forms the foundation of the knife’s high-strength Compression Lock mechanism and is home to a four-position pocket clip that supports all possible carry positions. Available with either a PlainEdge or fully serrated SpyderEdge and either a tumbled finish or a black Diamond Like Carbon (DLC) blade coating, the Shaman is ready to work its magic as one of the most formidable cutting tools we’ve ever produced.

USA-Made



C229GP

C229GS



C229GPBK

C229GSBK

CARRY:
4-POSITION
AMBI

CARRY:
4-POSITION
AMBI

SHAMAN

WEIGHT: 5.2 oz 147 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P, S
MADE IN USA

GRIND:
FULL-FLAT

BLADE:
3.58 in
91 mm

EDGE:
3.12 in
79 mm

HOLE DIAMETER:
0.56 in 14.2 mm

OVERALL:
8.25 in
210 mm

HANDLE:
6-10

LOCK:
COMPRESSION

CLOSED:
4.67 in
119 mm

SHAMAN BLACK BLADE

WEIGHT: 5.2 oz 147 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P, S
MADE IN USA

GRIND:
FULL-FLAT

BLADE:
3.58 in
91 mm

EDGE:
3.12 in
79 mm

HOLE DIAMETER:
0.56 in 14.2 mm

OVERALL:
8.25 in
210 mm

HANDLE:
6-10

LOCK:
COMPRESSION

CLOSED:
4.67 in
119 mm

MILITARY™ MODEL

Originally created to meet the demanding needs of forward-deployed military personnel, Spyderco's Military Model has since earned its place as a true classic. Its iconic design incorporates all the best elements of Spyderco's unmistakable style while exemplifying our commitment to "Reliable High Performance™". Its premium CPM S30V stainless steel blade is available with a choice of a satin finish or a non-reflective black Diamond-Like Carbon (DLC) coating. Its modified clip-point profile and a full-flat grind balance strength and exceptional cutting performance, while its fully accessible 14mm Trade-mark Round Hole ensures swift, ambidextrous, one-handed opening—even while wearing gloves.

The knife of choice of countless armed professionals and serious end users around the globe, the classic Military Model has also inspired numerous variants featuring elite blade steels and distinctive handle colors. All feature nested LinerLock mechanisms, textured G-10 scales, lined lanyard holes, and right-side, tip-down pocket clips that keep them poised and ready for immediate access.

MILITARY MODEL

C36GPE

MILITARY MODEL LEFT-HANDED

C36GPLE

Designed and built specifically for left-handed users, this version of the Military Model proudly includes all the defining features of our current satin-finish, G-10-handled Military, but in a mirror-image, left-handed configuration.

The classic Military Model with G-10 scales, LinerLock, and satin-finished blade.

CARRY: TIP-DOWN LEFT

CARRY: TIP-DOWN RIGHT

MILITARY MODEL LEFT-HANDED

WEIGHT: 4.5 oz 128 g
 BLADE THICKNESS: 0.145 in 3.7 mm
 STEEL: CPM S30V
 EDGE: P
 MADE IN USA



MILITARY MODEL

WEIGHT: 4.5 oz 128 g
 BLADE THICKNESS: 0.145 in 3.7 mm
 STEEL: CPM S30V
 EDGE: P
 MADE IN USA



MILITARY MODEL BLACK BLADE

C36GPBK

Black-bladed Military Model has a non-reflective, DLC-coated blade.

CARRY:
TIP-DOWN
RIGHT

MILITARY MODEL BLACK BLADE

WEIGHT: 4.5 oz 128 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
4.00 in
102 mm
EDGE:
3.65 in
93 mm

HOLE DIAMETER:
0.54 in 13.8 mm

CLOSED:
5.52 in
140 mm

LOCK:
LINERLOCK

OVERALL:
9.52 in
242 mm

HANDLE:
G-10

MILITARY MODEL CPM S110V

C36GPDBL

An honored member of Spyderco's family of knives featuring premium CPM S110V blade steel, this Military Model sports textured G-10 handle scales in a distinctive dark blue hue.

CARRY:
TIP-DOWN
RIGHT

MILITARY MODEL CPM S110V

WEIGHT: 4.3 oz 122 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S110V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
4.00 in
102 mm
EDGE:
3.65 in
93 mm

HOLE DIAMETER:
0.54 in 13.8 mm

CLOSED:
5.52 in
140 mm

LOCK:
LINERLOCK

HANDLE:
G-10

OVERALL:
9.52 in
242 mm

USA-Made

MILITARY MODEL CAMO BLACK BLADE

C36GPCMOBK

MILITARY MODEL CAMO

C36GPCMO

Military Model with digital-camouflage-patterned G-10 scales and satin-finished blade.

CARRY:
TIP-DOWN
RIGHT

Military Model with digital-camouflage-patterned G-10 scales and non-reflective DLC-coated blade.

CARRY:
TIP-DOWN
RIGHT

MILITARY MODEL CAMO

WEIGHT: 4.5 oz 128 g
BLADE THICKNESS: 0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
EDGE: 3.65 in 93 mm

BLADE: 4.00 in 102 mm

HOLE DIAMETER: 0.54 in 13.8 mm

CLOSED: 5.52 in 140 mm

LOCK: LINERLOCK

OVERALL: 9.52 in 242 mm

HANDLE: G-10

MILITARY MODEL CAMO BLACK BLADE

WEIGHT: 4.5 oz 128 g
BLADE THICKNESS: 0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
EDGE: 3.65 in 93 mm

BLADE: 4.00 in 102 mm

HOLE DIAMETER: 0.54 in 13.8 mm

CLOSED: 5.52 in 140 mm

LOCK: LINERLOCK

HANDLE: G-10

OVERALL: 9.52 in 242 mm

PARA MILITARY™ 2

Undeniably one of Spyderco's most popular and in-demand designs, the Para Military 2 distills the world-class performance of our legendary Military Model into a more compact, pocket-friendly package. Not content with that feat, it then adds the extreme strength, reliability, and ease of use of our patented Compression Lock mechanism and the versatility of a four-position pocket clip. The resulting synergy is far greater than the sum of its parts and, to many end users, represents the ultimate folding knife design.

To push the performance envelope even further, in addition to its standard configuration with CPM S30V blade and textured black G-10 scales, the Para Military 2 is available with a variety of different blade finishes, handle colors, and blade steels, including state-of-the-art alloys like CPM S110V and Maxamet.

PARA MILITARY 2

C81GP2

PARA MILITARY 2 LEFT-HANDED

C81GPLE2

The left-handed people of the world are used to compromising—especially when it comes to operating folding knife locks that are right-hand biased. This version of the Para Military 2 is a mirror-image of the standard model that puts the high-strength Compression Lock on the opposite side, making left-handed operation of the knife a breeze.

Textured black G-10 scales and satin-finished CPM S30V blade.



USA-Made

CARRY 4-POSITION AMBI

CARRY 4-POSITION AMBI

PARA MILITARY 2 LEFT-HANDED

WEIGHT: 3.9 oz 111 g
BLADE THICKNESS: 0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

EDGE: 3.04 in 77 mm
GRIND: FULL-FLAT
BLADE: 3.42 in 87 mm

HOLE DIAMETER: 0.57 in 14.5 mm

LOCK: COMPRESSION

OVERALL: 8.24 in 209 mm

HANDLE: G-10

CLOSED: 4.82 in 122 mm

PARA MILITARY 2

WEIGHT: 3.9 oz 111 g
BLADE THICKNESS: 0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P, S
MADE IN USA

GRIND: FULL-FLAT
EDGE: 3.04 in 77 mm
BLADE: 3.42 in 87 mm

HOLE DIAMETER: 0.57 in 14.5 mm

LOCK: COMPRESSION

OVERALL: 8.24 in 209 mm

HANDLE: G-10

CLOSED: 4.82 in 122 mm

PARA MILITARY 2 BLACK BLADE

C81GPBK2




Low-profile DLC-coated CPM S30V black blade and subdued handle hardware.

CARRY:
4-POSITION
AMBI



PARA MILITARY 2 BLACK BLADE

WEIGHT: 3.9 oz 111 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA 

GRIND:
FULL-FLAT
EDGE:
3.04 in
77 mm
BLADE:
3.42 in
87 mm

HOLE DIAMETER:
0.57 in 14.5 mm

LOCK:
COMPRESSON

HANDLE:
G-10

CLOSED:
4.82 in
122 mm

OVERALL:
8.24 in
209 mm



PARA MILITARY 2

CPM S110V

C81GPDBL2

Crucible's CPM S110V is a highly advanced stainless tool steel produced by the Crucible Particle Metallurgy (CPM) process. Its high volume of vanadium and niobium alloys gives it exceptional wear resistance, while its enhanced chromium content makes it extremely corrosion resistant. When this steel is paired with the performance characteristics of the time-tested Para Military 2, the result is a top-notch cutting tool that's literally ready for anything. Like all our knives with CPM S110V blades, the G-10 scales of this version sport a distinctive dark blue color.

CARRY:
4-POSITION
AMBI

PARA MILITARY 2 CPM S110V

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S110V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
EDGE:
3.04 in
77 mm

BLADE:
3.42 in
87 mm

HOLE DIAMETER:
0.56 in 14.2 mm

OVERALL:
8.24 in
209 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
4.82 in
122 mm

PARA MILITARY 2

MAXAMET

C81GPDGY2

Maxamet high-speed powdered tool steel possesses properties that transcend conventional high-speed tool steels and approach those of cemented carbides—the ultra-hard materials used to machine other steels. Spyderco is proud to offer it in selected models made in our U.S. factory in Golden, Colorado.

The Para Military 2's full-flat-ground PlainEdge™ blade takes full advantage of Maxamet's qualities, offering an unparalleled combination of strength, low-friction cutting performance, edge retention, and point utility. It is housed in a handle featuring dark gray textured G-10 scales and nested stainless steel liners that form the foundation of its high-strength Compression Lock mechanism. A versatile four-position pocket clip and generously sized lined lanyard hole complete the package and offer all possible carry preferences.

CARRY:
4-POSITION
AMBI

PARA MILITARY 2 MAXAMET

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: MAXAMET
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
EDGE:
3.05 in
77 mm

BLADE:
3.47 in
88 mm

HOLE DIAMETER:
0.57 in 14.5 mm

OVERALL:
8.29 in
211 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
4.82 in
122 mm

USA-Made

PARA MILITARY 2 CAMO BLACK BLADE

C81GPCMOBK2

PARA MILITARY 2 CAMO

C81GPCMO2

Digital-camouflage-patterned G-10 scales and satin-finished CPM S30V blade.

Digital-camouflage-patterned G-10 scales and DLC-coated CPM S30V black blade.

CARRY: 4-POSITION AMBI

CARRY: 4-POSITION AMBI

PARA MILITARY 2 CAMO

WEIGHT: 3.9 oz 111 g
 BLADE THICKNESS: 0.145 in 3.7 mm
 STEEL: CPM S30V
 EDGE: P
 MADE IN USA

GRIND: FULL-FLAT
 BLADE: 3.42 in 87 mm
 EDGE: 3.04 in 77 mm

HOLE DIAMETER: 0.57 in 14.5 mm

LOCK: COMPRESSION

CLOSED: 4.82 in 122 mm

OVERALL: 8.24 in 209 mm

HANDLE: G-10

PARA MILITARY 2 CAMO BLACK

WEIGHT: 3.9 oz 111 g
 BLADE THICKNESS: 0.145 in 3.7 mm
 STEEL: CPM S30V
 EDGE: P
 MADE IN USA

GRIND: FULL-FLAT
 BLADE: 3.42 in 87 mm
 EDGE: 3.04 in 77 mm

HOLE DIAMETER: 0.57 in 14.5 mm

LOCK: COMPRESSION

CLOSED: 4.82 in 122 mm

HANDLE: G-10

OVERALL: 8.24 in 209 mm

PARA 3™

Size does matter. And in the case of Spyderco's immensely popular Para 3, it matters a lot. While the best-selling Para Military 2 distilled the features of the Military Model into a more convenient, easy-to-carry format, the Para 3 takes that process a step further. It proudly features all the key qualities of the Para Military 2, including a full-flat-ground CPM S30V stainless steel blade, a high-strength Compression Lock mechanism, nested stainless steel liners, textured G-10 scales, and a four-position clip. However, it condenses these into a sub-compact form with a socially and legally friendly three-inch blade. Not to be outdone by its bigger brothers, the Para 3 is also available with a broad range of blade steels, edge configurations, and handle colors.


PARA 3 BLACK BLADE

C223GPBK

PARA 3

C223GP

The standard version of the Para 3 features a CPM S30V blade and textured black G-10 scales and is available in three different edge configurations.



CARRY:
4-POSITION
AMBI

The Para 3 is rapidly setting a new standard in compact, high-performance cutting tools. For personnel concerned about light discipline and those who just like the look of a black blade, this remarkable design is now available with a tough, non-reflective, Diamond Like Carbon (DLC) blade coating.

CARRY:
4-POSITION
AMBI

USA-Made

PARA 3

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P, PS, S
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
2.95 in
75 mm
EDGE:
2.62 in
67 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
7.24 in
184 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
4.29 in
109 mm

PARA 3 BLACK BLADE

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
2.95 in
75 mm
EDGE:
2.62 in
67 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
7.24 in
184 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
4.29 in
109 mm

PARA 3 MAXAMET

C223GPDGY

Carpenter® Technology Corporation developed Micro-Melt Maxamet specifically for use in the rollers of their state-of-the-art steel mills. This remarkable alloy possesses properties that transcend conventional high-speed tool steels and approach those of cemented carbides, the ultra-hard materials used to machine other steels. As one of only a handful of companies to master the specialized methods necessary to machine, heat treat, and grind this exotic alloy, Spyderco is extremely proud to offer it in some of our elite American-made products.

The Para 3 Maxamet combines this best-in-class folding knife design with the extreme edge retention and toughness of Maxamet blade steel. The full-flat-ground blade includes an accessible Trademark Round Hole for ambidextrous, one-handed opening. It features a high-strength Compression Lock mechanism that is housed in a dark gray textured G-10 handle. A four-position pocket clip and a generously-sized lined lanyard hole complete the package.

CARRY:
4-POSITION
AMBI

PARA 3 CPM S110V

C223GPDBL

The newest member of Spyderco's family of knives featuring CPM S110V blade steel, this version of the Para 3 features outstanding edge retention and the family's signature "midnight blue" textured G-10 handle scales.

CARRY:
4-POSITION
AMBI

PARA 3 MAXAMET

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: MAXAMET
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 2.95 in 75 mm
EDGE: 2.62 in 67 mm

HOLE DIAMETER:
0.55 in 14.0 mm

LOCK:
COMPRESSION

CLOSED:
4.29 in
109 mm

OVERALL:
7.24 in
184 mm

HANDLE:
G-10

34

PARA 3 CPM S110V

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S110V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 2.95 in 75 mm
EDGE: 2.62 in 67 mm

HOLE DIAMETER:
0.55 in 14.0 mm

LOCK:
COMPRESSION

CLOSED:
4.29 in
109 mm

HANDLE:
G-10

OVERALL:
7.24 in
184 mm

PARA 3 CAMO BLACK BLADE

C223GPCMOBK

USA-Made

PARA 3 CAMO

C223GPCMO



For military end users or those who prefer a tactical look to their knives, the Para 3 is available with digital-camouflage-patterned G-10 scales. Approximating the pattern of the U.S. Army's ARPAT camouflage, they complement the CPM S30V blade, patented Compression Lock mechanism, and four-position clip to give this knife a no-nonsense look that equals its performance.

This version of the Para 3 combines a black DLC blade coating and digital camouflage G-10 handle scales with reliable, high-performance characteristics.

CARRY:
4-POSITION
AMBI

CARRY:
4-POSITION
AMBI

PARA 3 CAMO

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 2.95 in 75 mm
EDGE: 2.62 in 67 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
7.24 in 184 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
4.29 in 109 mm

PARA 3 CAMO BLACK BLADE

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.145 in 3.7 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 2.95 in 75 mm
EDGE: 2.62 in 67 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
7.24 in 184 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
4.29 in 109 mm

MANIX™ 2

A proud member of Spyderco's USA-Made family of knives, the Manix 2 is an extremely capable full-sized folder that is literally ready for anything. Its broad, full-flat-ground blade provides exceptional cutting power, while its textured index-finger choil and thumb ramp allow a forward grip for extreme control and dexterity. The blade is supported by our patented Ball Bearing Lock™ mechanism, which, together with the knife's fully accessible Trademark Round Hole and reversible tip-up pocket clip, make every aspect of the Manix 2's carry, deployment, and operation completely ambidextrous.


The Manix 2 comes in two basic forms—with stainless steel liners and G-10 scales or with an ultra-lightweight fiberglass-reinforced co-polymer (FRCP) handle. Each of these platforms is also available with a broad range of handle colors, edge configurations, blade finishes, and blade steels—including elite high-performance alloys like CPM S110V and Maxamet. For those who believe that bigger is better, there is even the super-sized Manix 2 XL. No matter what your cutting needs may be, the Manix 2 family has you covered.

MANIX 2

C101GP2



The G-10-handled Manix 2 is built for strength and performance. The business end features a CPM S30V blade with a full-flat grind for optimal edge geometry. Its ergonomic handle combines full stainless steel liners, strategically placed jimping, and textured G-10 scales for exceptional comfort and grip security. The standard version features a tumble-finished blade and liners.



CARRY:
TIP-UP
AMBI

MANIX 2

WEIGHT: 4.9 oz 139 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P, PS
MADE IN USA

GRIND:
FULL-FLAT
EDGE:
2.92 in
74 mm
BLADE:
3.37 in
86 mm

HOLE DIAMETER:
0.55 in 14.0 mm



CLOSED:
4.66 in
118 mm



OVERALL:
8.03 in
204 mm

LOCK:
BALL-BEARING

HANDLE:
G-10


MANIX 2 BLACK BLADE

C101GPBBK2



A non-reflective all-black version of the Manix 2 XL with a DLC-coated blade and matching black hardware and pocket clip.

CARRY:
TIP-UP
AMBI



MANIX 2 BLACK BLADE

WEIGHT: 4.9 oz 139 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
3.37 in
86 mm
EDGE:
2.92 in
74 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
8.03 in
204 mm

LOCK:
BALL-BEARING

HANDLE:
G-10

CLOSED:
4.66 in
118 mm



MANIX 2 CPM S110V

C101GPDBL2



This highly capable expression of the Manix 2 combines the advanced features and refined style that define this model with a state-of-the-art CPM S110V blade and textured dark blue G-10 handle scales.

CARRY:
TIP-UP
AMBI



MANIX 2 CPM S110V

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S110V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
3.37 in
86 mm
EDGE:
2.92 in
74 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
8.03 in
204 mm

LOCK:
BALL-BEARING

HANDLE:
G-10

CLOSED:
4.66 in
118 mm



USA-Made



7

8

9

10

Spyderco
MAXAMET

Spyderco
MAXAMET



MANIX 2 MAXAMET

C101PGY2



This version of the Manix 2 Lightweight elevates the performance of this workhorse design with a blade made of Carpenter® steel's Micro-Melt® Maxamet alloy—a super-hard high-speed powdered tool steel.

CARRY:
TIP-UP
AMBI



MANIX 2 MAXAMET

WEIGHT: 3.0 oz 85 g

BLADE THICKNESS:
0.125 in 3.2 mm

STEEL: MAXAMET

EDGE: P

MADE IN USA

GRIND:
FULL-FLAT

EDGE:
2.88 in
73 mm

BLADE:
3.37 in
86 mm

HOLE DIAMETER:
0.55 in 14.0 mm

OVERALL:
8.03 in
204 mm

CLOSED:
4.66 in
118 mm

LOCK:
BALL-BEARING

HANDLE:
FRCP



MANIX 2 LIGHTWEIGHT CPM S110V

C101PDBL2



For extreme edge retention and corrosion resistance, this Manix 2 showcases a state-of-the-art CPM S110V blade and signature dark blue FRCP handle scales.

CARRY:
TIP-UP
AMBI

MANIX 2 LIGHTWEIGHT CPM S110V

WEIGHT: 2.9 oz 82 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S110V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
EDGE:
2.88 in
73 mm

BLADE:
3.37 in
86 mm

OVERALL:
8.03 in
204 mm

LOCK:
BALL-BEARING

HANDLE:
FRCP

CLOSED:
4.66 in
118 mm

HOLE DIAMETER:
0.55 in 14.0 mm



MANIX 2 TRANSLUCENT BLUE

C101PBL2



Weighing three ounces, this award-winning version of the Manix 2 features a revolutionary handle molded from translucent blue FRCP (fiberglass reinforced co-polymer).

CARRY:
TIP-UP
AMBI

MANIX 2 TRANSLUCENT BLUE

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CTS BD1
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
EDGE:
2.88 in
73 mm

BLADE:
3.37 in
86 mm

OVERALL:
8.03 in
204 mm

LOCK:
BALL-BEARING

HANDLE:
FRCP

CLOSED:
4.66 in
118 mm

HOLE DIAMETER:
0.55 in 14.0 mm



MANIX 2 BLACK BLADE

C101PBBK2

USA-Made

MANIX 2 LIGHTWEIGHT

C101PBK2



If you're looking for the proven performance and weight-saving qualities of the Manix 2 Lightweight but with a black handle, this is it.

Black fiberglass co-polymer handle with Diamond-Like-Carbon (DLC) coated blade, hardware and pocket clip.

CARRY: TIP-UP
AMBI



CARRY: TIP-UP
AMBI



MANIX 2 LIGHTWEIGHT

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CTS BD1
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 3.37 in 86 mm
EDGE: 2.88 in 73 mm

HOLE DIAMETER: 0.55 in 14.0 mm

CLOSED: 4.66 in 118 mm

LOCK: BALL-BEARING

HANDLE: FRCP

OVERALL: 8.03 in 204 mm

MANIX 2 BLACK BLADE

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CTS BD1
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 3.37 in 86 mm
EDGE: 2.88 in 73 mm

HOLE DIAMETER: 0.55 in 14.0 mm

CLOSED: 4.66 in 118 mm

OVERALL: 8.03 in 204 mm

LOCK: BALL-BEARING

HANDLE: FRCP

MANIX 2 XL BLACK BLADE

C95GPBBK2

MANIX 2 XL

C95GP2

The Manix 2 XL supercharges the Manix 2 design with an extra-large-sized format that is perfect for bigger hands and tasks that demand a longer blade. Its stainless steel liners are skeletonized to reduce weight and capped with textured black G-10 scales. The CPM S30V blade has a full-flat grind for an exceptional synthesis of strength and edge geometry and an oversized 14mm Round Hole for easy blade opening, even while wearing gloves.

A non-reflective all-black version of the Manix 2 XL with a DLC-coated blade and matching black hardware and pocket clip.

CARRY:
TIP-UP
AMBI



CARRY:
TIP-UP
AMBI



MANIX 2 XL

WEIGHT: 5.2 oz 147 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
3.85 in
98 mm
EDGE:
3.36 in
85 mm

HOLE DIAMETER:
0.56 in 14.3 mm

CLOSED:
5.09 in
129 mm

LOCK:
BALL-BEARING

HANDLE:
G-10

OVERALL:
8.94 in
227 mm

MANIX 2 XL BLACK BLADE

WEIGHT: 5.2 oz 147 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND:
FULL-FLAT
BLADE:
3.85 in
98 mm
EDGE:
3.36 in
85 mm

HOLE DIAMETER:
0.56 in 14.3 mm

CLOSED:
5.09 in
129 mm

LOCK:
BALL-BEARING

HANDLE:
G-10

OVERALL:
8.94 in
227 mm

STRETCH 2™

C90PBK2

The Stretch 2's refined ergonomics reduce fatigue during prolonged use and its index-finger choil enhances purchase for a "choked up" grip. Its full-flat-ground VG-10 blade and Bi-Directional Textured injection-molded black FRN handle yield a refined knife ready for tough challenges. A four-position clip, back lock and Trademark Round Hole combine to make it both right and left-hand friendly.

CARRY:
4-POSITION
AMBI

STRETCH 2

ZDP-189

C90PGRE2

The Stretch 2 is about as perfect as a folding hunting knife can be. Its blade is crafted from ultra-high-carbon ZDP-189 steel for an extreme edge that will stay sharper longer in the field and get the job done faster. It features a signature British Racing Green handle.

CARRY:
4-POSITION
AMBI

Signature

STRETCH 2

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
BLADE:
3.43 in
87 mm
EDGE:
2.97 in
75 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.71 in
120 mm

OVERALL:
8.14 in
207 mm

LOCK:
BACK

HANDLE:
FRN

STRETCH 2 ZDP-189

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: ZDP-189
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
BLADE:
3.45 in
88 mm
EDGE:
2.98 in
76 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.72 in
120 mm

OVERALL:
8.17 in
208 mm

LOCK:
BACK

HANDLE:
FRN

DRAGONFLY™

The Dragonfly is a remarkably refined folding knife design that balances compact size with full-service cutting performance. Its unique handle shape and textured index-finger choil comfortably accommodate all hand sizes for a secure, non-slip grip. The full-flat-ground blade cuts with impressive authority and features a fully accessible Trademark Round Hole for easy one-handed opening. Together with a stout back lock mechanism and reversible tip-up carry clip, it makes the Dragonfly's design completely ambidextrous and lefty-friendly. One of the most capable compact folders ever created, the Dragonfly is also available with a wide range of blade steels, edge configurations, handle materials, and colors.

DRAGONFLY TATTOO

C28PT

Stainless steel Dragonfly with multi-colored etching.

DRAGONFLY STAINLESS

C28S

Dragonfly with satin-finished stainless steel handle and a steel tip-up carry clip.

C28P

C28S

CARRY: TIP-UP RIGHT

CARRY: TIP-UP AMBI

DRAGONFLY G-10

C28GPF

An upscale version of the Dragonfly with stainless steel liners and foliage green G-10 scales.

DRAGONFLY STAINLESS

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: VG-10
EDGE: P, S
MADE IN JAPAN

EDGE: 1.88 in 48 mm
BLADE: 2.32 in 59 mm
GRIND: FULL-FLAT

HOLE DIAMETER: 0.43 in 11.0 mm

CLOSED: 3.22 in 82 mm

OVERALL: 5.54 in 141 mm

LOCK: BACK
HANDLE: STAINLESS

DRAGONFLY G-10

WEIGHT: 2.0 oz 57 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND: FULL-FLAT
EDGE: 1.89 in 48 mm
BLADE: 2.28 in 58 mm

HOLE DIAMETER: 0.43 in 11.0 mm

CLOSED: 3.30 in 84 mm

HANDLE: G-10

LOCK: BACK

OVERALL: 5.58 in 142 mm

DRAGONFLY TATTOO

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

EDGE: 1.88 in 48 mm
BLADE: 2.32 in 59 mm
GRIND: FULL-FLAT

HOLE DIAMETER: 0.43 in 11.0 mm

CLOSED: 3.22 in 82 mm

OVERALL: 5.54 in 141 mm

LOCK: BACK
HANDLE: STAINLESS

DRAGONFLY 2 ORANGE

C28POR2

Dragonfly 2 Lightweight with high-visibility orange handle.

DRAGONFLY 2 ZDP-189

C28PGRE2

Dragonfly 2 Lightweight with ZDP-189 blade steel.

DRAGONFLY 2 BLACK

C28PBK2

Dragonfly 2 Black Lightweight with textured FRN handle.

C28SBK2

C28PBK2

DRAGONFLY 2 ZOME

C28ZFPGR2

Dragonfly 2 Lightweight with Zome green handle.

Signature

CARRY:
TIP-UP
AMBI



See page 68 for a Salt Series version

DRAGONFLY 2 BLACK

WEIGHT: 1.3 oz 37 g

BLADE THICKNESS:
0.098 in 2.5 mm

STEEL: VG-10

EDGE: P, S

MADE IN JAPAN

EDGE: 1.88 in 48 mm
BLADE: 2.28 in 58 mm
GRIND: FULL-FLAT

HOLE DIAMETER:
0.43 in 11.0 mm

OVERALL:
5.61 in 142 mm

CLOSED:
3.33 in 85 mm

LOCK:
BACK
HANDLE:
FRN

DRAGONFLY 2 ZOME/ORANGE

WEIGHT: 1.2 oz 34 g

BLADE THICKNESS:
0.098 in 2.5 mm

STEEL: VG-10

EDGE: P

MADE IN JAPAN

EDGE: 1.88 in 48 mm
BLADE: 2.30 in 58 mm
GRIND: FULL-FLAT

HOLE DIAMETER:
0.43 in 11.0 mm

CLOSED:
3.33 in 85 mm

HANDLE:
FRN

LOCK:
BACK

OVERALL:
5.63 in 143 mm

DRAGONFLY 2 ZDP-189

WEIGHT: 1.3 oz 37 g

BLADE THICKNESS:
0.098 in 2.5 mm

STEEL: ZDP-189

EDGE: P

MADE IN JAPAN

GRIND: FULL-FLAT
BLADE: 2.28 in 58 mm

EDGE: 1.88 in 48 mm

HOLE DIAMETER:
0.43 in 11.0 mm

CLOSED:
3.33 in 85 mm

OVERALL:
5.61 in 142 mm

HANDLE:
FRN

LOCK:
BACK

45

LADYBUG™

Spyderco's Ladybugs are an amazing breed of pocketknives. Small enough to fit on a keychain, yet capable of tackling serious cutting chores, these diminutive lock-blade folders are a force to be reckoned with. Designed for in-pocket carry, Ladybugs are clipless and feature textured, injection-molded FRN handles. Available with a choice of blade steels, handle colors, and edge configurations, all proudly feature our trademark Round Hole for convenient, fingertip-free opening.

LADYBUG 3 BLACK

LBK53

Black FRN handle and saber-ground VG-10 blade.

LBK53

LBK53

LADYBUG 3 ZDP-189

LGREP3

Premium ZDP-189 blade with full-flat grind and British Racing Green FRN handle.

LADYBUG 3 PURPLE

LPRP3

Textured purple FRN handle and saber-ground VG-10 blade.

LADYBUG 3 FOLIAGE GREEN

LFOP3

Saber-ground blade with textured foliage green FRN handle.

LENGTH: 2.07 in. (52.6 mm)

See page 46 for a size reference.

LENGTH: 2.07 in. (52.6 mm)

LENGTH: 2.07 in. (52.6 mm)

LADYBUG 3 BLACK/FOLIAGE GREEN



WEIGHT: 0.6 oz. (17.1 g)
 LENGTH: 2.07 in. (52.6 mm)
 HANDLE: 1.25 in. (31.8 mm)
 BLADE: 0.82 in. (20.8 mm)
 HOLE: 0.39 in. (9.9 mm)
 MADE IN JAPAN

LADYBUG 3 ZDP-189

WEIGHT: 0.6 oz. (17.1 g)
 LENGTH: 2.07 in. (52.6 mm)
 HANDLE: 1.25 in. (31.8 mm)
 BLADE: 0.82 in. (20.8 mm)
 HOLE: 0.39 in. (9.9 mm)
 MADE IN JAPAN

LADYBUG 3 PURPLE

WEIGHT: 0.6 oz. (17.1 g)
 LENGTH: 2.07 in. (52.6 mm)
 HANDLE: 1.25 in. (31.8 mm)
 BLADE: 0.82 in. (20.8 mm)
 HOLE: 0.39 in. (9.9 mm)
 MADE IN JAPAN



MANBUG™

The same overall length as the Ladybug, the Manbug has a broader, more masculine profile and a slightly thicker blade. It is also available with a choice of VG-10 stainless steel or ultra-high-carbon ZDP-189. Both blade choices are full-flat-ground, feature a Trademark Round Hole for easy opening, and are supported by a textured FRN handle and sturdy back lock mechanism.



MANBUG

MBKP

Textured FRN handle and full-flat-ground VG-10 blade.



MANBUG ZDP-189

MGREP

Premium ZDP-189 blade with full-flat grind and British Racing Green FRN handle.

Signature

CARRY:
AMBI
NO CLIP



See page 69 for a
Salt Series version

CARRY:
AMBI
NO CLIP



MANBUG

WEIGHT: 0.7 oz 20 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

EDGE:
1.75 in
44 mm

GRIND:
FULL-FLAT

BLADE:
1.97 in
50 mm

HOLE DIAMETER:
0.38 in 9.7 mm

OVERALL:
4.47 in
114 mm

LOCK:
BACK

HANDLE:
FRN

CLOSED:
2.50 in
64 mm

MANBUG ZDP-189

WEIGHT: 0.7 oz 20 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: ZDP-189
EDGE: P
MADE IN JAPAN

EDGE:
1.75 in
44 mm

GRIND:
FULL-FLAT

BLADE:
1.97 in
50 mm

HOLE DIAMETER:
0.38 in 9.7 mm

OVERALL:
4.47 in
114 mm

LOCK:
BACK

HANDLE:
FRN

CLOSED:
2.50 in
64 mm

A photograph of a car's interior with a severely shattered windshield. The glass is broken into a dense web of sharp, white shards. A black rearview mirror is visible above the windshield. In the foreground, a Spyderco rescue knife with an orange handle and a silver blade with a serrated edge is lying on a light-colored surface. The blade has a hole at the top and is inscribed with "Rescue 79mm", a spider logo, and "SPYDERCO VG-10".

RESCUE KNIVES

In 1982, Spyderco combined a blunt-tipped sheepfoot blade with a high-performance serrated edge to create our revolutionary Mariner™ model. Although designed primarily for sailors, it quickly became the knife of choice for first responders, who used it to quickly cut seat belts and other fibrous materials to rescue accident victims. We later coined the term "rescue knife" and developed other models specifically for this lifesaving application. Today, we continue that proud tradition by offering best-in-class emergency cutting tools to first responders and prepared citizens worldwide.

RESCUE™ 3

C14SBK3

Rescue

The Rescue 3, purpose-designed rescue knife combines the safety of a sheepfoot blade profile, the cutting power of a serrated SpyderEdge, and the lightweight convenience of an FRN handle. The Rescue 3 brings with it an ergonomically enhanced FRN handle with Bi-Directional Texturing, skeletonized stainless steel liners, and a four-position hourglass clip. Its flat-ground VG-10 blade is serrated all the way to the tip for tremendous cutting power and features a 14mm Spyderco hole for one-handed opening. Weighing less than four ounces, the Rescue 3 is the perfect carry-anywhere tool for both first responders and prepared civilians.

CARRY:
4-POSITION
AMBI



See page 67 for a
Salt Series version

RESCUE 3

WEIGHT: 3.4 oz 96 g

BLADE THICKNESS:
0.118 in 3.0 mm

STEEL: VG-10

EDGE: S

MADE IN JAPAN

GRIND:
FULL-FLAT

EDGE:
3.13 in
80 mm

BLADE:
3.57 in
91 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.72 in
120 mm

OVERALL:
8.29 in
211 mm

LOCK:
BACK

HANDLE:
FRN

ASSIST™ ORANGE

C79PSOR

The Assist is the ultimate pocket-sized cutting tool for first responders and prepared citizens. Its unique blade features an oversized Trademark Round Hole and Cobra Hood™ attachment for swift blade deployment, even while wearing heavy gloves. The blunt tip safely slides under seat belts, clothing, and other materials and will not puncture flotation gear, while its CombinationEdge provides extreme cutting performance that easily powers through even the toughest materials. Its high-traction FRN handle features a built-in survival whistle and a reversible wire pocket clip for ambidextrous tip-up carry. The handle's finger grooves ensure a secure grip and enable the blade to "scissor cut" rope and cord much like a cigar cutter. Squeezing the closed blade extends a retractable carbide glass breaker from the butt end of the handle to safely and efficiently break windows.

CARRY:
TIP-UP
AMBI



See page 66 for a
Salt Series version

ASSIST ORANGE

WEIGHT: 4.1 oz 116 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: PS
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
3.68 in
93 mm
EDGE:
3.15 in
80 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.87 in
124 mm

OVERALL:
8.55 in
217 mm

LOCK:
BACK

HANDLE:
FRN

50

ASSIST BLACK BLADE

C79PSBBK

The black-bladed Assist has a non-reflective TiCN blade coating and black hardware.



CARRY:
TIP-UP
AMBI



ASSIST BLACK BLADE

WEIGHT: 4.1 oz 116 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: PS
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
3.68 in
93 mm
EDGE:
3.15 in
80 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.87 in
124 mm

HANDLE:
FRN

LOCK:
BACK

OVERALL:
8.55 in
217 mm

RESCUE 79mm BLACK

C45SBK

Rescue

RESCUE™ 79mm ORANGE

C45SOR



The Rescue 79mm provides the same quick opening, extreme cutting power, and ambidextrous operation as our larger rescue knives in a smaller, more easily carried package. The official issue knife for a U.S. federal law enforcement agency, it is perfect for inside-the-pocket carry or users with smaller hands.

CARRY:
TIP-UP
AMBI



See page 66 for a
Salt Series version

CARRY:
TIP-UP
AMBI



RESCUE 79mm ORANGE

WEIGHT: 2.3 oz 65 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: S
MADE IN JAPAN

GRIND:
SABER
BLADE:
3.11 in
79 mm
EDGE:
2.68 in
68 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.08 in
104 mm

OVERALL:
7.19 in
183 mm

LOCK:
BACK

HANDLE:
FRN

RESCUE 79mm BLACK

WEIGHT: 2.3 oz 65 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: S
MADE IN JAPAN

GRIND:
SABER
BLADE:
3.11 in
79 mm
EDGE:
2.68 in
68 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.08 in
104 mm

OVERALL:
7.19 in
183 mm

LOCK:
BACK

HANDLE:
FRN

Restricted Items

Automatic knives are federally restricted items. Sale of these items is limited to qualified personnel only, as defined in the statutory language of 18 U.S.C. Section 1716(g)(2)(1-4) and 15 U.S.C. Section 1244(2-4). You must also comply with all applicable local and state laws, statutes, and regulations related to the purchase and possession of automatic knives. Purchasing and/or possessing an automatic knife may subject you to criminal liability.

Qualified buyers are required to complete and physically sign an Acknowledgement & Representations Form (available through your Spyderco sales representative or downloadable from our web site at www.spyderco.com/opfocus). There will be absolutely NO SALES of restricted knives without this completed form and all other required documentation.

AUTONOMY™ AUTOMATIC KNIFE

The Spyderco Autonomy was developed in response to a request from the U.S. Coast Guard for a cutting tool that would meet the demanding mission requirements of their rescue swimmers. Its voracious SpyderEdge blade is ground from H-1 steel—an extraordinary nitrogen-based alloy that is immune to corrosion. The blade's sheepfoot profile and blunt tip make it ideal for rescue applications, while still providing a high degree of point utility. The auto-opening blade is powered by a corrosion-resistant coil spring nested within a patented removable module that allows easy spring replacement without disassembling the entire knife. The Autonomy's ergonomic, finger-grooved handle is constructed with full stainless steel liners flanked by textured G-10 scales. Its oversized firing button is driven by a spring that is integral to one of the liners and (on some models) includes a sliding safety that prevents unintentional activation. All the Autonomy's other metal hardware is also made exclusively from rustproof materials to ensure that this knife is completely impervious to the elements.

AUTONOMY COAST GUARD

C165GSORCG

AUTONOMY 2

C165GP2

Restricted

Spysderco's Autonomy model revolutionized automatic knife design with several pioneering features, including a patented module that allows the blade's kick spring to be easily replaced without complete disassembly. Now the all-new Autonomy 2 packs all the defining qualities of the original into a stout, high-performance auto optimized for general utility use. Its full-flat-ground, leaf-shaped blade is crafted from nitrogen-based LC200N rustproof steel and paired with an ergonomic handle featuring full stainless steel liners, textured G-10 scales, and an easily indexed oversized firing button with safety. A broad-based hourglass clip straddles the handle's lined lanyard tube and is reversible for left or right-side, tip-up carry.

The original version of the Autonomy was specifically designed to be carried in a dedicated pocket in a rescue swimmer's vest. By design it did not include a firing-button safety or pocket clip. This original version is available exclusively to the U.S. Coast Guard and other qualified military buyers.

CARRY:
TIP-UP
AMBI



CARRY:
AMBI
NO CLIP



AUTONOMY 2

WEIGHT: 5.6 oz 159 g
BLADE THICKNESS:
0.114 in 2.9 mm
STEEL: LC200N
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
BLADE: 3.61 in 92 mm

EDGE: 3.37 in 86 mm

HOLE DIAMETER:
0.22 in 5.6 mm

LOCK:
BUTTON

HANDLE:
G-10

OVERALL:
8.55 in 217 mm

AUTONOMY COAST GUARD

WEIGHT: 5.3 oz 150 g
BLADE THICKNESS:
0.114 in 2.9 mm
STEEL: H-1
EDGE: S
MADE IN USA

GRIND: HOLLOW
BLADE: 3.70 in 94 mm

EDGE: 3.51 in 89 mm

HOLE DIAMETER:
0.19 in 4.7 mm

LOCK:
BUTTON

HANDLE:
G-10

OVERALL:
8.62 in 219 mm

AUTONOMY BLACK BLADE

C165GSBBK

AUTONOMY ORANGE

C165GSOR

News of the Autonomy's revolutionary design spread quickly and Spyderco soon received requests for a version that was suitable for pocket carry, but still had the high-visibility orange handles of the original. The result is the orange-handled Autonomy with a safety and a pocket clip.

Specifically designed for tactical environments where light discipline is a concern, this all-black version of the Autonomy has a stealthy Diamond Like Carbon (DLC) coating on the blade, textured black G-10 scales, and includes a button safety and pocket clip.



AUTONOMY ORANGE

WEIGHT: 5.4 oz 150 g
BLADE THICKNESS: 0.114 in 2.9 mm
STEEL: H-1
EDGE: S
MADE IN USA

GRIND: HOLLOW
BLADE: 3.70 in 94 mm
EDGE: 3.51 in 89 mm

HOLE DIAMETER: 0.19 in 4.7 mm

CLOSED: 4.92 in 125 mm

LOCK: BUTTON

HANDLE: G-10

OVERALL: 8.62 in 219 mm

AUTONOMY BLACK BLADE

WEIGHT: 5.4 oz 153 g
BLADE THICKNESS: 0.114 in 2.9 mm
STEEL: H-1
EDGE: S
MADE IN USA

GRIND: HOLLOW
BLADE: 3.70 in 94 mm
EDGE: 3.51 in 89 mm

HOLE DIAMETER: 0.19 in 4.7 mm

CLOSED: 4.92 in 125 mm

LOCK: BUTTON

HANDLE: G-10


OVERALL: 8.62 in 219 mm

The Janisong is a one-of-a-kind folding knife that elevates the spirit of the traditional I Himeo belonging to a practical, yet stylish outdoor cutting tool. The brainchild of knife designer Michael Janicek, the patented mechanism consists of an outer handle, an inner handle, and a full-flat-ground DPM 5.11V stainless steel blade, all joined by a single pivot pin. Rotating the inner handle 360 degrees reveals the blade and locks it securely in the open position. An ambidextrous sliding latch mechanism reinforces the blade lock when open and also secures the blade and handles in the closed position for safe carry. With practice, the Janisong can be opened extremely quickly with a variety of techniques, but because its outer handle is its "safe" handle, it is inherently safer than a conventional ballsong. For safe-of carry, it comes complete with a deep-pocket four-position clip.




NOTE: The Janisong is intended **ONLY** for sales outside the United States. The sales and distribution of the Janisong are subject to the restrictions listed below. There will be **NO EXCEPTIONS** to these policies.

- The Janisong and all its key components are manufactured in Taiwan.
- Because of the nature of its mechanical function, the Janisong cannot be legally imported into the United States.
- Janisong knives must not, under any circumstances, be returned to Spyderco's U.S. headquarters.
- Spyderco's sales of the Janisong will be limited to international dealers and distributors only. Spyderco will not accept orders for direct retail sales.
- All sales of the Janisong will be processed separately by Spyderco's representatives in Taiwan and shipped directly to the buyer. Separate shipping and handling charges will apply.
- It is the buyer's responsibility to research and comply with all applicable laws governing the importation, ownership, and possession of the Janisong knife in their jurisdiction.
- Spyderco is not responsible for the loss, seizure, or confiscation of Janisong knives by customs, law enforcement, or other authorities resulting from the actual or attempted purchase, importation, possession, ownership, or resale of this product.
- All returns and warranty claims related to Janisong knives must be processed **ONLY** through Spyderco's authorized representatives in your country of residence.
- Spyderco dealers, distributors, and other resellers are required to abide by all the restrictions outlined above. Violation of these restrictions may result in the termination of your reseller account with Spyderco.



LAZY POSITION AND!

JANISONG
 WEIGHT: 2.8 oz. (78.9g)
 HANDLE: 2.5 in (63.5mm)
 BLADE: 3.0 in (76.2mm)
 TOTAL: 5.5 in (139.7mm)
 MADE IN TAIWAN







Salt series

SALT SERIES™

Rust is the nemesis of all cutting tools—particularly those designed specifically for use in and around the water. Spyderco's remarkable Salt Series tackles this age-old problem through the groundbreaking use of nitrogen-based blade steels like H-1® and LC200N. The result is a diverse selection of knives that are incredibly resistant to corrosion and ideally suited to the needs of divers, fishermen, military personnel, and water sports enthusiasts.

H-1 is a specialized austenitic alloy that uses 0.15% nitrogen instead of carbon to achieve its steel-like qualities. In addition to making it extremely corrosion resistant, it also makes it a "work hardening" material. Unlike the heat-based hardening and tempering used for conventional steels, H-1 hardens through the mechanical processes of shaping and grinding the blade. This unique property also makes it significantly tougher than carbon-based steels.

LC200N is a nitrogen-rich martensitic steel that achieves its hardness through a conventional heat-treatment process. While it does contain a trace amount of carbon, its high nitrogen and chromium content give it superior corrosion resistance and toughness, even at the high degrees of hardness required for knife blades.

Through the use of these extraordinary alloys, other corrosion-resistant materials, and the latest advances in technology and manufacturing methods, Spyderco continues to wage a relentless war on rust. And like everything else we do, the more we learn, the better our products get.

SALT™ 2 WHARNCLIFFE

C88PWCYL2

Spyderco's second-generation Salt 2 knives combine the extraordinary corrosion resistance and extreme toughness of nitrogen-based H-1 steel with the highly refined handle ergonomics of the best-selling Delica 4. The Salt 2 Wharncliffe takes that synergy a step further by adding the unparalleled cutting power and precision of a hollow-ground Wharncliffe blade profile. Available with a choice of a PlainEdge or fully serrated SpyderEdge, its other time-tested features include a stout back lock mechanism, a bright yellow fiberglass-reinforced-nylon (FRN) handle, a high-traction Bi-Directional Texture pattern, and a four-position titanium pocket clip. Along with a fully accessible Trademark Round Hole, they make every aspect of this knife's design completely ambidextrous.

C88SWCYL2

C88PWCYL2

CARRY:
4-POSITION
AMBI

NATIVE 5 SALT

C41PYL5

The Native 5 Salt is a dynamic fusion of the best-selling Native 5 Lightweight and the extraordinary corrosion-resistant qualities of a nitrogen-based blade steel. The defining feature of this knife is its full-flat-ground LC200N blade, which is available with either a PlainEdge or SpyderEdge cutting edge. It is paired with a lightweight, injection-molded, fiberglass-reinforced-nylon (FRN) handle, a precision-machined high-strength back lock mechanism, and a broad-based four-position pocket clip. The handle proudly showcases the characteristic high-visibility yellow color of our Salt Series and a Bi-Directional Texture pattern that ensures a positive grip both in and out of the water.

C41PYL5

C41SYL5

CARRY:
4-POSITION
AMBI

SALT 2 WHARNCLIFFE

WEIGHT: 2.0 oz 57 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN

GRIND:
HOLLOW

EDGE P:
2.54 in
65 mm
EDGE S:
2.55 in
65 mm

HOLE DIAMETER:
0.52 in 13.1 mm

BLADE P:
2.90 in
74 mm
BLADE S:
2.92 in
74 mm

OVERALL P:
7.15 in 182 mm
OVERALL S:
7.17 in 182 mm

LOCK:
BACK

HANDLE:
FRN

CLOSED:
4.25 in
108 mm

58

NATIVE 5 SALT

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS:
0.125 in 3.2 mm
STEEL: LC200N
EDGE: P, S
MADE IN USA

GRIND:
FULL-FLAT

EDGE:
2.42 in
61 mm

BLADE
2.95 in
75 mm

HOLE DIAMETER:
0.50 in 12.7 mm

OVERALL:
6.95 in
177 mm

LOCK:
BACK

HANDLE:
FRN

CLOSED:
4.00 in
102 mm

CARIBBEAN SALT SHEEPFOOT

C217GPSF

CARIBBEAN™ SALT LEAF

C217GP

Salt series

Spyderco's Caribbean combines the ultra-corrosion-resistant properties of our Salt Series with the advantages of our high-strength Compression Lock mechanism. The full-flat-ground, leaf-shaped blade of this version is precision machined from LC200N—a nitrogen-based martensitic steel that holds an edge extremely well and is incredibly rust resistant. Available with either a PlainEdge or SpyderEdge, the blade is housed in a vibrantly colored handle featuring scales crafted from layered black and yellow G-10. The intricately machined pattern on the scales not only creates a non-slip texture, it reveals the contrasting colors of the layers to create a stunning striped design. Skeletonized liners nested within the scales support the knife's high-strength Compression Lock mechanism, while a reversible titanium hourglass clip offers convenient left or right-side tip-up carry.

For mariners and other users who prefer a classic sheepfoot blade profile, this version of the Caribbean proudly showcases a blunt-tipped blade that is ideal for rescue applications and use around inflatable watercraft. Crafted from corrosion-resistant LC200N, it is available with either a PlainEdge or SpyderEdge and is full-flat ground for superior edge geometry. All other features—including precision-machined, two-toned handle scales, a high-strength Compression Lock mechanism, and a reversible tip-up titanium pocket clip—are identical to its leaf-bladed counterpart, making the Caribbean Sheepfoot one of the classiest and most capable mariner's knives available.



CARIBBEAN LEAF

WEIGHT: 4.1 oz 116 g
BLADE THICKNESS: 0.138 in 3.5 mm
STEEL: LC200N
EDGE: P, S
MADE IN TAIWAN

GRIND: FULL-FLAT
EDGE P: 3.66 in 93 mm
EDGE S: 3.60 in 91 mm

BLADE P: 3.66 in 93 mm
BLADE S: 3.68 in 93 mm

HOLE DIAMETER: 0.55 in 14.0 mm

OVERALL P: 8.50 in 216 mm
OVERALL S: 8.52 in 216 mm

HANDLE: G-10

LOCK: COMPRESSION

CLOSED: 4.84 in 123 mm

CARIBBEAN SHEEPFOOT

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS: 0.138 in 3.5 mm
STEEL: LC200N
EDGE: P, S
MADE IN TAIWAN

GRIND: FULL-FLAT
EDGE P: 3.67 in 93 mm
EDGE S: 3.63 in 92 mm

BLADE: 3.70 in 94 mm

HOLE DIAMETER: 0.55 in 14.0 mm

LOCK: COMPRESSION

CLOSED: 4.84 in 123 mm

HANDLE: G-10

OVERALL: 8.54 in 217 mm

SALT 2

CHERRY L W



This exceptional quality comes from the fact that the blade is made from a special alloy of stainless steel and is hardened to a level that makes it resistant to wear and tear. The handle is made from a special material that is both strong and comfortable to hold. The knife is designed to be used for a wide range of tasks, from cutting through tough materials to slicing through delicate foods. The blade is made from a special alloy of stainless steel and is hardened to a level that makes it resistant to wear and tear. The handle is made from a special material that is both strong and comfortable to hold. The knife is designed to be used for a wide range of tasks, from cutting through tough materials to slicing through delicate foods.



SALT 2

BLACK BLADE

CBBPBK2



For exceptional quality comes from the fact that the blade is made from a special alloy of stainless steel and is hardened to a level that makes it resistant to wear and tear. The handle is made from a special material that is both strong and comfortable to hold. The knife is designed to be used for a wide range of tasks, from cutting through tough materials to slicing through delicate foods. The blade is made from a special alloy of stainless steel and is hardened to a level that makes it resistant to wear and tear. The handle is made from a special material that is both strong and comfortable to hold. The knife is designed to be used for a wide range of tasks, from cutting through tough materials to slicing through delicate foods.



SPYDIECHEF™

C211TIP

Salt series

TUSK™

C06TIP



The Tusk is both a state-of-the-art mariner's tool and a fascinating chapter in Spyderco's history. Its design dates back to the early days of Spyderco and Sal Glesser's desire to produce a high-performance mariner's tool. At the time, technology was not advanced enough to support the visionary concept of the design. More than 25 years later, that concept has been completely redesigned by his son Eric Glesser to yield an extraordinary sailor's tool. The Tusk's blade is ground from LC200N steel—a high-nitrogen, extremely corrosion-resistant alloy—and backed by a titanium handle and Reeve Integral Lock. The 300-series stainless steel marlinspike has a round-to-square cross section to loosen knots efficiently and locks open with a high-strength Ball Bearing Lock with a ceramic ball bearing. The marlinspike and the space between it and the handle provide two functional shackle keys for managing different sizes and types of shackles. A reversible pocket clip and lanyard hole ensure secure, convenient carry and solidify the Tusk's reputation as a tool far ahead of its time.

CARRY:
TIP-DOWN
AMBI

A proud member of Spyderco's Salt Series of ultra-corrosion-resistant knives, the SpydieChef takes the user-friendly ergonomics of a good chef's knife and translates them into a do-all folder optimized for everyday carry. Based on knifemaker Marcin Slys' custom design, it features a gracefully curved, full-flat-ground blade crafted from LC200N—an extremely corrosion-resistant nitrogen-based steel used by NASA for ball bearings. Its easily cleaned, open-backed handle consists of two solid titanium scales, one of which houses a stout Reeve Integral Lock (R.I.L.) mechanism. A lined lanyard hole and a reversible deep-pocket wire clip provide convenient carry and quick tip-up access.

CARRY:
TIP-UP
AMBI

TUSK

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: LC200N
EDGE: P
MADE IN TAIWAN

GRIND: HOLLOW
BLADE: 2.38 in 60 mm
EDGE: 2.14 in 54 mm

SPIKE: 2.24 in 57 mm
THICKNESS: 0.374 in 9.5 mm
MARLIN SPIKE
STEEL: 300-SERIES

OVERALL: 6.55 in 166 mm

OVERALL: 6.41 in 163 mm

LOCK: BALL BEARING

HANDLE: TITANIUM

CLOSED: 4.17 in 106 mm

HOLE DIAMETER: 0.43 in 11.0 mm

LOCK: R.I.L.

SPYDIECHEF

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: LC200N
EDGE: P
MADE IN TAIWAN

GRIND: FULL-FLAT
BLADE: 3.32 in 84 mm
EDGE: 3.31 in 84 mm
HOLE DIAMETER: 0.47 in 12.0 mm

OVERALL: 7.78 in 198 mm

HANDLE: TITANIUM

CLOSED: 4.46 in 113 mm

LOCK: R.I.L.

TASMAN SALT 2 BLACK

C106SBK2



TASMAN SALT 2 YELLOW

C106PYL2



Like an animal's claw, hawkbill blades "capture" the materials they cut, drawing them into their concave edges to generate a powerful, focusing cutting force. The Tasman Salt 2 combines this aggressive cutting dynamic with the corrosion-resistant qualities of H-1 steel and a choice of either a PlainEdge or SpyderEdge blade to create a near-perfect tool for cutting netting, line, and other fibrous materials. Its highly evolved linerless handle design is based on the best-selling Delica 4. Injection molded from tough yellow or black FRN, it features improved ergonomics, a non-slip Bi-Directional Texturing pattern, a sturdy back lock mechanism, and a four-position titanium pocket clip that is configurable for all carry options.



C106SYL2

C106PYL2

CARRY:
4-POSITION
AMBI



C106SBK2

C106PBK2

CARRY:
4-POSITION
AMBI

TASMAN SALT 2 YELLOW

WEIGHT: 2.1 oz 60 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN

GRIND:
HOLLOW
EDGE:
2.50 in
64 mm
BLADE:
2.91 in
74 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.16 in
182 mm

LOCK:
BACK

HANDLE:
FRN

TASMAN SALT 2 BLACK

WEIGHT: 2.1 oz 60 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN

GRIND:
HOLLOW
EDGE:
2.50 in
64 mm
BLADE:
2.91 in
74 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.25 in
108 mm

OVERALL:
7.16 in
182 mm

LOCK:
BACK

HANDLE:
FRN



Salt series


PACIFIC SALT™ BLACK

C91SBK

PACIFIC SALT YELLOW


C91PYL

The Pacific Salt Lightweight delivers full-service cutting performance and ultra-corrosion-resistant reliability. Its Trademark Round Hole, high-strength back lock mechanism, and reversible tip-up clip provide completely ambidextrous operation, while the Volcano Grip™ texture of the FRN handle ensures a secure grip in even the harshest conditions. The Pacific Salt is available with a PlainEdge or SpyderEdge blade and either a black or yellow handle.



C91SBK

C91PBK



C91SYL

C91PYL



CARRY:
TIP-UP
AMBI



CARRY:
TIP-UP
AMBI

PACIFIC SALT BLACK

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN ●

GRIND: HOLLOW	BLADE: 3.80 in 97 mm
EDGE: 3.39 in 86 mm	

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.89 in
124 mm

OVERALL:
8.69 in
221 mm

LOCK:
BACK

HANDLE:
FRN

PACIFIC SALT YELLOW

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN ●

GRIND: HOLLOW	BLADE: 3.80 in 97 mm
EDGE: 3.39 in 86 mm	

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.89 in
124 mm

OVERALL:
8.69 in
221 mm

LOCK:
BACK

HANDLE:
FRN

PACIFIC SALT BLACK BLADE

C91SBBK

The light weight, extreme durability, and impressive cutting performance of the Pacific Salt make it ideal for use by military personnel—especially when its blade is subdued with a tough titanium carbonitride (TiCN) coating. The veteran of grueling military testing, the PlainEdge version of the all-black Pacific Salt is approved for U.S. Naval and Marine Corps aviation units (NSN Issued). By popular demand, it is also available with a fully serrated SpyderEdge blade.



CARRY: TIP-UP AMBI

SNAP-IT™ SALT

C26SYL

Spyderco's award-winning Snap-It was an innovative cutting tool that traded our signature pocket clip for a snap shackle with a spring closure. Popular with climbers, tradesmen, and outdoorsmen, the shackle allows the knife to be suspended from a carabiner, D-ring, or similar platform for immediate access. The Snap-It Salt supercharges this innovative design with the corrosion-resistant qualities of an H-1 steel blade and a fully serrated SpyderEdge. Its tough fiberglass-reinforced-nylon (FRN) handle features high-visibility yellow and is complemented by the original design's black Kraton® rubber insert panels. A sturdy back lock mechanism locks the blade securely when open and, like all the knife's other metal hardware, is also fearlessly resistant to corrosion.

Salt series

CARRY: TIP-DOWN AMBI

PACIFIC SALT BLACK BLADE

WEIGHT: 3.0 oz 85 g	GRIND: HOLLOW	BLADE: 3.77 in 96 mm
BLADE THICKNESS: 0.118 in 3.0 mm	EDGE: 3.33 in 85 mm	
STEEL: H-1		
EDGE: P, S		
MADE IN JAPAN		

HOLE DIAMETER: 0.55 in 14.0 mm

CLOSED: 4.89 in 124 mm

OVERALL: 8.66 in 220 mm

LOCK: BACK

HANDLE: FRN

SNAP-IT SALT

WEIGHT: 2.4 oz 68 g	GRIND: HOLLOW	BLADE: 2.96 in 75 mm
BLADE THICKNESS: 0.118 in 3.0 mm	EDGE: 2.25 in 57 mm	
STEEL: H-1		
EDGE: S		
MADE IN JAPAN		

HOLE DIAMETER: 0.47 in 12.0 mm

CLOSED: 5.08 in 129 mm

OVERALL: 6.89 in 175 mm

LOCK: BACK

HANDLE: FRN/KRATON

SAVER SALT™

C118SYL

ASSIST SALT™

C79PSYL

The Spyderco Assist Salt combines the extraordinary lifesaving features of the original Assist with the ultra-corrosion-resistant qualities of H-1 steel. The result is a multi-function, purpose-designed rescue tool ideal for use in and around the water. Its remarkable features include a blunt-tipped CombinationEdge blade, a recessed carbide glass breaker, a reversible wire clip, a built-in survival whistle, and the capability to scissor cut rope using the handle's ergonomic finger grooves.

If you're looking for a full-service mariner's knife that is as compact as possible, look to the Saver Salt. It possesses all the same qualities as the Atlantic Salt—including an H-1 sheepfoot blade, a fully serrated SpyderEdge, a sturdy back lock, a textured yellow FRN handle, and a reversible titanium pocket clip—in a compact package that tips the scales at just over two ounces.

CARRY:
TIP-UP
AMBI



ASSIST SALT

WEIGHT: 3.9 oz 111 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: H-1
EDGE: PS
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
3.68 in
93 mm
EDGE:
3.15 in
80 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.87 in
124 mm

OVERALL:
8.55 in
217 mm

LOCK:
BACK

HANDLE:
FRN

CARRY:
TIP-UP
AMBI



SAVER SALT

WEIGHT: 2.2 oz 62 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: H-1
EDGE: S
MADE IN JAPAN

GRIND:
HOLLOW
BLADE:
3.09 in
78 mm
EDGE:
2.69 in
68 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.09 in
104 mm

OVERALL:
7.18 in
182 mm

LOCK:
BACK

HANDLE:
FRN

ATLANTIC SALT™ YELLOW

C89SYL

The blunt tip of a sheepfoot blade prevents accidental punctures and provides an extra measure of safety in many work environments. The Atlantic Salt integrates the sheepfoot profile, an aggressive SpyderEdge cutting edge, a 50/50 index finger slot, and the corrosion resistance of 11-1 blade steel to yield a knife that offers extreme cutting performance in even the most demanding environments. Its notched FRN handle includes an integral sheath key and is available in black or high-visibility yellow. A reversible black-coated titanium pocket clip provides tip-up carry on either the left or right side and makes this knife the perfect cutting tool for sailors, rescue workers and first responders.

ATLANTIC SALT™ BLACK

C89SBK

Salt Series

CARRY TIP-UP
AMBI

ATLANTIC SALT YELLOW

WEIGHT 5.6 oz. 158 g
 BLADE LENGTH 5.18 in. 132 mm
 BLADE WIDTH 1.41 in. 35.8 mm
 EDGE 50/50
 INDEX 50/50
 MADE IN JAPAN

SHIELD
HOLE LOW

EDGE 5.18 in.
132 mm

BLADE
LENGTH

5.18 in.
132 mm

HOLE DIAMETER
0.155 in. 3.9 mm

OVERALL
LENGTH

5.10 in.
129 mm

LOCK
BACK

HANDLE
FRN

CARRY TIP-UP
AMBI

ATLANTIC SALT BLACK

WEIGHT 5.6 oz. 158 g
 BLADE LENGTH 5.18 in. 132 mm
 BLADE WIDTH 1.41 in. 35.8 mm
 EDGE 50/50
 INDEX 50/50
 MADE IN JAPAN

SHIELD
HOLE LOW

EDGE 5.18 in.
132 mm

BLADE
LENGTH

5.18 in.
132 mm

HOLE DIAMETER
0.155 in. 3.9 mm

OVERALL
LENGTH

5.10 in.
129 mm

LOCK
BACK

HANDLE
FRN

DRAGONFLY 2

SALT

C28PYL2



C28PYL2

C28SYL2



Many knife users consider the Dragonfly the ideal balance of compact size and full-spectrum cutting performance. When rendered with an H-1 steel blade and a high-visibility yellow handle, it provides all the function of the original in an ultra-corrosion-resistant package that is perfect for use in and around the water.



DRAGONFLY 2

SALT HAWKBILL

C28SYL2HB



This elite version of the Dragonfly 2 Lightweight combines this time-tested design with the incredibly corrosion-resistant properties of H-1 steel and the extreme cutting power of a hawkbill blade. Like an animal's claw, a hawkbill pierces with the tip and draws the object being cut into its concave edge. This highly focused cutting power makes it the perfect tool for cutting netting, line, and other fibrous materials—especially when rendered in ultra-corrosion-resistant H-1 steel and supercharged with an aggressive SpyderEdge.



DRAGONFLY 2 SALT

WEIGHT: 1.3 oz 37 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN ●

GRIND: HOLLOW	BLADE: 2.30 in 58 mm
EDGE: 1.88 in 48 mm	

HOLE DIAMETER: 0.43 in 11.0 mm

CLOSED: 3.33 in 85 mm

OVERALL: 5.63 in 143 mm

LOCK: BACK

HANDLE: FRN

DRAGONFLY 2 SALT HAWKBILL

WEIGHT: 1.3 oz 37 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: H-1
EDGE: S
MADE IN JAPAN ●

GRIND: HOLLOW	BLADE: 2.30 in 58 mm
EDGE: 1.97 in 50 mm	

HOLE DIAMETER: 0.43 in 11.0 mm

CLOSED: 3.33 in 85 mm

OVERALL: 5.49 in 139 mm

HANDLE: FRN

LOCK: BACK

LADYBUG 3 SALT

LYLP3

LADYBUG 3 SALT HAWKBILL

LYLS3HB



CARRY:
AMBI
NO CLIP



MANBUG SALT™

MYLS



LYLP3

LYLS3

CARRY:
AMBI
NO CLIP

CARRY:
AMBI
NO CLIP

Spyderco's pint-sized Manbug has earned a dedicated following that rivals that of its inspiration, the best-selling Ladybug. Its popularity has also inspired a number of variants of the basic design, including the Manbug Salt. This ultra-corrosion-resistant version of the Manbug features a sheepfoot blade made of H-1 steel, a fully serrated SpyderEdge cutting edge, and a high visibility yellow FRN handle.

Salt series

LADYBUG 3 SALT HAWKBILL

WEIGHT: 0.7 oz 20 g
BLADE THICKNESS:
0.079 in 2.0 mm
STEEL: H-1
EDGE: S
MADE IN JAPAN ●

EDGE: 1.63 in 41 mm
BLADE: 1.88 in 48 mm
GRIND: HOLLOW

HOLE DIAMETER:
0.35 in 9.0 mm

OVERALL:
4.36 in 111 mm

CLOSED:
2.48 in 63 mm

LOCK:
BACK

HANDLE:
FRN

LADYBUG 3 SALT

WEIGHT: 0.7 oz 20 g
BLADE THICKNESS:
0.079 in 2.0 mm
STEEL: H-1
EDGE: P, S
MADE IN JAPAN ●

GRIND: HOLLOW
EDGE: 1.72 in 44 mm
BLADE: 1.93 in 49 mm

HOLE DIAMETER:
0.35 in 9.0 mm

OVERALL:
4.41 in 112 mm

CLOSED:
2.48 in 63 mm

LOCK:
BACK

HANDLE:
FRN

MANBUG SALT

WEIGHT: 0.8 oz 23 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: H-1
EDGE: S
MADE IN JAPAN ●

EDGE: 1.71 in 43 mm
BLADE: 1.90 in 48 mm
GRIND: HOLLOW

HOLE DIAMETER:
0.40 in 10.0 mm

OVERALL:
4.40 in 112 mm

CLOSED:
2.50 in 64 mm

HANDLE:
FRN

LOCK:
BACK

Flippers

Flippers are a special breed of one-hand-opening knife. The brainchild of the late custom knifemaker Kit Carson, their defining feature is a small integral tab near the heel of the blade that protrudes from the handle when the knife is closed. Stroking or pressing this tab with your index finger generates leverage to rotate the blade swiftly and smoothly into the open position. As a novel supplement or alternative to our Trademark Round Hole, flippers have become an increasingly popular feature on Spyderco knives. They are also a driving force behind some of our most innovative new designs, including models that combine flippers with our patented Compression Lock mechanism.



AMALGAM™

C234CFP

Flippers



The Amalgam was designed from the ground up as a practical, versatile working knife that combined all the advantages of Spyderco's patented Compression Lock, a fully accessible Trademark Round Hole, and a flipper opener into one package. The brainchild of a college student named Brian Lai, the heart of the Amalgam is its broad, drop-point blade, which is full-flat ground from CPM S30V stainless steel. The PlainEdge blade rides on special low-friction ball-bearing washers contained within the ergonomic handle, which is constructed with nested, skeletonized stainless steel liners and textured carbon fiber/G-10 laminate scales. A four-position clip and lined lanyard hole provide convenient carry and allow the Amalgam to be brought into action quickly with either hand.

CARRY:
4-POSITION
AMBI

AMALGAM

WEIGHT: 4.3 oz 122 g

BLADE THICKNESS:
0.138 in 3.5 mm

STEEL: CPM S30V

EDGE: P

MADE IN TAIWAN

GRIND:
FULL-FLAT

BLADE:
3.80 in
97 mm

EDGE:
3.40 in
86 mm

HOLE DIAMETER:
0.48 in 12.1 mm

LOCK:
COMPRESSION

CLOSED:
5.10 in
130 mm

OVERALL:
8.90 in
226 mm

HANDLE:
CARBON FIBER/
G-10

TROPEN™

C237GP

Argentinean custom knifemaker Javier Vogt specializes in crafting intricate artistic designs, often showcasing exotic materials. In his first collaboration with Spyderco, he highlights his innovative skills by offering three blade-opening options—a flipper, a stylistic Emerson Opener, and a subtle-yet-functional Trademark Round Hole. The broad, dramatically curved blade is full-flat ground from CPM S30V stainless steel and pivots effortlessly on special ball-bearing washers. It locks via Spyderco's patented Compression Lock mechanism, which uses nested, skeletonized, stainless steel liners in the contoured, polished G-10 scales as its foundation. A stainless steel hourglass clip on the end of the handle provides right-side, tip-up carry and allows the Emerson Opening Feature to open the blade automatically as it is drawn from the pocket.

CARRY:
TIP-UP
RIGHT

TROPEN

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.138 in 3.5 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN

GRIND:
FULL-FLAT
EDGE:
3.95 in
100 mm
HOLE DIAMETER:
0.32 in 8.1 mm

OVERALL:
9.13 in
232 mm

HANDLE:
G-10

LOCK:
COMPRESSION

CLOSED:
5.11 in
130 mm

72

SMOCK

C240CFP

Kevin Smock is an award-winning industrial designer who is turning heads with his visionary handcrafted custom knives. Based on his SK23 custom folder, the Spyderco Smock translates his innovative style into a premium-quality production folder. The hollow-ground blade of this knife is machined from CPM S30V stainless steel and includes both a Trademark Round Hole and an elegantly understated flipper opener. It is paired with a skeletonized handle featuring full stainless steel liners, textured carbon fiber/G-10 laminate scales, lightweight, open-backed construction, and a right-side, tip-up pocket clip. The Smock's most unique feature, however, is the button release on its high-strength Compression Lock mechanism, which allows the knife to be safely and easily closed without placing your fingers near the blade's edge.

CARRY:
TIP-UP
RIGHT

SMOCK

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN

GRIND:
HOLLOW
EDGE:
2.93 in
74 mm
BLADE:
3.45 in
88 mm

HOLE DIAMETER:
0.35 in 9.0 mm

OVERALL:
7.95 in
202 mm

LOCK:
COMPRESSION

HANDLE:
CARBON FIBER/
G-10

CLOSED:
4.50 in
114 mm



SLIVERAX™

C228CFP

HANAN™

C227GP

Designed by custom knifemaker Brad Southard, the Hanan is a sleek folder that combines a flipper-style opener with Spyderco's patented Compression Lock mechanism. A name meaning "gracious" or "gracious gift" in Hebrew, the Hanan features a slightly recurved, full-flat-ground blade crafted from CPM S30V stainless steel. The blade is purpose designed for flipper opening only and is paired with an exquisitely crafted handle featuring full, skeletonized stainless steel liners, titanium bolsters, and G-10 scales and backspacer. The bolsters and scales meet seamlessly at a sweeping arc and are radiused for comfort. A high-strength Compression Lock mechanism locks the blade during use and a custom pocket clip configured for left or right-side, tip-up carry ensures that this knife is always ready when needed.


Designed by automotive engineer and knife enthusiast Paul Alexander, the Sliverax is a slim, refined folder that offers both a fully accessible Trademark Round Hole and a flipper producing a variety of one-handed opening options. Its drop-point blade is full-flat ground from CPM S30V stainless steel and has a slightly negative angle for enhanced cutting leverage. It is paired with a lightweight, open-backed handle built with carbon fiber/G-10 laminate scales and nested stainless steel liners. The liners form the foundation of Spyderco's patented Compression Lock mechanism, which offers superior strength and ease of operation. A deep-pocket wire clip configured for tip-up carry keeps the Sliverax discreet yet instantly accessible for tip-up carry keeps the Sliverax discreet yet instantly accessible and is reversible for left or right-side carry.

Flipper




HANAN

- WEIGHT: 2.8 oz 79 g
- BLADE THICKNESS: 0.118 in 3.0 mm
- STEEL: CPM S30V
- EDGE: P
- MADE IN TAIWAN



SLIVERAX

- WEIGHT: 3.3 oz 94 g
- BLADE THICKNESS: 0.138 in 3.5 mm
- STEEL: CPM S30V
- EDGE: P
- MADE IN TAIWAN



MANTRA 2

C203TIP

MANTRA 3™

C233CFP

The newest member of Spyderco's Mantra series of flipper folders, the Mantra 3 takes the proven style and functionality of the original design and expresses it in a practical, everyday carry format. Its full-flat-ground, leaf-shaped blade is precision machined from CPM S30V stainless steel and opens equally well with either its fully accessible Trademark Round Hole or its index-finger flipper. Special ball-bearing washers between the blade and the handle's nested stainless steel liners guarantee a silky smooth action, while carbon fiber/G-10 laminate scales offer a positive grip and a home for the knife's high-strength Compression Lock mechanism. They also house its deep-pocket wire clip, for a choice of left or right-side, tip-up carry.



A portion of all sales of these knives goes to the Parkinson's Foundation. The Parkinson's Foundation makes life better for people with Parkinson's disease by improving care and advancing research toward a cure. In everything we do, we build on the energy, experience and passion of our global Parkinson's community. For more information visit Parkinson.org

CARRY:
TIP-UP
AMBI



CARRY:
TIP-UP
AMBI



MANTRA 3

WEIGHT: 2.9 oz 82 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN

GRIND:
FULL-FLAT
EDGE:
3.24 in
82 mm

BLADE:
3.24 in
82 mm

HOLE DIAMETER:
0.48 in 12.1 mm

LOCK:
COMPRESSION

CLOSED:
4.17 in
106 mm

OVERALL:
7.26 in
184 mm

HANDLE
CARBON FIBER/
G-10

MANTRA 2

WEIGHT: 2.8 oz 79 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM M4
EDGE: P
MADE IN TAIWAN

EDGE:
3.22 in
82 mm

BLADE:
3.22 in
82 mm

GRIND:
FULL-FLAT

HOLE DIAMETER:
0.24 in 6.0 mm

CLOSED:
4.14 in
105 mm

LOCK:
R.I.L.

HANDLE:
TITANIUM

OVERALL:
7.36 in
187 mm

MAGNITUDE

C212CFP

Based on Peter Carey's acclaimed custom design, the Magnitude is a decidedly refined LinerLock folding knife that is equally comfortable with flipper-style openings or the use of Spystone's Trademark Round Hole. Hollow ground front CFM SPM, the blade features a long, sweeping cutting edge, a full thickness spine, and a stylish swedge. Its handle contains full mechanized titanium liners, 3-13 machined twist carbon fiber scales, a scalloped brower 6-10 backspacer, and a custom clip design that offers right-side tip-up carry. Linking the blade and handle is a distinctive pivot with an inlaid brown 6-10 accent, machined details, and ball-bearing washers for an ultra-smooth action.

CAREY
VCLIP
RIDGE

MAGNITUDE

SPINE: 1.50 in. (38.1 mm)
 HANDLE: 4.25 in. (108 mm)
 WEIGHT: 2.10 oz. (59.5 g)
 MADE IN TAIWAN


BLADE
HOLLOW
 1.50 in. (38.1 mm)
 FULL THICKNESS SPINE
 1.50 in. (38.1 mm)

BLADE
HOLLOW
 1.50 in. (38.1 mm)
 FULL THICKNESS SPINE
 1.50 in. (38.1 mm)

SPINE: 1.50 in. (38.1 mm)

LINERLOCK
 CARBON FIBER

CLIP: 1.50 in. (38.1 mm)



ADVOCATE

C214TIP

Renowned custom knifemaker Gayle Bradley shows his tactical side with his first flipper folder, the Advocate. Drawing from his experience as a competitive cutting competitor, its full-flat-ground blade is crafted from high-performance CPM S45 tool steel and possesses both a prominent index-finger flipper and fully functional Trademark Round Hole. The stunning handle features machined, 3-13-machined solid titanium scales with a unique "orange peel" texture, a high-strength Kevlar Integral Lock (H.I.L.) mechanism with a stainless steel interlock, open-backed construction, and a reversible four-flange clip capable of left or right-side tip-up carry. It also houses improved ball-bearing washers on both sides of the pivot for high speed, low-drag action.

CAREY
VCLIP
AXIS

ADVOCATE


SPINE: 1.50 in. (38.1 mm)
 HANDLE: 4.25 in. (108 mm)
 WEIGHT: 2.10 oz. (59.5 g)
 MADE IN TAIWAN

BLADE
HOLLOW
 1.50 in. (38.1 mm)
 FULL THICKNESS SPINE
 1.50 in. (38.1 mm)

SPINE: 1.50 in. (38.1 mm)

LOCK:
 H.I.L.
 VANILLA

CLIP: 1.50 in. (38.1 mm)



Specialty

Spyderco's Specialty Knives are an elite collection of cutting tools that defy easy classification. Whether they are collaborative designs with some of the world's finest custom knifemakers, dedicated personal-defense tools, or just the product of unconventional, "outside-the-box" thinking, these unique knives truly push the envelopes of technology and knife design. They also reflect the courageous spirit to be different that has always been a core principle of "The Spyderco Way."



SUBVERT™

C239GPOR

Specialty

KAPARA™

C241CFP

Australian custom knifemaker Alistair Phillips specializes in slim, pocket-friendly folding knives that blend classic styling with modern materials. Based on his custom "Redback" design, his first Spyderco collaboration captures his unique style and craftsmanship. Its CPM S30V stainless steel blade is full-flat ground for exceptional edge geometry and has a fully accessible Trademark Round Hole for left or right-handed use. Full, skeletonized stainless steel liners inside the handle's contoured solid carbon fiber scales form the foundation of its high-strength Compression Lock mechanism. A contrasting red G-10 backspacer creates a visual accent symbolic of the knife's original name, while a reversible deep-pocket wire clip offers discreet left or right-side, tip-up carry.

Sometimes bigger really is better. Israeli custom knifemaker Nati Amor's first Spyderco Collaboration is one of those times. Based on his handmade "Sabotage" model, the Subvert features a broad, full-flat-ground CPM S30V blade with a fully accessible Trademark Round Hole. The deep-bellied blade pivots on low-friction ball-bearing washers housed within the thick skeletonized titanium liners that form the foundation of the knife's stout LinerLock mechanism. An impressive 3mm (.118-inch) thick, the full liners are capped with radiused, 3-D-textured orange G-10 scales and buffered by a partial G-10 backspacer. A curved stainless steel pocket clip provides right-side, tip-up carry and is complemented by a unique lanyard hole for the easy attachment of fobs or lanyards.

CARRY:
TIP-UP
AMBI



CARRY:
TIP-UP
RIGHT



KAPARA

WEIGHT: 3.3 oz 94 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN

GRIND: FULL-FLAT
BLADE: 3.58 in 91 mm

EDGE: 3.42 in 87 mm

HOLE DIAMETER:
0.50 in 12.6 mm

OVERALL: 8.27 in 210 mm
HANDLE: CARBON FIBER

LOCK: COMPRESSION

CLOSED: 4.69 in 119 mm

SUBVERT

WEIGHT: 6.2 oz 176 g
BLADE THICKNESS:
0.157 in 4.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN

GRIND: FULL-FLAT
BLADE: 4.14 in 105 mm

EDGE: 4.14 in 105 mm

HOLE DIAMETER:
0.52 in 13.1 mm

HANDLE: G-10

CLOSED: 5.10 in 130 mm

LOCK: LINERLOCK

OVERALL: 9.24 in 235 mm

HUNDRED PACER™

C225GP

Designed by knife enthusiast Jonny Liao, the Hundred Pacer draws its name—and much of its dramatic styling—from a deadly Taiwanese viper. Its broad, swept-point blade is full-flat ground from premium CTS® XHP stainless steel and features an accessible Trademark Round Hole for easy ambidextrous opening. The unique handle scales are machined from layered G-10 to create a non-slip, snakeskin-like texture and contrasting color pattern. They contain nested, skeletonized stainless steel liners that complement the handle's open-backed construction to reduce weight, while providing a solid foundation for the knife's sturdy LinerLock mechanism. To keep the Hundred Pacer poised and ready, it features a reversible deep-pocket wire clip offering ambidextrous tip-up carry.

CARRY: TIP-UP AMBI

HUNDRED PACER

WEIGHT: 5.2 oz 147 g
 BLADE THICKNESS: 0.138 in 3.5 mm
 STEEL: CTS XHP
 EDGE: P
 MADE IN TAIWAN

GRIND: FULL-FLAT
 BLADE: 4.00 in 102 mm
 EDGE: 3.97 in 101 mm

HOLE DIAMETER: 0.55 in 14.0 mm

CLOSED: 5.21 in 132 mm

LOCK: LINERLOCK

HANDLE: G-10

OVERALL: 9.21 in 234 mm

78

REINHOLD RHINO™

C210CFP

Designed by custom knifemaker Michael Reinhold, the Reinhold Rhino offers impressive strength and cutting performance in a very compact package. Its full-flat-ground PlainEdge™ blade is crafted from premium CTS XHP stainless steel and features a sweeping profile that packs plenty of edge into its length. It is paired with an ergonomic handle featuring textured carbon fiber/G-10 scales, nested stainless steel liners, and Spyderco's high-strength Compression Lock™ mechanism. A relieved cutout in the obverse scale allows easy access to the blade's Trademark Round Hole for swift right-handed operation, while a reversible stainless steel pocket clip provides convenient left or right-side tip-up carry. A compact, do-everything folder, the Reinhold Rhino offers cutting power far beyond its size.

CARRY: TIP-UP AMBI

REINHOLD RHINO

WEIGHT: 2.3 oz 65 g
 BLADE THICKNESS: 0.118 in 3.0 mm
 STEEL: CTS XHP
 EDGE: P
 MADE IN TAIWAN

EDGE: 2.29 in 58 mm
 GRIND: FULL-FLAT
 BLADE: 2.37 in 60 mm

HOLE DIAMETER: 0.44 in 11.1 mm

LOCK: COMPRESSION

HANDLE: CARBON FIBER/G-10

CLOSED: 3.57 in 91 mm

OVERALL: 5.94 in 151 mm



CHINOOK™ 4

C63GP4

Designed by noted personal-defense expert Master at Arms James Keating, the original Spyderco Chinook distilled the quintessential qualities of the classic American Bowie Knife into a supremely capable all-purpose folding knife. The revolutionary Chinook 4 not only revives that groundbreaking design, but elevates it to all-new levels of perfection. Leaner and sleeker than its predecessors, the Chinook 4's lines feature a dramatically swept full-flat-ground clip-point blade made from CPM S30V stainless steel. Its signature handle is built with skeletonized full stainless steel liners, a stainless back spacer, and textured G-10 scales. Longer and narrower than the original handle design, it is also home to a patented Power Lock™—an advanced lock mechanism that combines extreme strength with smooth operation. A reversible hourglass clip provides left or right-side tip-up carry and makes every aspect of this knife completely ambidextrous.

POWER LOCK



CARRY:
TIP-UP
AMBI

CHINOOK 4

WEIGHT: 5.6 oz 159 g
BLADE THICKNESS:
0.138 in 3.5 mm
STEEL: CPM S30V
EDGE: P
MADE IN JAPAN

GRIND: FULL-FLAT
BLADE: 3.89 in 99 mm
EDGE: 3.68 in 93 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
5.00 in
127 mm

OVERALL:
8.89 in
226 mm

LOCK:
POWER LOCK

HANDLE:
G-10

BRADLEY FOLDER™ 2

C134CFP2

Like Spyderco, custom knifemaker Gayle Bradley is passionate about making even the best things better. Building on the success of his popular Bradley Folder, his new Bradley Folder 2 is slimmer, lighter, and has more refined ergonomics than the original. All its core features are still there in force, including a high-performance hollow-ground CPM M4 blade, full skeletonized stainless steel liners, a high-strength LinerLock mechanism, carbon fiber/G-10 laminate scales, and a four-position black hourglass clip that presents a full range of carry preferences.

CARRY:
4-POSITION
AMBI

BRADLEY FOLDER 2

WEIGHT: 4.5 oz 128 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM M4
EDGE: P
MADE IN TAIWAN

GRIND: HOLLOW
BLADE: 3.66 in 93 mm
EDGE: 3.42 in 87 mm

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
4.82 in
122 mm

LOCK:
LINERLOCK

HANDLE:
CARBON FIBER/G-10 LAMINATE

OVERALL:
8.48 in
215 mm

Specialty

BROUWER™


C232GTIP

OPUS™

C218GP

The Opus is a balance of classic Spyderco lines and the unique style of its designer, noted German knifemaker Ulrich Henricke. Its broad blade is full-flat ground from CPM S30V stainless steel and has an oversized Trademark Round Hole that is fully accessible with either hand. The handle's advanced ergonomic design and textured G-10 scales offer superior control and comfort, even during prolonged use. Its open-backed construction and skeletonized full stainless steel liners keep the knife's weight to a minimum, while offering substantial strength to its sturdy LinerLock mechanism. To keep the knife poised for immediate access, the Opus features a four-position hourglass clip compatible with all carry positions.

CARRY:
4-POSITION
AMBI



Designed by Dutch custom knifemaker Jerry Brouwer, this elegant folder captures the refined functionality of his handcrafted knives. Its full-flat-ground CPM S30V drop-point blade offers outstanding utility and the added control of an index-finger choil and textured thumb ramp. The handle features a solid titanium scale and Reeve Integral Lock (R.I.L.) on one side and a textured green G-10 scale and nested, skeletonized stainless steel liner on the other. The lock's stainless steel interface yields a solid lock-up and long service life, and a reversible pocket clip keeps the knife ready for instant access with left or right-side tip-up carry.

CARRY:
TIP-UP
AMBI



OPUS

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN JAPAN

GRIND:
FULL-FLAT
EDGE:
3.53 in
90 mm

BLADE:
3.75 in
95 mm

OVERALL:
8.84 in
225 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
5.09 in
129 mm

LOCK:
LINERLOCK

HANDLE:
G-10

80

BROUWER

WEIGHT: 2.8 oz 79 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN

GRIND:
FULL-FLAT
EDGE:
2.36 in
60 mm

BLADE:
2.82 in
72 mm

HOLE DIAMETER:
0.43 in 11.0 mm

LOCK:
R.I.L.

HANDLE:
TITANIUM/G10

CLOSED:
4.00 in
102 mm

OVERALL:
6.82 in
173 mm

MCBEE™

C236TIP

Jonathan McNees is a veteran U.S. Marine and an avid outdoorsman whose real-world knife-using experience shines through in all his custom designs. His ultra-compact McNees folder, based on his popular "Killer B" model, proves that function is a matter of design, not size. Crafted from CTS XHP, its saber-ground Wharncliffe blade offers both scalpel-like precision and impressive cutting power, as well as true one-hand-opening capability via its Trademark Round Hole. The stonewashed blade is matched to a sturdy Reeve Integral Lock (R.I.L.) built into one of the handle's solid titanium scales. A right-side, tip-up pocket clip and a lined lanyard hole guarantee convenient carry, while stippled accents on the pivot screws and handle replicate McNees' signature style.

SQUAREHEAD™ BLACK

C193PBK

SQUAREHEAD GRAY

C193PGY

The Squarehead Lightweight is an unconventional folding knife that expresses Daniel Castori's original Squarehead concept in an economical format. Its distinctive sheepfoot blade is crafted from American-made CTS BD1 stainless steel and features a single-sided flat chisel grind that ensures the PlainEdge cutting edge nests safely in the handle. The knife's single-sided handle has an injection-molded fiberglass-reinforced-nylon (FRN) scale with Spyderco's distinctive Bi-Directional Texturing pattern for a secure grip. Its inner surface houses a nested stainless steel liner that forms the foundation of the knife's sturdy LinerLock mechanism. Clipless and primarily intended for carry inside the pocket, the Squarehead Lightweight also features a wide slot for easy attachment to a keychain, neck chain, or lanyard.

Specialty

CARRY:
TIP-UP
RIGHT

CARRY:
AMBI
NO CLIP

MCBEE

WEIGHT: 1.7 oz 48 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CTS XHP
EDGE: P
MADE IN TAIWAN

GRIND:
SABER

EDGE:
1.49 in
38 mm

BLADE:
1.52 in
39 mm

HOLE DIAMETER:
0.43 in 11.0 mm

CLOSED:
2.33 in
59 mm

LOCK:
R.I.L.

OVERALL:
3.85 in
98 mm

HANDLE:
TITANIUM

SQUAREHEAD

WEIGHT: 1.2 oz 34 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CTS BD1
EDGE: P
MADE IN TAIWAN

GRIND:
FLAT CHISEL

EDGE:
1.21 in
31 mm

BLADE:
1.30 in
33 mm

HOLE DIAMETER:
0.59 in 15.0 mm

HANDLE:
FRN

LOCK:
LINERLOCK

CLOSED:
2.23 in
57 mm

OVERALL:
3.53 in
90 mm

LIL' TEMPERANCE™ 3

C69GP3

The original Lil' Temperance took the high-performance qualities of the iconic Temperance™ fixed blade and distilled them into a powerful folding knife. The Lil' Temperance 3 rekindles that original design and streamlines it with a thinner, simpler handle and an improved four-position hourglass clip. Full-flat ground from CPM 55BV particle metallurgy stainless steel, its broad leaf-shaped blade offers low-drag edge geometry and is backed by a high-strength Compression Lock mechanism nested within the handle's instant G-10 scales. The handle's open-backed design reduces weight, simplifies cleaning, and keeps this remarkably capable cutting tool thin and pocket friendly.

LOCK POSITION AMBI

LIL' TEMPERANCE 3

WEIGHT 2.8 oz. 79.2g
 BLADE LENGTH 3.9 in. 99mm
 STAINLESS
 MADE IN JAPAN

GRIND: FULL-FLAT
 EDGE: 2.90 in. 74mm
 BLADE: 3.95 in. 100mm

HOLE DIAMETER: 0.55 in. 14.0mm

LOCK: COMPRESSION

CLOSED: 5.40 in. 137mm

OVERALL: 7.50 in. 190mm

HANDLE: 0-10

82

Q BALL™

C219GP

Named for the ceramic ball bearing that is the heart of its lock mechanism, the Q Ball is a combination of extreme cutting performance, compact size, and silky-smooth action. The business end is a full-flat-ground VG-10 Wharncliffe-style blade with a generous finger choil that encourages a forward grip. It is complemented by a wide, hand-fitting handle crafted with skeletonized full stainless steel liners, a solid stainless steel back spacer, and textured G-10 scales. The blade and handle are joined by Spyderco's Ball Bearing Lock—a patented mechanism that offers exceptionally smooth operation and impressive lock strength. Together with a reversible, deep-pocket wire clip and a fully accessible Trademark Round Hole in the blade, it makes carry and operation of the Q Ball ambidextrous.

LOCK POSITION AMBI

Q BALL

WEIGHT 2.8 oz. 79.2g
 BLADE LENGTH 3.9 in. 99mm
 STAINLESS
 MADE IN JAPAN

GRIND: FULL-FLAT
 EDGE: 2.90 in. 74mm
 BLADE: 3.95 in. 100mm

HOLE DIAMETER: 0.55 in. 14.0mm

LOCK: BALL-BEARING

CLOSED: 5.40 in. 137mm

HANDLE: 0-10

OVERALL: 7.50 in. 190mm

VALLOTTON SUB-HILT™

C149GP

Designed by custom knife maker Butch Valotton, the Valotton Sub-Hilt honors the craftsmanship of the original Valotton sub-hilt into a more compact, pocket-friendly package. Its contoured, sub-hilt-style handle features full, sketched stainless steel liners and bolsters, polished E-11 scales and inlays, and a custom quality, seamless fit that accurately replicates Valotton's coveted custom knives. The knife's EPH 530V stainless steel blade combines hollow-ground primary bevels with a faceted flat-ground tip for a superior synthesis of cutting performance and point strength. The precisely crafted handle combines brushed stainless bolsters and a sub-hilt with contoured, cross-hatched, polished E-11 scales. It also features the knife's LinerLock mechanism and features a four-position clip for all possible carry configurations.

CLIP POSITION
ADJUST

VALLOTTON SUB-HILT

BLADE: 3.50 in. 89.0 mm
 HANDLE: 4.25 in. 108.0 mm
 FULL EPH 530V
 MADE IN TAIWAN

SCALES: 2.00 in. 50.8 mm
 LINER: 0.015 in. 0.38 mm
 HOLE DIAMETER: 0.43 in. 10.9 mm



LIL' SUB-HILT™

C224GP


Designed by custom knife maker Butch Valotton, the Lil' Sub-Hilt distills the craftsmanship of the original Valotton sub-hilt into a more compact, pocket-friendly package. Its contoured, sub-hilt-style handle features full, sketched stainless steel liners and bolsters, polished E-11 scales and inlays, and a custom quality, seamless fit that accurately replicates Valotton's coveted custom knives. The knife's EPH 530V stainless steel blade combines hollow-ground main bevels with flat-ground tip bevels for a superior balance of edge geometry and point strength. It includes both a Trademark Round Hole™ and Valotton's signature thumb stud/stop pin to ensure fully ambidextrous, one-handed opening and an extremely secure lock-up of the knife's LinerLock mechanism. A four-position pocket clip provides tip-up and tip-down carry on both the left and right sides.

CLIP POSITION
ADJUST

LIL' SUB-HILT

BLADE: 3.50 in. 89.0 mm
 HANDLE: 4.25 in. 108.0 mm
 FULL EPH 530V
 MADE IN TAIWAN

SCALES: 2.00 in. 50.8 mm
 LINER: 0.015 in. 0.38 mm
 HOLE DIAMETER: 0.43 in. 10.9 mm



PARATA™

C231GP

A dynamic synthesis of innovation, aesthetics, and high-performance function, the Parata sets a new standard in folding knife design. The brainchild of automotive engineer and knife enthusiast Paul Alexander, it offers incredible cutting performance in a stylish, ergonomic package. Its stunning VG-10 blade has a pronounced belly, a high flat grind, and a broad profile that creates a highly functional integral guard. It is linked to a sleek, linerless handle with Spyderco's patented Stop Lock™—a high-strength, extremely user friendly lock mechanism that releases by lifting a spring-loaded toggle. To ensure discreet carry and instant access, the Parata's textured G-10 scales house a reversible deep-pocket wire clip that complements the knife's symmetrical design to make all aspects of its carry and operation completely ambidextrous.

STOP LOCK



CARRY:
TIP-UP
AMBI

PARATA

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND: FLAT
EDGE: 3.10 in 79 mm
BLADE: 3.41 in 87 mm

OVERALL:
8.01 in 203 mm

LOCK:
STOP LOCK
HANDLE:
G-10

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.60 in 117 mm

84

TECHNO™ 2

C158TIP2

Polish custom knifemaker Marcin Slyszy's first Spyderco collaboration, the Techno, redefined the concept of compact, hard-use folding knives. His all-new Techno 2 refines that original design, making it slimmer and lighter without sacrificing any of its key qualities. The 3.5mm-thick (.138-inch) blade is crafted from CTS XHP stainless steel and has a high saber grind for excellent edge geometry and strength. Its handle features two precision-machined solid titanium scales, one of which forms the foundation of its high-strength Reeve Integral Lock (R.I.L.) mechanism. A reversible deep-pocket wire clip provides ambidextrous tip-up carry, while color-anodized standoffs between the scales support its weight-saving, open-backed construction style.

CARRY:
TIP-UP
AMBI

TECHNO 2

WEIGHT: 3.4 oz 96 g
BLADE THICKNESS:
0.138 in 3.5 mm
STEEL: CTS XHP
EDGE: P
MADE IN TAIWAN

EDGE:
2.44 in 62 mm

GRIND:
SABER

BLADE:
2.52 in 64 mm

HOLE DIAMETER:
0.47 in 12.0 mm

LOCK:
R.I.L.

HANDLE:
TITANIUM

CLOSED:
3.46 in 88 mm

OVERALL:
5.98 in 152 mm



WOLFSPYDER™

C197GP

Specialty

The WolfSpyder is a truly unique collaboration between world-renowned British bushcraft authority Ray Mears and Spyderco. This exceptional tool distills the high-performance, multi-functional versatility of a classic fixed-blade bushcraft knife into a compact folding knife ideal for everyday carry. The WolfSpyder features a premium CPM S30V stainless steel blade with a traditional Scandi (Scandinavian) grind. The robust PlainEdge blade is linked to a durable G-10 handle by Spyderco's high-strength Compression Lock mechanism, which ensures that the blade will remain rigidly locked when in use. The handle's ergonomic design minimizes fatigue during prolonged use and incorporates an integral hand guard as an additional measure of safety. A pocket clip allows convenient right-side, tip-up carry and keeps this incredibly compact folding bushcraft tool instantly accessible.

Manufactured at Spyderco's Golden, Colorado factory and distributed exclusively by Ray Mears' Woodlore School of Wilderness Bushcraft and Spyderco.com

CARRY: TIP-UP RIGHT

ROC™

C177GP

Ukrainian-born Serge Panchenko's Roc, combines a unique cleaver-style blade with a gracefully curved handle. The VG-10 stainless steel blade is saber ground for strength and is matched up with a sturdy Walker Linerlock mechanism. The handle's skeletonized full stainless steel liners and textured black G-10 scales are assembled with open-backed construction for light weight and ease of cleaning. A reversible deep-pocket wire clip allows for tip-up carry on either side of the body.

CARRY: TIP-UP AMBI

ROC

WEIGHT: 4.3 oz 122 g
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND: SABER
EDGE: 2.76 in 70 mm
BLADE: 3.10 in 79 mm

HOLE DIAMETER: 0.43 in 11.0 mm

CLOSED: 4.67 in 119 mm

LOCK: LINERLOCK

OVERALL: 7.77 in 197 mm

HANDLE: G-10

WOLFSPYDER

WEIGHT: 2.7 oz 77 g
BLADE THICKNESS: 0.125 in 3.2 mm
STEEL: CPM S30V
EDGE: P
MADE IN USA

GRIND: SCANDI
EDGE: 2.76 in 70 mm
BLADE: 2.98 in 76 mm

HOLE DIAMETER: 0.37 in 9.4 mm

LOCK: COMPRESSION

CLOSED: 4.18 in 106 mm

OVERALL: 6.78 in 172 mm

HANDLE: G-10

Menggunakan dua jenis air permukaan di kawasan ini, yaitu air permukaan yang mengalir di permukaan tanah dan air permukaan yang mengalir di bawah tanah. Air permukaan yang mengalir di permukaan tanah disebut air permukaan langsung, sedangkan air permukaan yang mengalir di bawah tanah disebut air permukaan tidak langsung. Air permukaan langsung adalah air yang berasal dari hujan yang jatuh langsung ke permukaan tanah dan mengalir ke sungai, danau, atau laut. Air permukaan tidak langsung adalah air yang berasal dari hujan yang jatuh ke permukaan tanah dan meresap ke dalam tanah, kemudian mengalir ke sungai, danau, atau laut.

1000m



Salah satu jenis air permukaan yang mengalir di kawasan ini adalah air permukaan langsung, yaitu air yang berasal dari hujan yang jatuh langsung ke permukaan tanah dan mengalir ke sungai, danau, atau laut. Air permukaan langsung adalah air yang berasal dari hujan yang jatuh langsung ke permukaan tanah dan mengalir ke sungai, danau, atau laut. Air permukaan tidak langsung adalah air yang berasal dari hujan yang jatuh ke permukaan tanah dan meresap ke dalam tanah, kemudian mengalir ke sungai, danau, atau laut.

1000m



YOJIMBO™ 2

C85GP2

Designed by personal-defense trainer Michael Janich, the Yojimbo 2 is an evolved expression of the original Gyroflex Yojimbo design, which pioneered the application of the Whittaker blade in tactical roles. The refined ergonomics of the Yojimbo 2 complement the natural contours of the hand, ensuring maximum surface contact and positive control. They also encourage a thumb-forward grip and make the CPM 550V blade a natural extension of the hand. The straight cutting edge of the hollow-ground blade offers extreme cutting performance by transferring power all the way to the tip and ensures improved point strength. Nested stainless steel liners provide structural strength and form the backbone of the blade's high-strength Compression Lock mechanism. Features 11-14 scales and a four-position clip attachment: a non-slip grip and rapid deployment from all carry positions.

CARRY POSITION AND

YOJIMBO 2
 11-14 SCALES
 1.5" (38mm) THICK
 1.5" (38mm) WIDE
 1.5" (38mm) HIGH
 MADE IN USA



YOJIMBO™ 2

TRAINER

C85TR2

The only way to develop usable defensive knife skills is through safe, controlled contact training with a partner. To do that, you need a training tool that accurately replicates all aspects of your actual carry knife — except its sharp edge and point. The new Yojimbo 2 Trainer is functionally identical to its live blade counterpart, but features a full-thickness C70 HD stainless steel blade that is carefully recessed to allow safe contact. Strategically machined holes in the blade lighten it to match the weight of the live knife (to within two grams), and, along with textured and 11-14 scales, closely mimic the knife as a training tool. Its four-position clip allows it to replicate all the carry options of the live knife to support high-speed in-fight deployment training.

CARRY POSITION AND

YOJIMBO 2 TRAINER
 11-14 SCALES
 1.5" (38mm) THICK
 1.5" (38mm) WIDE
 1.5" (38mm) HIGH
 MADE IN USA



Specialty

KARAHAWK™

C170GP



The Karahawk is a highly evolved folding version of the *karambit*. Its gently curved hawkbill blade is precision machined from VG-10 stainless steel and features both our Trademark Round Hole and an Emerson Opening Feature to ensure swift blade deployment. It is supported by a high-strength back lock mechanism designed to withstand the stresses of defensive use and anchored to a handle constructed of full stainless steel liners capped with textured G-10 scales. The handle features a ring to facilitate traditional *Karambit* manipulation techniques and is sized to keep the knife exceptionally compact and easy to carry. A reversible hourglass clip provides tip-up standard-grip and reverse-grip carry on both sides of the body.

CARRY:
TIP-UP
AMBI

KARAHAWK BLACK BLADE

C170GBBKP



Many knife users regard the Southeast Asian *karambit* as the ultimate defensive tool. They also understand the importance of light discipline in tactical environments. The all-black Karahawk is tailor-made for these specialized needs. Its VG-10 stainless steel blade and stainless steel handle liners feature a non-reflective titanium carbonitride (TiCN) coating. The knife's ambidextrous tip-up pocket clip and all other handle hardware also boast a matching black finish. All other features, including its sturdy back lock mechanism, Trademark Round Hole, and Emerson Opening Feature are consistent with the original satin-finished version of the design.

CARRY:
TIP-UP
AMBI

KARAHAWK

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND:
SABER

EDGE:
2.05 in
52 mm

BLADE:
2.35 in
60 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.50 in
114 mm

OVERALL:
6.50 in
165 mm

LOCK:
BACK

HANDLE:
G-10

88

KARAHAWK BLACK BLADE

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN

GRIND:
SABER

BLADE:
2.29 in
58 mm

EDGE:
2.00 in
51 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.50 in
114 mm

HANDLE:
G-10

LOCK:
BACK

OVERALL:
6.50 in
165 mm

SCHEMPP BOWIE™

CLIPLOCK


Thin Series




Designed by knife maker Ed Schempp, the Schempp Bowie translates the style and spirit of the classic American Bowie into a functional folder optimized for everyday carry. Its CPD BODY blade has an iconic clip-point profile and a full-flat grind for superior cutting performance. It tucks into a contoured handle that features skeletonized, toolless steel liners, textured carbon fiber/G-10 laminate scales, a solid steel backspacer, and dovetailed old-school brass bolsters with an integral double guard. A Linerlock mechanism and a reversible deep-pocket wire clip complete this state-of-the-art expression of the American classic.

WORLD'S LARGEST KNIFE SHOW

SCHEMPP BOWIE
 WEIGHT: 4.8 oz. 136 g
 BLADE LENGTH: 2.9 in. 75 mm
 BLADE OPENED: 5.8 in. 148 mm
 HANDLE: 4 in. 102 mm
 MADE IN TAIWAN





Prestige

To many people, knives are much more than mere cutting tools; they are vivid reflections of an individual's character, status, and personal tastes. Just as a luxury watch tells far more than the correct time, a sophisticated knife design reveals a lot about the person who carries it. Specifically created for the discriminating lady or gentleman who wants to make a statement, Spyderco's prestige knives will allow you to speak volumes without saying a word.

DRUNKEN™

C235CFTIP

Prestige

PAYSAN™

C238TIP

The Paysan is an exquisitely crafted folding knife based on the custom creation of renowned knifemaker Peter Rassenti. French for “peasant” or “farmer,” the Paysan (pronounced pie-zaan) is, paradoxically, an incredibly sophisticated design. Its uniquely shaped, saber-ground blade is crafted from 4mm-thick (.157-inch) CPM S90V particle metallurgy stainless steel and features a fully accessible Trademark Round Hole for ambidextrous, one-handed opening. The blade pivots on ball-bearing washers for an ultra-smooth action and is housed in a one-piece handle machined from solid titanium—to include its high-strength Reeve Integral Lock (R.I.L.) mechanism. A stainless steel interface in the lock yields a long service life and also functions as an overtravel stop. To keep the Paysan poised for instant access, it includes an hourglass pocket clip configured for right-side, tip-up carry.

Dmitry Sinkevich is one of the hottest custom makers in the knife industry today. His first Spyderco collaboration, the Drunken, showcases his ability to combine artistic design and unparalleled craftsmanship with practical function. The blade of this knife is full-flat ground from CPM S90V stainless steel and features a tumbled finish. It is paired with a stylishly ergonomic handle that includes a titanium scale on one side and a solid carbon fiber scale and nested stainless steel liner on the other. The titanium scale is “webbed” to reduce weight and forms the basis for the knife’s Reeve Integral Lock (R.I.L.) mechanism, which includes a long-wearing stainless steel interface. Both scales are meticulously machined with the intricate “drunken” texture that gives the knife its name and are accented by a matching color-anodized backspacer, pivot assembly, and right-side, tip-up pocket clip.

CARRY:
TIP-UP
RIGHT

CARRY:
TIP-UP
RIGHT

PAYSAN

WEIGHT: 4.4 oz 125 g
BLADE THICKNESS:
0.157 in 4.0 mm
STEEL: CPM S90V
EDGE: P
MADE IN TAIWAN



DRUNKEN

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.138 in 3.5 mm
STEEL: CPM S90V
EDGE: P
MADE IN TAIWAN



SAGE 1 LINERLOCK

C123CFP

SAGE 5 COMPRESSION LOCK

C123CFPCL

Michael Walker's development of the LinerLock was a landmark event in contemporary folding knife design. The Sage 1 showcases Walker's industry-changing lock and the ball bearing detent that helps retain the blade safely in the closed position. Stylish and functional, this distinctive knife features lightweight twill carbon fiber/G-10 laminate handle scales, skeletonized full stainless steel liners, and open-backed construction for easy cleaning.

COLORADO CHAPTER OF THE ALZHEIMER'S ASSOCIATION

Spyderco will donate approximately 5% of sales of the Sage series to the Colorado Chapter of the Alzheimer's Association. The Alzheimer's Association is the leading voluntary health organization in dementia care, support and research. Their mission is to eliminate Alzheimer's disease through the advancement of research; to provide and enhance care and support for all affected; and to reduce the risk of dementia through the promotion of brain health. Contributions to the Alzheimer's Association provide care and support to families in Colorado coping with Alzheimer's disease as well as fund national programs and research to ultimately find a cure. Visit www.alz.org/co to learn more about how your support makes a difference.

alzheimer's  association™

CARRY:
TIP-UP
AMBI 

CARRY:
TIP-UP
AMBI 

SAGE 1

WEIGHT: 3.3 oz 94 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN 



SAGE 5

WEIGHT: 3.1 oz 88 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN 



CHAPARRAL™ RAFFIR® NOBLE

C152RNP



This striking expression of the Chaparral model showcases Raffir Noble scales. Manufactured in Denmark, Raffir Noble is a beautiful composite material that encapsulates metal mesh in a translucent, smoke-colored epoxy resin. When machined and polished, the random patterns of the mesh are revealed to yield a unique, semi-transparent, three-dimensional pattern. All other details of this knife are consistent with the Chaparral family, including a full-flat-ground CTS XHP blade, a sturdy back lock mechanism, and a reversible deep-pocket wire clip configured for tip-up carry.

CARRY:
TIP-UP
AMBI



CHAPARRAL CARBON FIBER

C152CFP



The original Chaparral features stunning carbon fiber/G-10 laminate handle scales.

CARRY:
TIP-UP
AMBI



Prestige

CHAPARRAL RAFFIR NOBLE

WEIGHT: 2.3 oz 65 g
BLADE THICKNESS:
0.079 in 2.0 mm
STEEL: CTS XHP
EDGE: P
MADE IN TAIWAN

GRIND: FULL-FLAT
BLADE: 2.80 in 71 mm
EDGE: 2.35 in 60 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
3.60 in
91 mm

OVERALL:
6.40 in
163 mm

LOCK:
BACK

HANDLE:
RAFFIR NOBLE



CHAPARRAL CARBON FIBER

WEIGHT: 2.5 oz 71 g
BLADE THICKNESS:
0.077 in 1.9 mm
STEEL: CTS XHP
EDGE: P
MADE IN TAIWAN

GRIND: FULL-FLAT
BLADE: 2.80 in 71 mm
EDGE: 2.35 in 60 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
3.60 in
91 mm

OVERALL:
6.40 in
163 mm

LOCK:
BACK

HANDLE:
CARBON
FIBER/G-10
LAMINATE



CALY 3.5™

ZDP-189

C144CFPE

CHAPARRAL™

LIGHTWEIGHT

C152PGY



The Chaparral Lightweight offers the same refined design theme and functionality as the other members of the Chaparral family, but with a simple, reliable, and affordable injection-molded handle. Its tough fiberglass-reinforced-nylon (FRN) construction minimizes weight and offers the high-traction advantages of our Bi-Directional Texturing pattern. Like the other versions of the Chaparral, its defining features include a full-flat-ground CTS XHP stainless steel blade, a fully accessible Trademark Round Hole for ambidextrous one-handed opening, a sturdy back lock mechanism, and a reversible deep-pocket wire clip for discreet left or right-side tip-up carry.



The Caly 3.5 Carbon Fiber stretches the format of the carbon-fiber-handled Caly 3 to a more hand-filling size and a 3.5-inch blade. It features the same premium san mai (three-layer) blade construction with a core of super-high-carbon ZDP-189 steel surrounded by layers of tough 420J2. The resulting blade offers both strength and world-class cutting performance and is joined to a handle featuring full skeletonized stainless steel liners, carbon fiber scales, and a robust back lock mechanism.



CHAPARRAL LIGHTWEIGHT

WEIGHT: 2.1 oz 60 g
BLADE THICKNESS: 0.079 in 2.0 mm
STEEL: CTS XHP
EDGE: P
MADE IN TAIWAN

GRIND: FULL-FLAT
BLADE: 2.80 in 71 mm
EDGE: 2.35 in 60 mm

HOLE DIAMETER: 0.51 in 13.0 mm

CLOSED: 3.60 in 91 mm

OVERALL: 6.40 in 163 mm

LOCK: BACK

HANDLE: FRN

94

CALY 3.5 ZDP-189

WEIGHT: 3.1 oz 88 g
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: ZDP-189
EDGE: P
MADE IN JAPAN

GRIND: FULL-FLAT
BLADE: 3.40 in 86 mm
EDGE: 3.08 in 78 mm

HOLE DIAMETER: 0.49 in 12.5 mm

CLOSED: 4.25 in 108 mm

HANDLE: CARBON FIBER

LOCK: BACK

OVERALL: 7.65 in 194 mm

CENTOFANTE™ 3

C66PBK3

Prestige

Widely known in the knife industry as the "Godfather of Knifemaking," the late Frank Centofante was highly respected for his elegant designs, integrity, and painstaking craftsmanship. The Centofante 3 captures the spirit of his custom designs and translates it into a practical working folder with a hollow-ground VG-10 blade, FRN handle, and a sturdy back lock mechanism. The handle features an inlaid Spyderco "bug" accent and an adjustable clip that can be positioned for right-side tip-up or tip-down carry.

CARRY:
TIP-UP/DOWN
RIGHT



CENTOFANTE 3

WEIGHT: 2.5 oz 71 g

BLADE THICKNESS:
0.079 in 2.0 mm

STEEL: VG-10

EDGE: P

MADE IN JAPAN

GRIND:
HOLLOW

EDGE:
3.04 in
77 mm

BLADE:
3.14 in
80 mm


HOLE DIAMETER:
0.45 in 11.5 mm

CLOSED:
4.50 in
114 mm

OVERALL:
7.64 in
194 mm

LOCK:
BACK

HANDLE:
FRN



Non-Locking

Non-locking pocketknives were the first knives to combine the convenience and ease of carry of folding construction with the utility of a sharp cutting edge. The first knives of this kind were friction folders. Like traditional straight razors, friction folders usually have a tab that extends from the tang of the blade that serves as a lever to open the knife. In the open position, this tab also indexes against the back of the handle where pressure from the user's hand holds it in place to stabilize the blade during use.



SLIPJOINT The most common type of non-locking folder is a slipjoint, which uses spring pressure to keep the blade open during use. When the knife is opened, a spring in the back of the handle applies pressure against a flat spot on the tang of the blade, holding it firmly in place. An excellent tool for most cutting chores, slipjoints are also socially friendly and legally permissible almost everywhere.

SLIPIT™ Spyderco's distinctive SLIPIT knives revolutionized the concept of non-locking folders by combining an improved notched-joint spring mechanism, a pocket clip for convenient carry, and one-handed operation via our Trademark Round Hole to set a new standard in pocketknife performance. SLIPITS also feature an index finger choil that provides a comfortable purchase for the index finger during use and helps prevent accidental closure of the blade.

CLIPJOINT™ To keep pace with changing knife laws around the world, we have also developed hybrid non-locking folders that offer the convenience of clip carry, but still require two hands to operate. The smaller round hole in the blades of these "ClipJoint" folders clearly identifies them as Spyderco knives and, when pinched between the thumb and index finger, offers much easier opening than traditional nail nicks.

ROADIE™

C189P

Non-Locking

In early 2013, the Transportation Security Administration (TSA) announced a plan to once again allow knives on airplanes. Although the plan was later withdrawn, Spyderco was ready for it with a unique new non-locking design called the Roadie. In essence a highly evolved penknife, the Roadie's full-flat-ground sheepfoot-style blade features a "Double Dent™" for fingernail-free, easy two-handed opening. An improved notched-joint mechanism holds the blade open during use and is backed by a subtle index-finger choil to prevent accidental closure. Contoured fiberglass-reinforced-nylon (FRN) scales and strategically placed jimping (grooves) on the choil and spine provide comfortable ergonomics that enable this knife to perform well beyond its size. Sure to set a new standard in modern pocketknives, the Roadie is available in a variety of colors.



C189PRD

C189POR

C189PGY

C189PBL

C189PBK

ROADIE

WEIGHT: 1.0 oz 28 g
BLADE THICKNESS: 0.112 in 2.9 mm
STEEL: N690Co
EDGE: P
MADE IN ITALY 



UK PENKNIFE™ LEAF-SHAPED

C94PBK

UK PENKNIFE CPM S110V


C94PDBL

UK PENKNIFE DROP-POINT

C94PBK3

Steel connoisseurs will appreciate this UK Penknife featuring state-of-the-art CPM S110V blade steel and a midnight blue FRN handle.

The UK Penknife was developed after the United Kingdom prohibited the carry of folding knives with locking blades. It combines the defining features of Spyderco's revolutionary CLIPIT® knives—a pocket clip for convenient carry and our Trademark Round Hole for easy, ambidextrous one-handed opening—with an improved, non-locking notch-joint mechanism. This uniquely functional knife is available with either a leaf-shaped or drop-point blade design, both featuring opposing jimping on the thumb ramp and index-finger choil for positive control. The UK Penknife is proudly manufactured in Spyderco's Golden, Colorado factory using premium US-made CTS BD1N and CPM S110V blade steels.



UK PENKNIFE LEAF-SHAPED

WEIGHT: 1.7 oz 48 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: CTS BD1N
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
EDGE: 2.58 in 66 mm
BLADE: 2.93 in 74 mm

OVERALL: 6.88 in 175 mm

UK PENKNIFE CPM S110V

WEIGHT: 1.7 oz 48 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: CPM S110V
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
EDGE: 2.58 in 66 mm
BLADE: 2.93 in 75 mm

CLOSED: 3.95 in 100 mm

OVERALL: 6.90 in 175 mm

UK PENKNIFE DROP-POINT

WEIGHT: 1.7 oz 48 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: CTS BD1N
EDGE: P
MADE IN USA

GRIND: FULL-FLAT
EDGE: 2.66 in 68 mm
BLADE: 3.00 in 76 mm

CLOSED: 3.95 in 100 mm

OVERALL: 6.95 in 177 mm



URBAN™

C127PBK



The perfect cutting companion for city dwellers, the Urban Lightweight SLIPIT provides the advantages of clip carry and one-hand opening, but with a socially friendly non-locking mechanism. Its leaf-shaped blade is full-flat ground from N690Co stainless steel for outstanding edge geometry and features an index-finger choil to help prevent unintentional closure during use. The textured, fiberglass-reinforced-nylon handle keeps it feather light while still providing a full, secure grip. A reversible, deep-pocket wire clip allows convenient tip-up carry.

CARRY: TIP-UP AMBI

BUG™ KNIVES

Spyderco's popular micro-sized slipjoints are impressively sharp, fully functional folding knives. Their stainless steel handles offer the perfect palette for engraving and the Trademark Round Holes in their blades allow easy two-handed opening. All three include lanyard holes for attachment to a keychain or lanyard.

HONEYBEE™

C137P

Perfectly sized for in-pocket carry, the Honeybee is a traditional slipjoint folder with true Spyderco style.

BUG


C133P

The smallest folder we make, the Bug is still fully functional and plenty sharp.

GRASSHOPPER™

C138P


Amazingly capable, yet still a pleasure to carry, the Grasshopper redefines the classic non-locking pocketknife.



Non-Locking

URBAN

WEIGHT: 2.0 oz 57 g
BLADE THICKNESS: 0.114 in 2.9 mm
STEEL: N690Co
EDGE: P
MADE IN ITALY



BUG

WEIGHT: 0.4 oz 11 g
BLADE THICKNESS: 0.071 in 1.8 mm
STEEL: 3CR
EDGE: P
MADE IN CHINA




HONEYBEE

WEIGHT: 0.6 oz 17 g
BLADE THICKNESS: 0.071 in 1.8 mm
STEEL: 3CR
EDGE: P
MADE IN CHINA



GRASSHOPPER

WEIGHT: 1.4 oz 40 g
BLADE THICKNESS: 0.087 in 2.2 mm
STEEL: 3CR
EDGE: P
MADE IN CHINA



SQUEAK™

C154PBK



The Squeak is a scaled-down version of the UK Penknife that packs impressive cutting ability into a pint-sized package. Its full-flat-ground, non-locking blade is made from Böhler-Uddeholm N690Co Cobalt-enhanced steel—a material prized for its corrosion resistance and edge-holding characteristics. It also features an index-finger choil with textured jimping that establishes a secure grip and provides an extra measure of safety against accidental closure. The Squeak's textured handle is injection molded from fiberglass-reinforced nylon (FRN) and features a deep-pocket wire clip that is reversible for left or right-side tip-up carry.

CARRY:
TIP-UP
AMBI

SQUEAK PINK

C154PPN



Pink Heals mission is to provide communities with a program that supports people in need on a personal level in partnership with public safety and local businesses. For more information, please visit pinkheals.com.



CARRY:
TIP-UP
AMBI

SQUEAK

WEIGHT: 1.7 oz 48 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: N690Co
EDGE: P
MADE IN ITALY

GRIND: FULL-FLAT
EDGE: 1.75 in 44 mm
BLADE: 2.00 in 51 mm
OVERALL: 5.05 in 128 mm

HOLE DIAMETER:
0.47 in 12.0 mm

LOCK:
SLIPIT

HANDLE:
FRN

CLOSED:
3.05 in
77 mm

100

SQUEAK PINK

WEIGHT: 1.7 oz 48 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: N690Co
EDGE: P
MADE IN ITALY

GRIND: FULL-FLAT
EDGE: 1.75 in 44 mm
BLADE: 2.00 in 51 mm
OVERALL: 5.05 in 128 mm

HOLE DIAMETER:
0.47 in 12.0 mm

LOCK:
SLIPIT

HANDLE:
FRN

CLOSED:
3.05 in
77 mm

DOG TAG FOLDER™

Size does matter, and sometimes smaller is better. That's definitely the case with the Dog Tag Folder. Based on one of knifemaker Serge Panchenko's most popular designs, this diminutive non-locking folder ensures that you're never without a sharp edge. Its handle looks like a military dog tag and houses an integral spring with a ball-bearing detent.

DOG TAG FOLDER CARBON FIBER

C188CFBBKP



DOG TAG FOLDER GEN 4

C188ALP



Based on Panchenko's fourth generation design, this cutting tool features twin, matte-finished aluminum handle scales for a comfortable, secure grip and enhanced protection of the blade's sharp edge. It features an integral spring bar and ball-bearing detent that help hold the blade in place in both the open and closed positions, but do not mechanically lock it. The blade is double-beveled and saber-ground to provide a symmetrical edge angle that is easily sharpened and allows greater control during use. Precision machined from American-made CTS BD1 stainless steel, the sheepfoot blade features a Spyderco Trademark Round Hole.

CARRY:
AMBI
NO CLIP



This popular design features a one-piece handle machined from durable and visually striking carbon fiber/G-10 laminate. Its single-beveled blade is chisel-ground from CPM S30V stainless steel and, along with the knife's other metal hardware, features a non-reflective black titanium carbonitride coating. An inlaid stainless steel spring in the handle provides tension for the detent mechanism, which keeps the blade fully opened or closed, but does not lock it.


CARRY:
AMBI
NO CLIP



Non-Locking

DOG TAG FOLDER GEN 4


WEIGHT: 0.9 oz 26 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CTS BD1
EDGE: P
MADE IN TAIWAN



CLOSED:
2.05 in
52 mm

DOG TAG FOLDER CARBON FIBER

WEIGHT: 0.9 oz 26 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: CPM S30V
EDGE: P
MADE IN TAIWAN



CLOSED:
2.00 in
51 mm





ClipiTools™

Multi-function pocketknives are nothing new. Unfortunately, neither are chipped fingernails, difficult-to-open tools, and knives that get lost at the bottom of your pocket. Spyderco's revolutionary ClipiTools change all that by elevating the concept of the traditional multi-blade pocketknife with the addition of the pocket clip and convenient Trademark Round Hole of our revolutionary CLIPIT® designs. The result is a versatile, conveniently carried, easy-to-open family of knives that instantly transforms you into a jack of all trades.

CLIPITOOl STANDARD™

C208GP

Spyderco's new three-bladed ClipiTool™ combines the versatility of the traditional multi-function folder with the advantages of clip carry and an easy opening Trademark Round Hole™ in every blade. The ClipiTool Standard features a full-flat-ground, leaf-shaped primary blade, a can opener/small screwdriver, and a bottle opener/wire stripper/large screwdriver. The PlainEdge™ primary blade locks open via a LinerLock mechanism, while the other two non-locking blades are held by classic slipjoint spring mechanisms. All three blades are precision machined from 8Cr13MoV stainless steel and housed in a handle with nested stainless steel liners and textured black G-10 scales. A two-position hourglass clip provides the option of right-side tip-up or tip-down carry.

CARRY:
2-POSITION
RIGHT

CLIPITOOl RESCUE™

C209GS

The ClipiTool Rescue is a distinctly modern take on the concept of the multi-bladed pocketknife optimized for use as a rescue tool. Its locking primary blade has a blunt-tipped sheepfoot profile and a fully serrated SpyderEdge™ cutting edge for maximum performance on fibrous materials. It is supported by a locking rescue hook that is ideal for safely removing the clothing and boots of injured persons. A non-locking, hollow-ground screwdriver blade rounds out the selection of tools and provides an additional level of functionality. All three blades are crafted from 8Cr13MoV stainless steel and include a Trademark Round Hole™ for quick, easy, one-handed access. Sturdy stainless steel liners form the foundation of the knife's two LinerLock mechanisms and a solid anchor for an hourglass pocket clip that offers right-side tip-up or tip-down carry. They are nested into textured G-10 scales to keep the knife thin and pocket friendly while ensuring a secure, highly ergonomic, non-slip grip.

CARRY:
2-POSITION
RIGHT

CLIPITOOl STANDARD

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.094 in 2.4 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

HOLE DIAMETER:
0.51 in 13.0 mm

GRIND:
FULL-FLAT

BLADE:
3.50 in
89 mm

EDGE:
3.05 in
77 mm

OVERALL:
7.90 in
201 mm

LOCK:
LINER-
LOCK

CLOSED:
4.40 in
112 mm

HANDLE:
G-10

104

BLADE:
1.45 in
37 mm

LOCK:
SLIP-
JOINT

BOTTLE
OPENER:
5.85 in
149 mm

BLADE:
1.45 in
37 mm

LOCK:
SLIP-
JOINT

CAN OPENER:
5.83 in
148 mm

CLIPITOOl RESCUE

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: S
MADE IN CHINA

GRIND:
FULL-FLAT

EDGE:
3.15 in
80 mm

BLADE:
3.61 in
92 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.40 in
112 mm

LOCK:
LINER-
LOCK

HANDLE
G-10

OVERALL:
8.01 in
203 mm

BLADE:
1.96 in
50 mm

BLADE:
1.10 in
28 mm

HOOK:
6.36 in
162 mm

SCREW-
DRIVER:
5.50 in
140 mm

CLIPITOOl

ClipiTools are a special family of tools that combine a high-performance cutting edge with the added convenience and functionality of other tools. Unlike traditional multi-function pocketknives, they feature pocket clips for convenient carry and easy access. Their broad, full-flat-ground blades offer unrivaled cutting performance and include a finger choil for increased safety during use. Trademark Round Holes in the blades and non-locking secondary tools allow easy two-handed opening without the frustration of traditional nail nicks. A fresh approach to tackling everyday chores, ClipiTools set a new standard in utilitarian convenience.

CLIPITOOl

C175P BOTTLE OPENER & SCREWDRIVER

C176P&S WITH SERRATED BLADE

C169P SCISSORS




ClipiTools

CARRY: TIP-UP RIGHT

CLIPITOOlS

WEIGHT: 1.9 oz 54 g
 BLADE THICKNESS: 0.079 in 2.0 mm
 STEEL: 8Cr13MoV
 EDGE: P
 MADE IN CHINA






Value Folders

Spyderco Value Folders are a unique breed of knives that truly live up to their name. They proudly showcase all the high-performance features that define our premium CLIPIT folders, but at prices that comfortably fit any budget. Perfect for novice knife buyers and as gifts for those you might want to "convert" into knife enthusiasts, these highly affordable cutting tools are equally popular with experienced users who prefer them for hard-use cutting chores. Whether you're a knife newbie or a seasoned expert, you won't find a better "bang for your buck" anywhere.



Value folders



ALCYONE™


C222GPGY

Alcyone is a brilliant multiple star system in the constellation of Taurus named for one of the daughters of Atlas and Pleione. Like its namesake, this knife shines brightly above its peers, offering all the defining qualities of a Spyderco folder in an affordable, pocket-friendly package. Its full-flat-ground blade is precision machined from American-made CTS BD1 stainless steel and features a minimal ricasso for a long, exceptionally capable working edge. The blade is paired with an ergonomic handle design that includes full skeletonized stainless steel liners, lightweight open-backed construction, and high-traction checkered, gray G-10 scales. A sturdy, easily operated LinerLock mechanism, four-position pocket clip, and oversized lanyard hole complete the package and make the Alcyone one of the best values in the folding knife market.

4-POSITION
AMBI

ALCYONE

WEIGHT 2.3 oz. 65 g
LENGTH 6.1 in. 155 mm
WIDTH 1.9 in. 48 mm
STEEL CTS BD1
HANDLE G-10
MADE IN CHINA



POLESTAR™

C220GPGY

Value Folders

Designed for budget-conscious knife users who demand genuine Spyderco quality, the Polestar is one of the best values on the market. Its leaf-shaped PlainEdge blade is full-flat ground from American-made CTS BD1 stainless steel and features our signature Trademark Round Hole for quick, ambidextrous, one-hand opening. The blade is paired with an ergonomic, lightweight, open-backed handle built with full, skeletonized stainless steel liners and checkered gray G-10 scales. A LinerLock mechanism locks the blade securely open when in use, yet is easily released thanks to a strategically placed relief cut in the obverse side of the handle. A four-position hourglass clip with a broad, triangular base gives the choice of tip-up or tip-down carry. If you're looking for the key qualities of a Spyderco knife in a value-friendly package, the Polestar is a winner.

CARRY:
4-POSITION
AMBI

POLESTAR

WEIGHT: 3.9 oz 111 g
BLADE THICKNESS:
0.126 in 3.2 mm
STEEL: CTS BD1
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT

EDGE:
3.15 in
80 mm

BLADE:
3.33 in
85 mm

HOLE DIAMETER:
0.55 in 14.0 mm

CLOSED:
4.51 in
115 mm

OVERALL:
7.84 in
199 mm

LOCK:
LINERLOCK

HANDLE:
6-10



TENACIOUS™

C122GPS

TENACIOUS BLACK BLADE

C122GBBKPS

Being tenacious means holding fast in tireless pursuit of a goal. This admirable quality is vividly reflected in the Spyderco Tenacious, a mid-sized folding knife packed with both performance and value. Its leaf-shaped blade is full-flat ground from 8Cr13MoV stainless steel and has a fully accessible Trademark Round Hole for ambidextrous one-handed operation. The handle's full, skeletonized stainless steel liners are the heart of its sturdy LinerLock mechanism and the foundation for non-slip, textured G-10 scales. A four-position pocket clip provides the option of tip-up or tip-down carry on both sides of the body and straddles a lined lanyard hole that allows the easy attachment of fobs and lanyards.

Tenacious Black Blade with non-reflective black-coated blade and all-black hardware.



CARRY:
4-POSITION
AMBI



CARRY:
4-POSITION
AMBI

TENACIOUS

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.122 in 3.1 mm
STEEL: 8Cr13MoV
EDGE: P, S, PS
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
3.39 in
86 mm
BLADE:
3.39 in
86 mm

OVERALL:
7.77 in
197 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.38 in
111 mm

LOCK:
LINERLOCK

HANDLE:
G-10

TENACIOUS BLACK BLADE

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.122 in 3.1 mm
STEEL: 8Cr13MoV
EDGE: P, PS
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
3.39 in
86 mm
BLADE:
3.39 in
86 mm

OVERALL:
7.77 in
197 mm

HOLE DIAMETER:
0.51 in 13.0 mm

CLOSED:
4.38 in
111 mm

LOCK:
LINERLOCK

HANDLE:
G-10

EFFICIENT™

C216GP




The Efficient's compact, ergonomic design centers around a full-flat-ground drop-point blade made from 8Cr13MoV stainless steel. Its broad profile has a gently curved spine that flows seamlessly into the handle, which is built with full, skeletonized stainless steel liners, textured G-10 scales, and a stainless steel back spacer. The handle's liners form the foundation of a sturdy LinerLock mechanism that locks the blade securely open, while allowing easy one-handed release. To ensure convenient, ambidextrous carry and instant access, the Efficient comes complete with a reversible hourglass clip configured for tip-up carry.



RESILIENCE™

C142GP



For those who believe bigger is better, the Resilience expands the platform of the best-selling Tenacious to offer a blade with more than four inches of cutting power.



Value Folders

EFFICIENT

WEIGHT: 4.1 oz 116 g
 BLADE THICKNESS:
 0.118 in 3.0 mm
 STEEL: 8Cr13MoV
 EDGE: P
 MADE IN CHINA

GRIND:
 FULL-FLAT

EDGE:
 2.65 in
 67 mm

BLADE:
 2.98 in
 76 mm

OVERALL:
 7.07 in
 180 mm

HOLE DIAMETER:
 0.50 in 12.6 mm

CLOSED:
 4.09 in
 104 mm

LOCK:
 LINERLOCK

HANDLE:
 6-10

RESILIENCE

WEIGHT: 5.1 oz 145 g
 BLADE THICKNESS:
 0.122 in 3.1 mm
 STEEL: 8Cr13MoV
 EDGE: P
 MADE IN CHINA

GRIND:
 FULL-FLAT

EDGE:
 4.20 in
 107 mm

BLADE:
 4.20 in
 107 mm

HOLE DIAMETER:
 0.52 in 13.1 mm

CLOSED:
 5.20 in
 132 mm

LOCK:
 LINERLOCK

HANDLE:
 6-10

OVERALL:
 9.40 in
 239 mm

PERSISTENCE™

C136GP



Truth be told, one size rarely fits all. The Persistence packs all the proven performance features of the Tenacious into a slightly smaller, more pocket-friendly package with a sub-three-inch blade.

CARRY:
4-POSITION
AMBI



AMBITIOUS™

C148GP



The Ambitious eagerly provides an exceptional blend of compact size, high performance, and unmatched value.

CARRY:
4-POSITION
AMBI



PERSISTENCE

WEIGHT: 3.7 oz 105 g
BLADE THICKNESS:
0.122 in 3.1 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT

EDGE:
2.77 in
70 mm

BLADE:
2.77 in
70 mm

OVERALL:
6.90 in
175 mm

HOLE DIAMETER:
0.52 in 13.3 mm

CLOSED:
4.13 in
105 mm

LOCK:
LINERLOCK

HANDLE:
G-10

AMBITIOUS

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS:
0.122 in 3.1 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

EDGE:
2.31 in
59 mm

BLADE:
2.31 in
59 mm

OVERALL:
5.89 in
150 mm

GRIND:
FULL-FLAT

HOLE DIAMETER:
0.47 in 12.0 mm

CLOSED:
3.58 in
91 mm

LOCK:
LINERLOCK

HANDLE:
G-10

CHICAGO™

C130GP

CAT™

C129GP



Value Folders

The Cat is the perfect cutting tool for carry in jurisdictions with strict blade-length limitations. Its full-flat-ground 2.5-inch CTS BD1N blade provides plenty of cutting capability while remaining legally permissible practically everywhere. A carefully contoured G-10 handle, strategically placed finger choil, and sturdy LinerLock mechanism ensure comfort, control, and strength, while a reversible, deep-pocket wire clip provides discreet, ambidextrous tip-up carry.

The Chicago's two-inch blade offers impressive cutting capability in an amazingly compact, socially friendly, and law-abiding package. Full-flat ground from CTS BD1N stainless steel, it features a Trademark Round Hole for easy opening and is supported by a user friendly LinerLock mechanism. The handle's textured G-10 scales and forefinger choil provide a secure grip—even with larger hands—and a reversible deep-pocket wire clip balances low-profile, tip-up carry with quick, easy access.

CARRY:
TIP-UP
AMBI



CARRY:
TIP-UP
AMBI



CAT

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS:
0.100 in 2.5 mm
STEEL: CTS BD1N
EDGE: P
MADE IN TAIWAN

GRIND:
FULL-FLAT
EDGE:
2.23 in
57 mm
BLADE:
2.50 in
64 mm
OVERALL:
6.04 in
153 mm

HOLE DIAMETER:
0.51 in 13.0 mm

LOCK:
LINERLOCK

HANDLE:
G-10

CLOSED:
3.54 in
90 mm



CHICAGO

WEIGHT: 2.2 oz 62 g
BLADE THICKNESS:
0.100 in 2.5 mm
STEEL: CTS BD1N
EDGE: P
MADE IN TAIWAN

GRIND:
FULL-FLAT
EDGE:
1.69 in
43 mm
BLADE:
2.00 in
51 mm
OVERALL:
5.11 in
130 mm

HOLE DIAMETER:
0.47 in 12.0 mm

LOCK:
LINERLOCK

HANDLE:
G-10

CLOSED:
3.11 in
79 mm





Fixed Blades

For some applications, there is no substitute for the strength and simplicity of a fixed-blade knife. Although we are best known for our history-changing folding knives, Spyderco also offers a broad selection of fixed blades, including many designs developed in collaboration with custom knifemakers and recognized experts in the fields of hunting, fishing, bushcraft, survival, and personal-defense. All of our fixed blades also feature expertly designed and crafted sheaths that ensure your knife is poised and as ready as you are when you need it most.

PROVINCE™

FB45GP

Jim Ankerson is a passionate student of metallurgy and its relationship to knife design and performance. Drawing from his hard-earned practical knowledge and years of knife-testing experience, he teamed up with custom knifemaker Darrin Sanders to design a capable, all-purpose knife that is ready for anything. The Province's clip-point, Bowie-style blade is machined from CPM 4V®, a particle metallurgy tool steel enriched with vanadium and molybdenum for high-caliber strength, edge retention, and toughness. Its high saber grind balances strength and edge geometry, while its full-tang handle and contoured G-10 scales safeguard a secure, hand-filling grip. Ideally suited for survival, camping, and other demanding applications, the Province comes complete with a handcrafted leather sheath.

SHEATH NOT SHOWN

BOW RIVER™

FB46GP

Custom knifemaker Phil Wilson is an avid hunter and fisherman who incorporates his outdoor experience into every one of his designs. Hands down one of Spyderco's most popular collaborators, his highly refined fixed-blade designs are the cutting tools of choice of savvy outdoorsmen worldwide. Wilson's latest collaboration with Spyderco is the Bow River—an expression of his incredibly popular custom design specifically geared toward budget-conscious adventurers. This compact, all-purpose design features a full-flat-ground, trailing-point blade crafted from 8Cr13MoV stainless steel. The blade is paired with a contoured, ergonomic handle made with layered black and gray G-10. Complete with a high-quality leather sheath, the Bow River offers exceptional design and performance at an affordable price.

SHEATH NOT SHOWN

Fixed Blades


PROVINCE

WEIGHT: 11.4 oz 323 g
SHEATH: TBD
BLADE THICKNESS: 0.147 in 3.7 mm
STEEL: CPM 4V
EDGE: P
MADE IN TAIWAN 🇹🇼



BOW RIVER

WEIGHT: 3.9 oz 111 g
SHEATH: LEATHER
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA 🇨🇳



RESPECT™

FB44GP

Designed by Spyderco founder Sal Glesser, this formidable knife represents his personal interpretation of the classic American Bowie Knife. Its clip-point blade is made from .300-inch-thick CPM 154 stainless steel and has a broad profile for exceptional edge geometry. The blade is full-flat ground, distally tapered, and features a finger choil in front of the stainless steel double guard to support "old-school" Bowie tactics. To ensure control and leverage, the Respect has a refined, contoured handle shape with a pinky hook. The two-piece handle is machined from solid G-10 slabs and attached to the concealed tang with oversized Torx® screws. A knife truly worthy of its name, the Respect comes complete with a handcrafted leather sheath with a belt loop and retaining strap with a classic brass stud.

RESPECT

WEIGHT: 11.2 oz 318 g

SHEATH WEIGHT:

3.6 oz 102 g

TOTAL: 14.8 oz 420 g

SHEATH: LEATHER

BLADE THICKNESS:

0.300 in 7.6 mm

STEEL: CPM 154

EDGE: P

MADE IN USA 



PROFICIENT™

FB36CFP

ZOOMER™

FB42GP

Designed by survival enthusiast Tom Zoomer, the Zoomer is a highly evolved outdoor tool that transcends the functionality of traditional bushcraft knives. Its blade is expertly crafted from CPM 20CV and features a zero-ground *hamaguri* (convex) edge. The unique handle design features two machined solid G-10 scales that envelop the blade's through tang, yet allow the butt of the tang to protrude for use as a hammer surface and lanyard attachment point. Its seamlessly contoured shape is devoid of hot spots and includes an extended thumb shelf for additional leverage. The Zoomer comes complete with a high-quality leather sheath with a free-floating belt loop and an on-board accessory pouch.

Designed by Chris Claycomb of Bushcraft UK, the Proficient is a high-tech adaptation of a classic bushcraft knife design. Instead of traditional carbon steel and a Scandi grind. The Proficient features vanadium-rich CPM S90V stainless steel and a full-flat grind for significant cutting performance and edge retention. The scales of its full-tang handle are machined from solid carbon fiber and contoured for comfortable prolonged use. This state-of-the-art outdoor tool comes complete with a leather sheath for comfortable belt carry.

Fixed Blades

ZOOMER

WEIGHT: 9.5 oz 269 g
SHEATH WEIGHT: 7.0 oz 198 g
TOTAL WT: 16.5 oz 468 g
SHEATH: LEATHER
BLADE THICKNESS: 0.156 in 4.0 mm
STEEL: CPM 20CV
EDGE: P
MADE IN TAIWAN

EDGE: 4.75 in 121 mm

BLADE: 5.20 in 132 mm

GRIND: HAMAGURI

OVERALL: 10.00 in 254 mm

HANDLE: G-10

PROFICIENT

WEIGHT: 6.3 oz 179 g
SHEATH WEIGHT: 3.4 oz 96 g
TOTAL: 9.7 oz 275 g
SHEATH: LEATHER
BLADE THICKNESS: 0.140 in 3.5 mm
STEEL: CPM S90V
EDGE: P
MADE IN TAIWAN

EDGE: 3.89 in 99 mm

BLADE: 4.00 in 102 mm

GRIND: FULL-FLAT

OVERALL: 8.75 in 222 mm

HANDLE: CARBON FIBER



SERRATA™

FB32GP

Stuart Ackerman is a custom knifemaker from New Zealand with a penchant for practical, reliable fixed-blade knives. Based on one of his most popular models, the Serrata features a thick, leaf-shaped blade made of cast 440C stainless steel. Casting creates dendritic (“tree-like”) crystalline structures that give the blade exceptional strength, ductility, and cutting ability. The blade is full-flat-ground for strength and has a distal taper to reduce weight, enhance edge geometry, and provide exceptional balance. Its contoured handle scales are made of polished black G-10 and are shaped to fill the hand while eliminating “pressure spots.” The Serrata comes with a custom-molded Boltaron sheath with G-Clip™.



SUSTAIN™

FB39GP

Based on knifemaker Stuart Ackerman’s best-selling “Slither” design, Spyderco’s Sustain is a formidable fixed-blade knife. Its broad blade is saber ground from CPM 20CV—an advanced particle metallurgy stainless steel renowned for its edge-holding ability and corrosion resistance. An unsharpened swedge on the back of the blade reduces weight and tapers to an acute point, while a full tang guarantees optimal structural strength. Contoured, 3-D-machined G-10 handle scales are secured to the tang with concealed pins to offer a clean, extremely comfortable grip and include a generously sized lanyard hole. The Sustain comes with a pouch-style leather sheath for belt carry in the field.



SERRATA

WEIGHT: 7.9 oz 224 g
SHEATH WEIGHT: 2.7 oz 77 g
TOTAL: 10.6 oz 301 g
SHEATH: BOLTARON
BLADE THICKNESS: 0.238 in 6.0 mm
STEEL: CAST 440C
EDGE: P
MADE IN TAIWAN



SUSTAIN

WEIGHT: 7.3 oz 207 g
SHEATH WEIGHT: 3.4 oz 96 g
TOTAL: 10.7 oz 303 g
SHEATH: LEATHER
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: CPM 20CV
EDGE: P
MADE IN TAIWAN



MORAN

The late Bill Moran was an icon of American custom knifemaking and the founder of the American Bladesmith Society. Spyderco is honored to have been the only company with whom he produced production versions of his designs. Our Moran fixed blades are flat ground from VG-10 stainless steel to impart phenomenal edge geometry for game preparation and general outdoor use. Their simple handles are molded from durable FRN and feature Kraton rubber inlays for a secure grip. Available in both an upswept and drop-point profile, Moran fixed blades are lightweight and versatile. Both include a custom-molded Boltaron sheath with a multi-position G-Clip mount that is configurable for a wide spectrum of carry positions.

MORAN UPSWEPT

FBO1P

MORAN DROP POINT

FBO2P

Fixed Blades




MORAN DROP POINT

WEIGHT:	3.0 oz 85 g
SHEATH WEIGHT:	2.3 oz 65 g
TOTAL:	5.3 oz 150 g
SHEATH:	BOLTARON
BLADE THICKNESS:	0.118 in 3.0 mm
STEEL:	VG-10
EDGE:	P
MADE IN JAPAN	●



MORAN UPSWEPT

WEIGHT:	3.0 oz 85 g
SHEATH WEIGHT:	2.2 oz 62 g
TOTAL:	5.2 oz 147 g
SHEATH:	BOLTARON
BLADE THICKNESS:	0.118 in 3.0 mm
STEEL:	VG-10
EDGE:	P
MADE IN JAPAN	●



PERRIN STREET BOWIE™

FBO4PBBK

One of Spyderco's earliest fixed-blade designs, the Fred Perrin designed Street Bowie is a versatile knife that is ideal for a wide range of applications. It combines Perrin's distinctive index-finger choil—an effective alternative to a traditional guard—and an injection-molded FRN handle with Kraton rubber inserts for a remarkable grip. Its full-flat-ground VG-10 blade is cloaked in a non-reflective black ceramic coating and carries in an injection-molded polymer sheath. The sheath's G-Clip attachment yields a broad range of carry positions and may be easily removed to grant other carry options, including lashing to MOLLE gear.

PERRIN STREET BOWIE

WEIGHT	3.9 oz. 108 g
BLADE WEIGHT	2.5 oz. 70 g
TOTAL	6.4 oz. 181 g
BLADE POLYMER	FRN
BLADE LENGTH	6.102 in. 155 mm
EDGE	VG-10
EDGE #	1
MADE IN JAPAN	



120

STREET BEAT™

FBI5PBBK

The Street Beat Lightweight is a fusion of Fred Perrin's compact Street Beat design and the cost-saving manufacturing efficiencies of his popular Street Bowie. The result is a lightweight rendition of the Street Beat with an injection-molded fiberglass-reinforced-nylon handle and black ceramic blade coating. True to the original design, it includes Perrin's distinctive index-finger groove that fuses the user's hand to the handle when gripped firmly. Its injection-molded polymer sheath includes a reversible, angle-adjustable G-Clip attachment that can be configured to offer dozens of carry positions.

STREET BEAT

WEIGHT	3.3 oz. 98 g
BLADE WEIGHT	2.0 oz. 57 g
TOTAL	5.3 oz. 150 g
BLADE POLYMER	FRN
BLADE LENGTH	6.102 in. 155 mm
EDGE	VG-10
EDGE #	1
MADE IN JAPAN	



RONIN 2™

FBO9GP2

Personal-defense practitioner

Michael Janich popularized a wharncliffe blade shape as a self-defense tool with his Spyderco Ronin design. The Ronin 2 is designed to cut with power all the way to the point. Its broad straight-edged blade is hollow-ground from corrosion-resistant G10 B01 stainless steel. Exceptionally thin, textured G-10 scales bolted to the full tang guarantee a secure grip and superior edge orientation, while an understated integral guard protects the hand from the sharp edge during thrusting tactics. Slim, flat, and weighing less than four ounces, the Ronin 2 rides discreetly in a custom-molded Boltaron sheath. A G-Clip attachment supports a wide variety of belt and inside-the-waistband carry positions, allowing you to easily tune your carry of the Ronin 2 to your personal needs and tactics.

RONIN 2

WEIGHT	2.8 oz. 77.6 g
SHEATH WEIGHT	4.0 oz. 113.4 g
BLADE	2.5 in. 63.5 mm
HANDLE	5.1 in. 129.5 mm
TOTAL LENGTH	7.6 in. 193 mm
OPENING	1.1 in. 27.9 mm
EDGE	G-10
MADE IN TAIWAN	

GRIND: HOLLOW
EDGE: 2.50 in. 63.5 mm

BLADE: 2.50 in. 63.5 mm

LOW DIAL: 2.00 in. 50.8 mm

HANDLE: 5-10

BRADLEY BOWIE™

FB33GP

Knifemaker and former BladeSports champion Gayle Bradley understands cutting performance. His hard-won insights are clearly reflected in the Bradley Bowie, a seriously versatile do-everything fixed blade ground from PSE 27—an incredibly tough spray-formed tool steel with an ultra-fine, homogeneous grain structure. The full-flat-ground Bowie-style profile offers outstanding edge geometry for low-friction cutting and is complemented by an attractive straight swedge. Its contoured, polished G-10 handle scales are secured to the full tang with tubular rivets and support a prominent lower guard for dextrous control and hand protection. The Bradley Bowie comes with a custom-molded Boltaron sheath with G-Clip attachment.

BRADLEY BOWIE

WEIGHT	7.8 oz. 221 g
SHEATH WEIGHT	2.2 oz. 62.3 g
BLADE	10.2 in. 259 mm
HANDLE	6.0 in. 152 mm
TOTAL LENGTH	16.2 in. 413 mm
OPENING	1.1 in. 27.9 mm
EDGE	PSE 27
MADE IN TAIWAN	

GRIND: FULL-FLAT
EDGE: 2.50 in. 63.5 mm

BLADE: 10.2 in. 259 mm

OVERALL: 16.2 in. 413 mm

HANDLE: 6-10

Fixed Blades

ENUFF CLIP POINT

FB31CPBK

ENUFF LEAF SHAPE

FB31PBK

ENUFF SHEEPFOOT

FB31SBK

ENUFF™

Savvy knife users know that the first few inches of the blade closest to the handle does most of the real work. So how much blade is enough? Spyderco answered that question with our Enuff series—three fixed blades that provide everything you need in a working knife and nothing you don't. Available in clip-point, leaf-shaped, and sheepfoot blade profiles, they feature the same skeletonized full-tang handle design and Bi-Directional-Textured injection-molded FRN scales. Their blades are precision ground from VG-10 stainless steel and offer an excellent balance of edge holding and corrosion resistance. Members of the Enuff family come with a molded polymer sheath with a G-Clip attachment for versatile carry options.

See page 125 for a Salt Series version

ENUFF LEAF SHAPE/CLIP POINT

WEIGHT: 3.8 oz 108 g
SHEATH WEIGHT: 1.8 oz 51 g
TOTAL: 5.6 oz 159 g
SHEATH: POLYMER
BLADE THICKNESS: 0.157 in 4.0 mm
STEEL: VG-10
EDGE: P
MADE IN JAPAN



ENUFF SHEEPFOOT

WEIGHT: 4.0 oz 113 g
SHEATH WEIGHT: 1.8 oz 51 g
TOTAL: 5.8 oz 164 g
SHEATH: POLYMER
BLADE THICKNESS: 0.157 in 4.0 mm
STEEL: VG-10
EDGE: S
MADE IN JAPAN



SALT FIXED BLADES

The tools of choice for hard use in and around the water, Spyderco's Salt Series fixed blades are made with advanced nitrogen-enriched alloys that are incredibly corrosion resistant. These remarkable cutting tools are available in a broad range of designs to suit every conceivable cutting need. With a Salt Series fixed blade, you can brave the elements with complete confidence.

WATERWAY™

FB43GP

FISH HUNTER™

FB40SYL

The Fish Hunter was specifically designed to meet the demanding needs of free divers and spear fisherman. Its symmetrical hollow-ground blade is crafted from corrosion-resistant H-1 steel and features a fully serrated SpyderEdge cutting edge to easily power through fishing line, rope, and anything else in its path. The acute point is perfect for quickly dispatching fish and includes a short PlainEdge section for detail work. To guarantee a secure grip, the handle is injection molded from tough fiberglass-reinforced nylon (FRN) and features high-traction Bi-Directional Texturing. An injection-molded snap-fit polymer sheath with adjustable G-Clip attachment completes the package and makes the Fish Hunter one of the most capable and versatile marine knives available.

Lance Clinton, known as "Surfingrino" on the Spyderco Forums, is a passionate fisherman, water sportsman, and knife enthusiast. Based on his hard-earned experience using knives in and around the water, he designed the WaterWay—a highly capable fixed-blade knife and a proud member of Spyderco's Salt Series. Crafted from ultra-corrosion-resistant LC200N steel, the WaterWay's blade has a full-flat grind, a distal taper, and an integral lower guard. Its full tang is capped by contoured G-10 scales with a CNC-machined texture pattern that ensures a positive grip, even when wet. Ideal for cleaning fish and a myriad of other chores, the WaterWay comes equipped with a custom-molded foldover-style Boltaron sheath with a G-Clip mount.

*Salt
Fixed Blades*

FISH HUNTER

WEIGHT: 4.1 oz 116 g
SHEATH WEIGHT: 2.2 oz 62 g
TOTAL: 6.3 oz 179 g
SHEATH: POLYMER
BLADE THICKNESS: 0.118 in 3.0 mm
STEEL: H-1
EDGE: S
MADE IN JAPAN



OVERALL
9.24 in
235 mm

WATERWAY

WEIGHT: 4.3 oz 122 g
SHEATH WEIGHT: 2.1 oz 60 g
TOTAL: 6.4 oz 181 g
SHEATH: BOLTARON
BLADE THICKNESS: 0.120 in 3.1 mm
STEEL: LC200N
EDGE: P
MADE IN USA



OVERALL
9.50 in
241 mm

AQUA SALT™ BLACK BLADE

FB23SBBK

The Aqua Salt is a versatile, do-everything knife design made even better with the corrosion-resistant benefits of an H-1 steel blade and a non-reflective titanium carbonitride (TiCN) blade coating. Available in both PlainEdge and SpyderEdge configurations, its hollow-ground blade provides excellent edge geometry for effective cutting and edge retention, while its injection-molded fiberglass-reinforced-nylon (FRN) handle features Bi-Directional Texturing for a rock-solid grip and superior control, even with wet hands. A matching injection-molded polymer sheath features a multi-position G-Clip for fully configurable belt or waistband carry and grommeted construction so it can be easily lashed or flex-tied to personal equipment.

FB23SBBK



FB23PBBK



AQUA SALT

WEIGHT: 4.6 oz 130 g

SHEATH WEIGHT:
2.3 oz 65 g

TOTAL: 6.9 oz 196 g

SHEATH: POLYMER

BLADE THICKNESS:
0.118 in 3.0 mm

STEEL: H-1

EDGE: P, S

MADE IN JAPAN 

EDGE:
4.40 in
112 mm

GRIND:
HOLLOW

HANDLE:
FRN

BLADE:
4.70 in
119 mm

OVERALL:
9.28 in
236 mm

JUMPMASTER 2™

FB24SBK2

ENUFF SALT

FB31SYL



The Enuff Salt integrates the extreme cutting power of a SpyderEdge sheepfoot blade with the superior corrosion resistance of H-1 steel. The austenitic properties of its H-1 blade also ensure an exceptionally hard cutting edge and a tough, springy back. Ideal for work in and around the water, it features high-visibility yellow handle scales and a polymer sheath with a versatile G-Clip mount. The sheath also has grommeted construction for easy attachment to watersports gear.

The original Spyderco Jumpmaster was developed for use by military jumpmaster personnel as an emergency cutting tool to free "hung" paratroopers. The second-generation Jumpmaster 2 continues that tradition, offering the unparalleled cutting power of a fully serrated H-1 blade with the added versatility of an acutely pointed leaf-shaped profile. Its hollow-ground blade features a skeletonized full tang that is capped by injection-molded FRN scales. The scales' high-traction Bi-Directional Texturing pattern ensures an extremely secure grip in even the most demanding conditions. This extraordinary knife comes complete with a snap-fit, custom-molded Boltaron sheath and a versatile G-Clip mount that offers a full range of carry positions.

*Salt
Fixed Blades*

ENUFF SALT

WEIGHT:	3.9 oz 111 g
SHEATH WEIGHT:	1.8 oz 51 g
TOTAL:	5.7 oz 162 g
SHEATH:	POLYMER
BLADE THICKNESS:	0.053 in 4.0 mm
STEEL:	H-1
EDGE:	S
MADE IN JAPAN	●



JUMPMASTER 2

WEIGHT:	5.4 oz 153 g
SHEATH WEIGHT:	2.5 oz 71 g
TOTAL:	7.9 oz 224 g
SHEATH:	BOLTARON
BLADE THICKNESS:	0.118 in 3.0 mm
STEEL:	H-1
EDGE:	S
MADE IN JAPAN	●



ARK

FB35SBK

ARK™


FB35PBK



The ARK—or “Always Ready Knife™”—was conceived by U.S. Army combat veteran John Shirley and his friend Sam Owens as a lightweight self-defense tool that could be carried anywhere. Also a favorite for daily utilitarian use, its deeply curved clip-point blade packs impressive cutting power into a compact envelope. The ARK’s corrosion-resistant blade is hollow ground from nitrogen-based H-1 steel and is available with either a PlainEdge or fully serrated SpyderEdge. It is paired with a durable fiberglass-reinforced-nylon (FRN) handle that is molded directly onto the tang and features a Bi-Directional Texturing pattern to guarantee a non-slip grip, even with wet hands. Purpose designed for neck carry, the ARK includes an injection-molded polymer sheath with an integral retention tab and a breakaway ball chain.

ARK PLAINEDGE

WEIGHT:	0.9 oz 26 g
SHEATH WEIGHT:	1.2 oz 34 g
TOTAL:	2.1 oz 60 g
SHEATH:	POLYMER
BLADE THICKNESS:	0.080 in 2.0 mm
STEEL:	H-1
EDGE:	P
MADE IN JAPAN	●



ARK SPYDEREDGE

WEIGHT:	0.8 oz 23 g
SHEATH WEIGHT:	1.2 oz 34 g
TOTAL:	2.0 oz 57 g
SHEATH:	POLYMER
BLADE THICKNESS:	0.080 in 2.0 mm
STEEL:	H-1
EDGE:	S
MADE IN JAPAN	●





WHALE RESCUE BLADE™

BWRS H1

*Salt
Fixed Blades*

One of the unfortunate effects of the commercial fishing industry is the entanglement of whales and other marine mammals in fishing nets and related rigging. As the entangled animals struggle to break free, the lines and nets are pulled taut, often resulting in serious injury and sometimes death. Thankfully, there are wildlife conservation groups dedicated to rescuing these animals; but doing so safely and effectively requires a specialized cutting tool. To meet that need, Spyderco developed the Whale Rescue Blade.

Designed to be attached to the end of a 10-foot pole and maneuvered from an inflatable raft, the Whale Rescue Blade's blunt tip and specially curved profile protect the animal from injury while allowing its fully serrated SpyderEdge blade to cut with extreme efficiency—even through tangled, water-soaked lines. Originally available only to recognized wildlife rescue organizations, the Whale Rescue Blade has been instrumental in countless whale rescues in Australia, France, Canada, South Africa, Alaska, Hawaii, and both the Pacific and Atlantic coasts of the U.S. Its impressive cutting power also attracted the attention of The Sea Shepherd Conservation Society, NASA, and a number of U.S. military units and has made it the cutting tool of choice for a number of special-mission applications.

The Whale Rescue Blade is manufactured from ultra-corrosion-resistant H-1 alloy and is currently available for purchase by the public.

NOTE: The Whale Rescue Blade is sold as a blade only, no handle is included. The rescue of marine wildlife requires highly specialized training and may only be performed by authorized personnel. It is illegal for civilians to attempt any marine wildlife rescue activities on their own.

WHALE RESCUE BLADE

- WEIGHT: 5.7 oz 162 g**
- SHEATH WEIGHT: NO SHEATH INCLUDED**
- TOTAL: 5.7 oz 162 g**
- SHEATH: N/A**
- BLADE THICKNESS: 0.157 in 4.0 mm**
- STEEL: H-1**
- EDGE: S**
- MADE IN JAPAN**

GRIND: HOLLOW

EDGE: 8.46 in 215 mm

BLADE: 11.0 in 279 mm

OVERALL: 11.0 in 279 mm





GENZOW HATCHETHAWK™

H02

Martin Genzow is a German outdoor enthusiast who used his extensive experience with all types of axes, hatchets, and tomahawks to create the Genzow HatchetHawk—a refined, high-tech interpretation of the utility tomahawk. Drop forged from tough 5160 tool steel, the HatchetHawk's multi-functional head combines the best attributes of the classic Francisca (Frankish axe), the bearded axe, and the tomahawk. Its hammer poll gives it additional utility, while its extended beard provides more edge length for both chopping and detailed cutting chores. The injection-molded polypropylene handle has an aluminum core for maximum strength and is scientifically contoured for maximum energy transfer and control. To carry the HatchetHawk and protect it when not in use, it comes complete with a thick leather sheath with a belt loop and large grommets for baldric-style, over-the-shoulder carry. It comes packaged in a padded zipper pouch.



Hatchets, Hawks and Throwers

For some cutting tasks, even the best folding or fixed-blade knife isn't enough; you simply need more horsepower than that. To that end, Spyderco has expanded our scope of cutting tools to include selected tomahawks and hatchets that we feel are not only uniquely worthy designs, but also push the envelope of performance and innovation within their breeds. Now you can truly "earn your chops" with Spyderco.



GENZOW HATCHETHAWK

WEIGHT: 29.6 oz 839 g

SHEATH WEIGHT:
4.5 oz 128 g

TOTAL WT: 34.1 oz 967 g

SHEATH: **LEATHER**

BLADE THICKNESS:
0.155 in 7.8 mm

STEEL: 5160

EDGE: P

MADE IN USA 

EDGE:
2.76 in
70 mm

BLADE:
6.14 in
156 mm

OVERALL:
15.82 in
402 mm

HANDLE:
POLYPROPYLENE/
ALUMINUM

129

WARRIOR HAWK™


H03



Drawing from his experiences as a martial artist, U.S. Marine, and law enforcement officer, Laci Szabo designed the Warrior Hawk as a full-service tomahawk equally suited to utility and combat applications. Crafted from a single piece of thick D2 tool steel and cloaked in a black titanium carbonitride (TiCN) coating, its head features a faceted cutting edge and a potent rear spike. The full-tang handle is sandwiched between long G-10 scales that have a series of machined grooves around the perimeter to guarantee positive traction and a full range of grip choices. The butt end of the handle terminates in a stout pry tip and, like the head, includes a large Round Hole for easy attachment of lanyards. When not in action, the Warrior Hawk's head is protected by a custom-molded Boltaron sheath. It comes packaged in a padded zipper pouch.

WARRIOR HAWK

WEIGHT: 28.5 oz 808 g
SHEATH WEIGHT: 2.5 oz 71 g
TOTAL: 31.0 oz 879 g
SHEATH: BOLTARON
BLADE THICKNESS: 0.307 in 7.8 mm
STEEL: D2
EDGE: P
MADE IN TAIWAN



OVERALL: 13.68 in 347 mm

HANDLE: G-10

SPYDER THROWERS™

SMALL TK01SM
MEDIUM TK01MD
LARGE TK01LG

*Hatchets,
Hawks and Throwers*

For decades, Canadian custom knifemaker Harald Moeller's throwing knives have been regarded as some of the finest ever made. Through an exclusive arrangement with Moeller, we are proud to manufacture his world-class throwing knife designs under the Spyderco brand. Precision machined from thick, spring-tempered 8Cr13MoV stainless steel and featuring a two-toned black oxide and satin finish, these throwing knives are available in three different sizes—all of which remarkably share common balance characteristics and throwing distances. Sold in sets of three of the same size, SpyderThrowers come complete with a tiered, high-quality leather sheath and a newly revised version of Moeller's instructional knife-throwing book.



SPYDER THROWER-L

WEIGHT: 10.2 oz 289 g
SHEATH WEIGHT: 5.7 oz 162 g
TOTAL: 15.9 oz 451 g
SHEATH: LEATHER
BLADE THICKNESS: 0.224 in 5.7 mm
STEEL: 8Cr13MoV

MADE IN CHINA

GRIND: DAGGER



OVERALL: 11.13 in 283 mm

SPYDER THROWER-M

WEIGHT: 8.9 oz 252 g
SHEATH WEIGHT: 5.4 oz 153 g
TOTAL: 14.3 oz 405 g
SHEATH: LEATHER
BLADE THICKNESS: 0.224 in 5.7 mm
STEEL: 8Cr13MoV

MADE IN CHINA

GRIND: DAGGER



OVERALL: 10.13 in 257 mm

SPYDER THROWER-S

WEIGHT: 7.0 oz 198 g
SHEATH WEIGHT: 4.9 oz 139 g
TOTAL: 11.9 oz 337 g
SHEATH: LEATHER
BLADE THICKNESS: 0.217 in 5.5 mm
STEEL: 8Cr13MoV

MADE IN CHINA

GRIND: DAGGER



OVERALL: 9.00 in 229 mm

Kitchen



Spyderco's line of kitchen knives has a long history that dates all the way back to the earliest years of the company—before we ever made our first knife. At that time, Spyderco's founders sold knife sharpeners as "pitchmen" at fairs and trade shows and learned a lot about what really makes kitchen knives cut. That hard-won wisdom is still at the heart of every one of our kitchen knife designs.

Our core line of kitchen knives showcases blades made from premium MBS-26 steel—a high-carbon stainless steel that is ground exceptionally thin and meticulously heat treated for optimal cutting performance. Their durable polypropylene plastic handles are injection molded directly onto the tangs of the blades and feature a distinctive "stepped" texture pattern for comfort and control during use. Depending upon their style and purpose, they are available with either a PlainEdge or fully serrated SpyderEdge blade with a unique two-step serration pattern that is scientifically designed to reduce dulling when cutting on a cutting board.

UTILITY KNIFE 4-INCH

K05



The perfect tool for many kitchen cutting chores, the K05 4-inch Utility Knife offers an excellent balance of control and cutting performance. Its durable polypropylene handle is injection molded directly onto the blade tang and has a distinctive "stopped" texture pattern for a secure grip. The #420-26 stainless steel blade is ground exceptionally thin and heat treated for scratchless edge retention. The black-handled K05 is available with either a PlainEdge or a SpyderEdge blade with a unique two-step serration pattern that protects the edge from dulling on cutting boards. The SpyderEdge version is also available with a red handle.

UTILITY KNIFE 4-INCH


WEIGHT 1.7 oz. 48 g
BLADE THICKNESS 0.2 mm
EDGE #420-26
HANDLE #4
MADE IN JAPAN



- K05SRD 4-inch red SpyderEdge
- K05BK 4-inch black SpyderEdge
- K05BK 4-inch black PlainEdge

UTILITY KNIFE 6-INCH

K04



Sure to become one of the most used knives in your kitchen, this knife is ideal for a wide range of food preparation chores. It is available in both PlainEdge and SpyderEdge versions with black handles. SpyderEdge version is also available in a blue handle.

UTILITY KNIFE 6-INCH

WEIGHT 2.1 oz. 59 g
BLADE THICKNESS 0.2 mm
EDGE #420-26
HANDLE #6
MADE IN JAPAN



- K04SBK 6-inch black SpyderEdge
- K04BL 6-inch blue SpyderEdge
- K04BK 6-inch black PlainEdge

MINI PARING KNIFE

K09PBK

For detailed kitchen cutting tasks, nothing beats the Mini Paring Knife. The straight cutting edge and piercing point of its 2.75-inch blade make it the tool of choice for paring, carving decorative garnishes, and other food preparation chores that require precise control. Its full-flat-ground MBS-26 stainless steel blade is ground thin and paired with a durable black polypropylene handle. The handle's generous size and distinctive "stepped" texture pattern establish a rock solid positive grip and both comfort and control during use.

MINI PARING KNIFE

WEIGHT	0.9 oz. 23 g
BLADE THICKNESS	0.057 in. 1.4 mm
STEEL	MBS-26
EDGE	SA
MADE IN JAPAN	



SANTOKU

K08PBK

Spyderco's original K08 Santoku was the first factory Santoku introduced into the U.S. market. Straddling the line between a traditional Asian cleaver and a Western chef's knife, our version is crafted from premium MBS-26 stainless steel and ground extremely thin for low-friction cutting performance. Its "stepped" black polypropylene handle provides a comfortable, secure grip and is injection molded directly onto the tang of the blade for added strength. If you're a serious chef, or are learning to chop like a pro in the kitchen, give the Santoku a try. You'll wonder how you ever got along without one.

SANTOKU

WEIGHT	9.2 oz. 257 g
BLADE THICKNESS	0.078 in. 1.9 mm
STEEL	MBS-26
EDGE	SA
MADE IN JAPAN	



BREAD KNIFE

KOITSBK

Few kitchen cutting chores challenge a serrated edge more than cutting bread—especially soft, crusty, baked bread. Spyderco's KO1 Bread Knife is the ultimate tool for this task, combining our time-tested original design with 40 years of experience in the research, development, and refinement of serrated edges. Its remarkably thin HBS-26 stainless steel blade features an evolved serration pattern that cuts soft breads and cake without crushing or tearing, while powering through hard-crust breads almost effortlessly. Its polypropylene handle is molded directly onto the tang and has a stepped texture pattern for a secure, comfortable grip.

BREAD KNIFE
Overall Length: 10.41 in.
Blade Length: 3.94 in.
Steel: HBS-26
Type: S
MADE IN JAPAN

EDGE
2.37 in.
26.0 mm

BLADE
3.94 in.
26.0 mm

POINT
FULL-TANG

OVERALL
10.41 in.
265 mm

HANDLE
POLYPROPYLENE

Kitchen

Sharpeners

A collection of Spyderco sharpeners and knives is displayed on a dark, reflective surface. In the foreground, a white, cylindrical sharpener lies horizontally. Behind it, several other sharpeners and knives are visible, some standing upright and others lying flat. The background is slightly blurred, emphasizing the sharpener in the foreground. The overall aesthetic is clean and professional, highlighting the precision of the tools.

THE IMPORTANCE OF BEING SHARP

Although no cutting tool can ever realize its full potential without a properly sharpened edge, for many people, sharpening remains an elusive skill. It doesn't have to be.

Before Spyderco ever made knives, we created revolutionary tools to keep them sharp. Working closely with America's leading manufacturer of industrial ceramics, we developed our versatile, easy-to-use Tri-Angle Sharpmaker® to demystify the sharpening process and enable anyone to quickly bring their knives to a razor edge. Since then, we have added a broad range of other sharpeners, all proudly sharing the same key qualities: they are quick and easy to use, don't require oil, water, or complicated clamps and fixtures, and don't need electricity. Most also easily sharpen serrated edges while prolonging the service life of your blade.

There's no excuse to settle for anything less than optimal cutting performance. Get the edge you need on all your knives and other tools with Spyderco sharpeners.



TRI-ANGLE SHARPMAKER

204MF



MADE IN USA



The key to sharpening any cutting tool is removing steel at the edge while maintaining a consistent angle between the blade and the stone. Spyderco's Tri-Angle Sharpmaker takes the mystery out of this process and enables anyone to sharpen a knife effectively with just a few minutes' practice. Its durable ABS plastic base contains keyed holes that accurately set the stones' sharpening angles at 30° (15° each side) or 40° (20° each side) for sharpening knives. Simply keep the plane of your knife's blade vertical and draw the edge along each stone to sharpen. It's that simple. For serrated blades, use the rounded edges of the stones and a slightly looser grip to allow the stone to flow into the recesses of each serration. The Sharpmaker system includes two sets of high alumina ceramic stones: a pair of medium-grit (brown) stones for aggressive sharpening and a set of fine (white) stones for professional-grade finishing. A set of brass safety rods protects your hands while sharpening and all components snap into the self-contained ABS plastic base and lid for easy storage. Every Sharpmaker comes complete with a detailed instruction book and DVD that guides you step by step through the process of sharpening knives, scissors, awls, and many tools.

TRI-ANGLE SHARPMAKER DVD

204DVD

This step-by-step instructional DVD teaches you everything you need to know to use our Sharpmaker to sharpen virtually every cutting tool you own. This is the same DVD included with every Sharpmaker kit.



TRI-ANGLE™ STONE FINE

204F1

Tri-Angle Stone Fine Replacement fine-grit (white) stone for your Sharpmaker. Sold individually. 7" X 0.5" (178mm X 13mm)

MADE IN USA 

TRI-ANGLE STONE ULTRA FINE

204UF1

Ultra fine accessory stone fits the Sharpmaker base and puts an exceptionally fine scratch pattern on your edge for hair-popping sharpness. Sold individually. 7" X 0.5" (178mm X 13mm)

MADE IN USA 

TRI-ANGLE STONE MEDIUM

204M1

Replacement medium-grit (brown) stone for your Sharpmaker. Sold individually. 7" X 0.5" (178mm X 13mm)

MADE IN USA 

TRI-ANGLE DIAMOND

204D

Accessory diamond-impregnated steel triangles fit your Tri-Angle Sharpmaker base for aggressive stock removal of exceptionally dull edges or edge re-profiling. Sold as a pair. 7" X 0.5" (178mm X 13mm)

MADE IN CHINA 

TRI-ANGLE CUBIC BORON NITRIDE

204CBN

Cubic Boron Nitride (CBN) is a superabrasive that is second in hardness only to diamond. It offers greater abrasion resistance and thermal conductivity than conventional abrasives like silicon carbide and aluminum oxide, making it the preferred abrasive in many advanced industrial grinding applications. Sold as a pair. 7" X 0.5" (178mm X 13mm).

MADE IN CHINA 

Sharpener


BENCH STONES

Spyderco's ceramic bench stones are made from ultra-hard alumina ceramic material. They are used like traditional sharpening stones, but do not require oil or water lubrication. Ideal for wood chisels, plane irons, and similar bladed tools, they are easily cleaned with ordinary kitchen cleanser. All Spyderco bench stones are proudly manufactured in the U.S.A.

BENCH STONE FINE

302F

2" X 8" Fine-grit bench stone comes in a light blue polymer case with non-skid rubber feet.

MADE IN USA 



BENCH STONE MEDIUM

302M

2" X 8" Medium-grit bench stone comes in a dark blue polymer case with non-skid rubber feet.

MADE IN USA 




BENCH STONE ULTRA FINE

302UF

2" X 8" Ultra-fine-grit bench stone comes in a black polymer case with non-skid rubber feet.

MADE IN USA 



BENCH STONE ULTRA FINE

306UF

3" X 8" This ultra-fine, ultra-thin ceramic bench stone comes in a leather pouch and offers an extra-wide sharpening surface.

MADE IN USA 




POCKET STONES

Spyderco's ceramic pocket stones are compact, lightweight, and ideal for touching up edges in the field. Most come complete with a protective suede carry case that doubles as a non-slip base during use. The perfect addition to a pack, survival kit, or bug-out bag, they only add a few ounces of weight to your load. All our pocket stones are proudly manufactured in the U.S.A.

POCKET STONE MEDIUM

303M

1" X 5" Medium-grit brown stone with suede case.

MADE IN USA 



POCKET STONE FINE

303F

1" X 5" Fine-grit white stone with suede case.

MADE IN USA 




DOUBLE STUFF™

303MF

1" X 5" This double-duty stone features medium and fine-grit stones permanently bonded back to back for the ultimate in versatile field sharpening. Suede case included.


MADE IN USA 



DOUBLE STUFF 2

303FCBN2

1" X 5" This handy double-sided pocket stone features an aggressive Cubic Boron Nitride (CBN) abrasive on one side and a fine ceramic stone on the other. One long edge of each stone also offers a radius for sharpening serrations. Ideal for hunters, fisherman, soldiers, or anyone else who sharpens in the field, the Double Stuff 2 comes complete with a brushed suede pouch.

MADE IN USA 




POCKET STONE MEDIUM

305M1

1" X 3" X .25" This compact medium-grit pocket stone is perfect for field use on knives and for sharpening everything from dental implements to craft tools. Stone only.

MADE IN USA 




Sharpeners

GOLDEN STONE™

308F

Shaped like a duck's foot, the Golden Stone is a compact, versatile sharpening device that automatically sets the proper sharpening angle. Hold it by the narrow end and place the scalloped end on a flat surface. Tilting the stone from side to side creates a 20-degree sharpening angle on the outer edges. Just keep the plane of your blade vertical and draw the edge alternately along each side to sharpen. Other features allow easy sharpening of scissors, serrated edges, and pointed objects and its suede carry case also acts as a non-slip tabletop pad.

MADE IN USA 



SLIP STONE

307F

2" X 4" The slip stone has a teardrop-shaped cross section that makes it the perfect stone for sharpening gouges and other tools with concave cutting edges. Its wide, flat surfaces work great for conventional edges, and its narrow edge can be used to sharpen serrated edges. Suede case included.

MADE IN USA



Sharpeners

CERAMIC FILE SET

400F

Spyderco's ceramic files are specifically designed for sharpening small, detailed tools like woodcarving tools, gouges, and dental devices. They are also used by gunsmiths for trigger jobs, deburring, and detail finishing. Available individually or as a set in a suede, snap-close pouch, our ceramic files include round, square, triangle, and slip (teardrop) shapes.

- 400F1R Ceramic File Round (sold individually).
- 400F1S Ceramic File Square (sold individually).
- 400F1T Ceramic File Triangle (sold individually).
- 400F1SP Ceramic File Slip (sold individually).

MADE IN USA



SPYDERCO MEN'S T-SHIRTS

Show your Spyderco style by wearing a high-quality logoed Spyderco t-shirt. The shirts proudly showcase well-known Spyderco mottos. Made from 100% high-density pre-shrunk jersey knit cotton, they make a definitive fashion statement for any dedicated Spyderco fan. These are long-wearing shirts with tubular construction, double-needle sleeves, bottom hems, and TearAway labels.

TSMTWK

"Those Who Know Carry Spyderco™"



TSMTWK MEN
 TSMTWKS - SMALL
 TSMTWKM - MEDIUM
 TSMTWKL - LARGE
 TSMTWKXL - X LARGE
 TSMTWKXXL - XX LARGE
 TSMTWKXXXL - XXX LARGE

TSMCFL

"Crafted for Life®"



TSMCFL MEN
 TSMCFLS - SMALL
 TSMCFLM - MEDIUM
 TSMCFLL - LARGE
 TSMCFLXL - X LARGE
 TSMCFLXXL - XX LARGE
 TSMCFLXXXL - XXX LARGE

TSMCO

"Colorado Spyderco"



TSMCO MEN
 TSMCOS - SMALL
 TSMCOM - MEDIUM
 TSMCOL - LARGE
 TSMCOXL - X LARGE
 TSMCOXXL - XX LARGE
 TSMCOXXXL - XXX LARGE

TSMRHP

"Reliable High Performance™"



TSMRHP MEN
 TSMRHPS - SMALL
 TSMRHPM - MEDIUM
 TSMRHPL - LARGE
 TSMRHPXL - X LARGE
 TSMRHPXXL - XX LARGE
 TSMRHPXXXL - XXX LARGE



SPYDERCO BUG LAPEL PIN

BUGPIN

Show your Spyderco pride in style with this silver and black enameled pin with the Spyderco "bug" logo.

SPYDERCOIN™ 2019

COIN2019

The SpyderCoin '19 is a custom-minted coin that honors Spyderco's longstanding support of our nation's military and law enforcement personnel, their commitment to protecting the innocent, and their dedication to preserving our way of life. A symbolic statement of our company values, it reminds us that "It is the responsibility of good to stop evil from hurting the innocent" and encourages us to "Never give up," "Never back up," and "Never back down." This handsome antique-bronze-finished coin has a unique Reuleaux triangle shape and is proudly stamped with the Spyderco logo and the year "2019."



LANYARDS

Lanyards and fobs are a popular way of accessorizing folding knives and making smaller knives easier to draw. If you're a fan of fobs and lanyards on your knives or other small items, add a touch of Spyderco style to your life with these woven nylon lanyards featuring genuine pewter Spyderco beads.

SQUARE BEAD W/ LANYARD

BEAD1LY

Square pewter bead and lanyard (0.5in bead)



ROUND BEAD W/ LANYARD

BEAD2LY

Round pewter bead and lanyard (0.5in bead)


Accessories



PLASTIC KNIFE KIT DELICA 4

PLKIT1

Teach your kids about knives the safe way and enjoy a fun family project in the process. This all-plastic kit is a reproduction of Spyderco's best-selling Delica 4 folding knife. Designed for ages 7 and older, it can be assembled in minutes without tools or glue and yields a completely safe working model of a Delica 4. Precision molded from glow-in-the-dark plastic, all parts are rounded for safety and designed so the knife can be assembled and disassembled numerous times. No clip.



WOODEN KNIFE KIT DRAGONFLY 2

WDKIT1

Are your kids curious about pocket knives? The perfect introduction is the Dragonfly 2 Wood Kit. Designed for kids 7 and up, it enlightens them to the construction process and how a Spyderco folding knife works. This easily assembled kit contains all the pieces to build a full-scale wooden Dragonfly 2 that folds and functions like the real thing but without sharp edges or a point. Instructions included for a fun rainy afternoon or scouting project. No pocket clip.



ZIPPER CASE LARGE

C12C

Protect your favorite folding knives with this black synthetic leather pouch. Its plush lining protects your knife against scratches and a full-length zipper provides security and easy access. For folding knives up to 5.5 inches long closed. It is embossed with a gold Spyderco bug.



ZIPPER CASE SMALL

C18C

This smaller zippered pouch features the same quality construction as the larger version, but is sized for knives up to 4.5 inches long when closed.



G-CLIP



A simple yet versatile sheath mount that provides a wide variety of carry options, the G-Clip is attached to a sheath with two stainless steel Chicago screw sets and two rubber washers using a T-10 Torx wrench (not included). The clip features multiple mounting holes that support vertical (handle up or handle down), horizontal, forward, and backward cant. It fits belts up to 1.5 inches wide and also functions as a spring clip for direct attachment to pockets and clothing. The G-Clip attaches to either side of Spyderco sheaths, allowing them to be easily configured for inside-the-waistband carry and either edge-forward or edge-back orientation in all carry positions.

MIRROR DECALS

Show your Spyderco pride when you ride with these adhesive "bug" decals. Designed to adhere to the back of the side mirrors on your car, these weather resistant vinyl decals are 3.25" X 3.25" (8.26 X 8.26 cm) in size and are sold individually and in sets of two. Available in white or red.



STK1



STK3

KNIFE STANDS

CT02 SMALL
CT03 LARGE

Display your Spyderco knives in style with these clear acrylic diamond-shaped stands. Just place the knife's edge in the notch in the stand to hold it upright and display it proudly. Stands feature a molded Spyderco "bug" logo and are sold in boxes of 24 pieces.



DISPLAY CASE PEDESTAL SET

D03
(Combined height: 53 in / 134.62 cm)




DISPLAY CASE

D01
13.5 in diameter x 23.29 in high
(34.29 cm diameter x 60.02 cm high)

PEDESTAL BASE

D02
24 x 24 x 39.5 in
(60.96 x 60.96 x 100.33 cm)



DISPLAY CASE & PEDESTAL BASE

Whether you are a Spyderco dealer or a dedicated collector, our custom-designed display case is the ultimate solution for showcasing your Spyderco knives. The lockable display case is crafted from durable high-impact acrylic and accommodates up to 13 Spyderco knives. Its base features a ball-bearing pivot that allows it to rotate 360 degrees, providing a clear view of the knives from all angles. Ideal for countertop use, it comes complete with 10 each small and large knife cradles, allowing you to easily configure it to fit any combination of knives. For maximum impact, create a freestanding display by combining a display case with our high-quality pedestal base. It offers secure, lockable storage and a handy shelf for catalogs or other literature. The display case and pedestal are available individually or as a set.

Accessories

SPYDERPAC

Spyderpacs are the smart solution for storing, protecting, and transporting your collection of Spyderco folding knives. Made from tough black polyester denier, these durable multi-pocket packs have clear plastic viewing pockets that hold knives securely in place without marring or scratching. Multiple Velcro® closures, an adjustable shoulder strap, and an embroidered gold Spyderco logo complete the package and make the SpyderPac an indispensable accessory for every serious knife enthusiast.

SPYDERPAC LARGE

SP1



SPYDERPAC SMALL

SP2



BaliYo®

Many knife fans have a special affinity for the Filipino balisong or butterfly knife. Its unique twin-handled design allows it to be spun, flipped, twirled, and manipulated in countless ways, challenging their dexterity and creativity and providing endless hours of fun. Unfortunately, the legality of balisongs is restricted in many areas and practicing with them—even for fun—is not a “socially friendly” activity.

The BaliYo solves that problem by combining the distinctive twin-handled design of a balisong with a high-performance pen instead of a blade. The result is a remarkable skill-based toy that offers all the versatility, creativity, and fun of a balisong in a format that is welcome everywhere.

Spyderco's heavy-duty BaliYo design features a high-impact central body with a retractable pressurized Fisher® Space Pen® cartridge that makes it a world-class writing instrument. The pen body is flanked by two custom-formulated polymer handles that each rotate 180 degrees on low-friction stainless steel pivots. These brass-weighted, precision-balanced handles can be flipped, swung, twirled, and spun in a variety of patterns, transforming this everyday writing tool into a fascinating game of skill.

BaliYos are available in several vibrant color combinations and include removable spring-steel clips on both handles that allow them to be clipped securely in a pocket if desired. In addition to our premium American-made BaliYos, we also offer imported BaliYos that are slightly lighter and use more economical ink cartridges. They are a great way to catch the BaliYo bug on a budget.

Whether you are a veteran balisong fan, a skill-toy enthusiast, a pen collector, or simply a curious first-timer, the BaliYo might end up being your new favorite pastime.



YUS100
Red/White/Blue
USA-Made
Features Fisher
Space Pen cartridge

YUS107
Blue/White
USA-Made



YUS113
Coyote Brown/Forest Green
USA-Made



YUS114
Gray/Black
USA-Made



YUS116
Orange/Blue
USA-Made



YCN100
Black
Made in China



YCN101
Grey
Made in China



YUSRBL Fisher Space Pen Ink Refill - USA-Made.



YCNRBL Ink Refill - Made in China



BALIYO.COM





Warranty

Spyderco, Inc. conducts its business in an honest, fair, and proper manner. Spyderco products are designed and built for use as cutting and sharpening tools. Use of our products outside the scope of their intended purpose is considered abuse and is not covered by warranty. Like all tools, Spyderco knives require proper maintenance to function properly and are subject to normal wear and tear. Knives and other products put to hard use for extended periods of time may eventually reach the end of their service life and should be retired from use and replaced. This warranty covers all genuine Spyderco products purchased directly from Spyderco, Inc. or through a legitimate reseller, including, but not limited to, knives, sharpeners, and accessories.

DURATION OF COVERAGE

This warranty covers the owner of a genuine Spyderco product for the life of the product.

WHAT DOES THE WARRANTY COVER/NOT COVER?

- Spyderco warrants that all of our genuine products are free from defects in material and workmanship.
- This warranty does not cover loss, theft, or any damages caused by accidents, abuse, misuse, improper handling, alterations, neglect, improper sharpening, normal wear and tear, or repairs performed by any service not authorized by Spyderco, Inc.
- Consequential or incidental damages are not recoverable under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this limitation may not apply to you.
- Spyderco's knives are assembled to exacting tolerances by trained technicians, so we discourage end users from disassembling or adjusting our knives. If a knife has been disassembled and reassembled correctly—so as to maintain its proper mechanical function—this warranty remains in full effect. However, if a knife has been disassembled and reassembled in such a way that, in Spyderco's sole determination, the proper mechanical function of the knife has been compromised, it is no longer covered by warranty.
- Spyderco's warranty only applies to original, unaltered Spyderco components. Aftermarket parts and accessories added to your knife are not covered by our warranty, nor are Spyderco components that have been altered or modified in any way. If, in Spyderco's sole determination, the installation of an aftermarket part or the modification of an original Spyderco factory part compromised the proper mechanical function of the knife in any way, the knife is no longer covered by warranty.
- Broken, lost, or bent metal clips are typically not covered by Spyderco's warranty. Broken molded (integral) clips can be completely removed and replaced with metal clips for a nominal fee. Please see www.spyderco.com for additional information including recommendations for proper clip carry of Spyderco knives with pocket clips. Replacement Clip Kits may be purchased directly through SFO (Spyderco Factory Outlet Store) by calling 800-525-7770 ext. 107 or 303-279-8383, ext. 107 or by e-mail at sfo@spyderco.com.

WHAT SPYDERCO WILL DO

- If your Spyderco product fails to function as it was designed, we will examine its condition upon its return to Spyderco, Inc. and determine the cause of the failure.
- If we determine there is a defect in the manufacture, materials, or workmanship of your Spyderco product, Spyderco, Inc. will repair or exchange that product with the same or similar model or one of equal value. The value of the product will be based on the manufacturer's suggested retail price, as published by Spyderco, Inc.
- If the problem with a returned product is determined to be caused by reasons other than a defect in manufacture, materials, or workmanship, Spyderco, Inc. will determine whether the product can be repaired and provide a free estimate of the repair service cost. Upon authorization and receipt of payment for the repair and return shipping of the product, we will perform the repair.
- If Spyderco is unable to improve the condition of a knife, we will return it to you with the recommendation it be retired from use. All costs associated with shipment of the product are the responsibility of the customer.

REPAIR INFORMATION

Spyderco offers a variety of sharpening and repair services. Depending on the repairs necessary to restore the function of your knife, a fee may be required. Our fees for the most common types of repairs are as follows:

- Blade sharpening (PlainEdge, SpyderEdge, or CombinationEdge) – No charge for the service; \$5.00 for return shipping and handling (of up to four knives).
- Re-grinding of broken blade tip – \$20.00 plus \$5.00 return shipping and handling.
- Re-profiling a chipped or damaged edge or broken serration teeth – Depending upon the condition of the blade, we may be able to re-profile or re-serrate the edge. If so, the fee is \$20.00 plus \$5.00 return shipping and handling. Spyderco does not replace knife blades under any circumstances.
- Removal of integral clip and installation of a metal clip – This only applies to older Spyderco models with integral molded clips. The fee for this service is \$20.00 plus \$5.00 return shipping and handling.
- Reassembly – Knives disassembled by the user can be reassembled to factory specifications provided all the component parts are returned to us or we have stock of any minor parts that might be missing (i.e. screws, washers, etc.). The fee for this service is \$20.00 plus \$5.00 return shipping and handling.
- Screw loosening – Upon request, Spyderco will loosen screws treated with threadlocking compound. Such knives will be reassembled without treating the screws. We will not completely disassemble knives for our customers. There is no charge for this service, but a \$5.00 fee for return shipping and handling is required.

*Fees and return shipping subject to change at any time



WARNING: cancer and reproductive harm - www.p65warnings.ca.gov



byrd knives

Spyderco's byrd line of knives was created specifically for the budget-conscious knife user. Directly inspired by some of the most popular Spyderco models, byrd knives offer the same functionality and versatility, but at incredibly affordable prices.

Manufactured in China under Spyderco's close supervision, byrd knives feature blades ground from 8Cr13MoV and CTS BD1 stainless steels, both of which are vanadium-enriched for increased toughness and edge retention. Their trademarked "Comet Hole" design allows swift one-handed opening with either hand and proudly identifies their pedigree. Most byrd models are available with a choice of handle materials, including textured G-10, satin-finished stainless steel, titanium, and various colors of injection-molded fiberglass-reinforced nylon (FRN). They also share other premium features—like phosphor bronze washers, screw-together construction, and multi-position pocket clips—that clearly establish byrd knives as some of the best values in the knife market.

Discover the most cost-effective folding knives available today. Discover byrd.

 **byrd. knife**



CARA CARA 2™

Inspired by the iconic Spyderco Endura, the Cara Cara family of byrd knives offers all the same features and benefits at an amazingly affordable price. All versions of the second-generation Cara Cara 2 share the same refined handle ergonomics, forefinger choil, sturdy back lock mechanism, and four-position pocket clip. Their full-flat-ground 8Cr13MoV stainless steel blades offer a reliable balance of edge retention, corrosion resistance, and ease of sharpening, as well as byrd's trademark Comet-shaped hole for ambidextrous one-handed opening. The Cara Cara 2 family is also available with a choice of handle materials—including multiple colors of injection-molded fiberglass-reinforced nylon (FRN). No matter what your personal needs and tastes may be, there's a Cara Cara 2 to satisfy them.

CARA CARA 2 COLORS

BY03PBN2 BROWN
BY03PGY2 GRAY
BY03PBL2 BLUE


Brighten up your life without breaking the bank. Spyderco's budget-friendly byrd lightweight models are available in colors. Our best-selling Cara Cara, Meadowlark™, and Robin™ Lightweight models now feature blue, brown, and gray handle colors. Like the basic black versions, the handles are injection molded from tough fiberglass-reinforced-nylon (FRN) and have a Bi-Directional Texture pattern for a non-slip grip. All other features remain unchanged and are consistent with the original versions of these models.



CARRY:
4-POSITION
AMBI

CARA CARA 2 COLORS

WEIGHT: 3.1 oz 88 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA



152

CARA CARA 2

BYO3PSBK2

byrd



BYO3PSBK2

BYO3PBK2

Bi-Directional Textured injection-molded FRN handles and skeletonized stainless steel liners offer the ultimate in lightweight affordability.



CARRY:
4-POSITION
AMBI

CARA CARA 2

WEIGHT: 3.4 oz 96 g

BLADE THICKNESS:
0.118 in 3.0 mm

STEEL: 8Cr13MoV

EDGE: P, PS

MADE IN CHINA

GRIND:
FULL-FLAT

EDGE:
3.25 in
83 mm

BLADE:
3.75 in
95 mm

OVERALL:
8.53 in
217 mm

CLOSED:
4.78 in
121 mm



LOCK:
BACK

HANDLE:
FRN

CARA CARA 2 RESCUE

BY17SBK2



Compact, affordable, and extremely capable, the Cara Cara Rescue model is an outstanding cutting tool for first responders and prepared civilians. Now this popular knife is available with a high-visibility orange handle that makes it even easier to access in a critical situation. Its fully serrated 8Cr13MoV sheepfoot blade cuts with aggressive authority and makes short work of seat belts, rope, webbing, and other fibrous materials. The textured, fiberglass-reinforced-nylon handle, sturdy back lock, and four-position pocket clip round out its features and complement the blade's fully accessible comet-shaped hole to make every aspect of this knife's carry, deployment, and operation completely ambidextrous.

CARRY:
4-POSITION
AMBI

CARA CARA 2 RESCUE ORANGE

BY17SOR2



CARRY:
4-POSITION
AMBI

CARA CARA 2 RESCUE

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: 8Cr13MoV
EDGE: S
MADE IN CHINA

GRIND:
HOLLOW
BLADE:
3.93 in
100 mm
EDGE:
3.35 in
85 mm



OVERALL:
8.68 in
220 mm

LOCK:
BACK

HANDLE:
FRN


CLOSED:
4.75 in
121 mm

154

CARA CARA 2 RESCUE ORANGE

WEIGHT: 3.6 oz 102 g
BLADE THICKNESS:
0.114 in 2.9 mm
STEEL: 8Cr13MoV
EDGE: S
MADE IN CHINA

GRIND:
HOLLOW
BLADE:
3.88 in
99 mm
EDGE:
3.35 in
85 mm



OVERALL:
8.70 in
221 mm

HANDLE:
FRN

LOCK:
BACK

CLOSED:
4.82 in
122 mm

CARA CARA 2 STAINLESS BLACK

BY03BKPS2

The Cara Cara 2 has long been a favorite of savvy knife users looking for maximum performance at a budget-welcoming price. Back by popular demand, the all-black version of this best-selling knife offers screw-together construction and a low-profile black oxide coating on both the blade and the stainless steel handle. Its versatile CombinationEdge offers powerhouse cutting performance on fibrous materials as well as the control and precision of the non-serrated section of the blade.

CARA 2-POSITION
AMB!

CARA CARA 2 STAINLESS BLACK

WEIGHT: 5.5 oz 152 g
 BLADE LENGTH: 5.13 in 130 mm
 STEEL: 6Cr13MoV
 CODE: BKPS
 MADE IN CHINA

GRIND: FULL-FLAT
 BLADE: 5.78 in 147 mm
 EDGE: 3.22 in 82 mm

OVERALL: 9.63 in 245 mm

LOCK: BACK

HANDLE: STAINLESS WITH BLACK OXIDE COATING

CLOSED: 4.78 in 121 mm



CARA CARA 2 STAINLESS

BY03PS2

combo

The Cara Cara 2 with stainless steel handle combines a satin finish with the solid belt of an all-steel folder.



CARA 2-POSITION
AMB!

CARA CARA 2 STAINLESS

WEIGHT: 5.2 oz 148 g
 BLADE LENGTH: 5.13 in 130 mm
 STEEL: 6Cr13MoV
 CODE: KPS
 MADE IN CHINA

GRIND: FULL-FLAT
 BLADE: 5.78 in 147 mm
 EDGE: 3.22 in 82 mm

OVERALL: 9.63 in 245 mm

LOCK: BACK

HANDLE: STAINLESS

CLOSED: 4.78 in 121 mm



CARA CARA 2 G-10

BY03GP2



Textured black G-10 handles offer an excellent balance of rugged use and a high-performance grip.

CARRY:
4-POSITION
AMBI

CARA CARA 2 G-10

WEIGHT: 4.5 oz 128 g
BLADE THICKNESS:
0.118 in 3.0 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
BLADE:
3.75 in
95 mm
EDGE:
3.25 in
83 mm



OVERALL:
8.53 in
217 mm

LOCK:
BACK

HANDLE:
G-10

CLOSED:
4.78 in
121 mm

156

CARA CARA 2 TITANIUM

BY03TIP2



byrd knives have always excelled at providing high performance at affordably low prices. That standard takes on new meaning with the titanium-handled Cara Cara 2, which combines all the proven features and functionality of this popular design with a premium handle made with solid titanium scales. Precision machined and sporting a handsome matte finish, the titanium scales are paired with a full-flat-ground PlainEdge blade, a sturdy back lock mechanism, and a four-position hourglass clip that offers all possible carry preferences.

CARRY:
4-POSITION
AMBI

CARA CARA 2 TITANIUM

WEIGHT: 3.8 oz 108 g
BLADE THICKNESS:
0.110 in 2.8 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
BLADE:
3.75 in
95 mm
EDGE:
3.20 in
81 mm



OVERALL:
8.53 in
217 mm

LOCK:
BACK

HANDLE:
TITANIUM

CLOSED:
4.78 in
121 mm

MEADOWLARK™ 2

A wallet-friendly clone of Spyderco's popular Delica, the byrd Meadowlark 2 family offers reliable cutting performance in a convenient, compact package. All variations of the Meadowlark 2 feature stout back lock mechanisms, four-position clips, and highly evolved ergonomics. Their full-flat-ground 8Cr13MoV stainless steel blades are available with a choice of edge configurations and include the byrd brand's trademark Comet-shaped hole for foolproof one-handed operation. Meadowlark 2 handle options include textured G-10 scales with stainless steel liners, solid titanium scales, and lightweight, injection-molded FRN in a variety of colors.

MEADOWLARK 2 COLORS

BY04PBL2 BLUE
BY04PBN2 BROWN
BY04PGY2 GRAY

byrd



CARRY:
4-POSITION
AMBI

MEADOWLARK 2 COLORS

WEIGHT: 2.4 oz 68 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
2.50 in
64 mm

BLADE:
2.90 in
74 mm

OVERALL:
6.85 in
174 mm

HANDLE:
FRN

LOCK:
BACK

CLOSED:
3.95 in
100 mm



MEADOWLARK 2

BYO4PBK2

For weight-conscious users, Bi-Directional Textured injection-molded FRN handles and skeletonized stainless steel liners give lightweight, yet high performance.

BYO4PSBK2

BYO4PBK2

CARRY:
4-POSITION
AMBI

MEADOWLARK 2 RESCUE

BY19SBK2

This pocket-sized lifesaver combines the handle of a Meadowlark 2 lightweight with a sheepfoot rescue blade.

CARRY:
4-POSITION
AMBI

MEADOWLARK 2

WEIGHT: 2.4 oz 68 g

BLADE THICKNESS:
0.098 in 2.5 mm

STEEL: 8Cr13MoV

EDGE: P, PS

MADE IN CHINA

GRIND:
FULL-FLAT

BLADE:
2.90 in
74 mm

EDGE:
2.50 in
64 mm

OVERALL:
6.85 in
174 mm

HANDLE:
FRN

LOCK:
BACK

CLOSED:
3.95 in
100 mm

MEADOWLARK 2 RESCUE

WEIGHT: 2.7 oz 77 g

BLADE THICKNESS:
0.098 in 2.5 mm

STEEL: 8Cr13MoV

EDGE: S

MADE IN CHINA

GRIND:
HOLLOW

BLADE:
3.05 in
77 mm

EDGE:
2.78 in
71 mm

OVERALL:
7.00 in
178 mm

HANDLE:
FRN

LOCK:
BACK

CLOSED:
3.95 in
100 mm

MEADOWLARK 2 STAINLESS BLACK

BYO4BKPS2



The stainless-steel-handled version of the Meadowlark 2 combines the density and strength of an all-steel handle with a black ground from 8Cr13MoV steel. We are proud to offer an all-black version of this knife, which features screw-together construction and a black oxide coating on the handle, blade, four-position pocket clip, and all other metal components. Ideal for environments requiring subdued, non-reflective tools. The Meadowlark 2 serves well as an everyday carry knife.

CARRY POSITION
AMBI

MEADOWLARK 2 STAINLESS BLACK

WEIGHT	3.2 oz	100 g
THICKNESS	0.078 in	2 mm
STEEL	8Cr13MoV	
EDGE	NS	
MADE IN CHINA		

GRIND: FULL-FLAT
EDGE: 2.37 in
65 mm

BLADE: 2.99 in
76 mm

END HALL: 2.37 in
60 mm

LOCK BACK

HANDLE: STAINLESS WITH BLACK OXIDE COATING

CLOSED: 2.96 in
75 mm



MEADOWLARK 2 STAINLESS

BYO4P2



AMBI

Satin-finished stainless steel handles give the Meadowlark 2 both heft and style.

BYO4P52

BYO4P2

CARRY POSITION
AMBI

MEADOWLARK 2 STAINLESS

WEIGHT	3.8 oz	108 g
THICKNESS	0.078 in	2 mm
STEEL	8Cr13MoV	
EDGE	NS	
MADE IN CHINA		

GRIND: FULL-FLAT
EDGE: 2.36 in
60 mm

BLADE: 2.98 in
76 mm

OVERALL: 2.95 in
75 mm

LOCK BACK

HANDLE: STAINLESS

CLOSED: 2.95 in
75 mm



MEADOWLARK 2

G-10

BY04GP2



The Meadowlark 2 with textured black G-10 handles grant toughness along with a superior grip.

CARRY:
4-POSITION
AMBI

MEADOWLARK 2

TITANIUM

BY04TIP2



The Meadowlark 2 may very well be the ultimate expression of this best-selling model. Its full-flat-ground blade, ambidextrous back lock mechanism, and versatile four-position clip are paired with handle scales machined from solid titanium.

CARRY:
4-POSITION
AMBI

MEADOWLARK 2 G-10

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
2.50 in
64 mm

BLADE:
2.90 in
74 mm

OVERALL:
6.85 in
174 mm

HANDLE:
G-10

LOCK:
BACK

CLOSED:
3.95 in
100 mm



MEADOWLARK 2 TITANIUM

WEIGHT: 2.8 oz 79 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
2.56 in
65 mm

BLADE:
2.98 in
76 mm

OVERALL:
6.93 in
176 mm

HANDLE:
TITANIUM

LOCK:
BACK

CLOSED:
3.95 in
100 mm



ROBIN 2

Based on the best-selling Spyderco Dragonfly design, the ultra-compact Robin 2 offers serious cutting power in an efficient, pocket-friendly size. It is available with a variety of handle choices, including stainless steel, textured G-10 scales with stainless steel liners, titanium, or lightweight fiberglass-reinforced nylon injection-molded in several different colors. All include a reliable back lock mechanism and adjustable pocket clips that make them completely ambidextrous.

ROBIN 2 COLORS

- BY10PGY2 GRAY
- BY10PBL2 BLUE
- BY10PBN2 BROWN



byrd

CARRY:
4-POSITION
AMBI

ROBIN 2 COLORS

WEIGHT: 2.0 oz 57 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
1.87 in
47 mm
BLADE:
2.40 in
61 mm
OVERALL:
5.70 in
145 mm



ROBIN 2

BY10PBK2



The Robin 2 with a textured injection-molded FRN handle and skeletonized stainless steel liners offers lightweight cutting horsepower.

For density and strength, the Robin 2 with a stainless steel handle.



ROBIN 2 STAINLESS BLACK

BY10BKP2



ROBIN 2 STAINLESS

BY10P2



The all-black Robin 2 is a synergy of low profile and high performance. Its stainless steel handle features screw-together construction. The blade, handle, four-position hourglass clip, and all other hardware have a discreet black oxide coating that keeps this knife unobtrusive. Despite its compact size, strategically placed jimping (textured grooves) on the thumb ramp and index-finger choil provide a secure, hand-filling grip.

ROBIN 2

WEIGHT: 2.1 oz 60 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND: FULL-FLAT
EDGE: 1.87 in 47 mm
BLADE: 2.40 in 61 mm

OVERALL: 5.70 in 145 mm

HANDLE: FRN

LOCK: BACK

CLOSED: 3.30 in 84 mm



ROBIN 2 STAINLESS

WEIGHT: 3.3 oz 94 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA


GRIND: FULL-FLAT
EDGE: 1.87 in 47 mm
BLADE: 2.40 in 61 mm

HANDLE: STAINLESS

LOCK: BACK

OVERALL: 5.70 in 145 mm

CLOSED: 3.30 in 84 mm



ROBIN 2 STAINLESS BLACK

WEIGHT: 3.0 oz 85 g
BLADE THICKNESS: 0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND: FULL-FLAT
EDGE: 1.89 in 48 mm
BLADE: 2.40 in 61 mm

HANDLE: STAINLESS WITH BLACK OXIDE COATING

LOCK: BACK

OVERALL: 5.70 in 145 mm

CLOSED: 3.30 in 84 mm



ROBIN 2 TITANIUM

BY10TIP2



The titanium-handled Robin 2 combines all the time-tested features of the Robin 2 design with precision-machined solid titanium handle scales. The scales feature machined decorative accents and a durable matte finish and harbor a full-flat-ground blade, a back lock mechanism, and a four-position hourglass clip. The blade's signature comet-shaped hole allows easy one-handed opening and, together with the Robin 2's other features, make carry and operation completely ambidextrous.

CARRY:
4-POSITION
AMBI

ROBIN 2 G-10

BY10GP2



The Robin 2 with textured black G-10 scales and full-length stainless steel liners accord both strength and an exceptional grip.

CARRY:
4-POSITION
AMBI

ROBIN 2 TITANIUM

WEIGHT: 2.2 oz 62 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA


GRIND:
FULL-FLAT
BLADE:
2.40 in
61 mm
EDGE:
1.90 in
48 mm

OVERALL:
5.70 in
145 mm

LOCK:
BACK

HANDLE:
TITANIUM

CLOSED:
3.30 in
84 mm



ROBIN 2 G-10

WEIGHT: 2.5 oz 71 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
BLADE:
2.40 in
61 mm

EDGE:
1.87 in
47 mm

OVERALL:
5.70 in
145 mm

LOCK:
BACK

HANDLE:
G-10

CLOSED:
3.30 in
84 mm



CROW™ 2

BY09GP2



The Crow 2 has a full-flat-ground CTS BD1 blade and a robust clip design that now offers both left and right-side tip-up carry. Built on a framework of full skeletalized stainless steel liners and textured G-10 scales, its handle design includes an enlarged relief cut to make operation of the LinerLock mechanism even easier.

CARRY:
TIP-UP
AMBI

CROW 2

WEIGHT: 3.5 oz 99 g
BLADE THICKNESS:
0.150 in 3.8 mm
STEEL: CTS BD1
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
BLADE:
2.78 in
71 mm
EDGE:
2.11 in
54 mm

OVERALL:
6.60 in
168 mm

LOCK:
LINERLOCK

HANDLE:
G-10


CLOSED:
3.82 in
97 mm



164

RAVEN™ 2

BY08GP2



The Raven 2 features CTS BD1 blade steel with a low-friction full-flat grind, and a newly designed four-position hourglass clip with a broad, sturdy base. The full skeletalized stainless steel liners and textured G-10 scales also have a more generous relief cut to allow easier operation of the high-strength LinerLock mechanism.

CARRY:
4-POSITION
AMBI

RAVEN 2

WEIGHT: 4.2 oz 119 g
BLADE THICKNESS:
0.150 in 3.8 mm
STEEL: CTS BD1
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
BLADE:
3.41 in
87 mm
EDGE:
2.80 in
71 mm

OVERALL:
7.83 in
199 mm

LOCK:
LINERLOCK

HANDLE:
G-10

CLOSED:
4.42 in
112 mm



CROSSBILL™

BY07PS

Hawkbill blades offer exceptional cutting dynamics, literally gathering the material being cut in the concave arc of the edge and cutting with full power and leverage all the way to the point. The byrd Crossbill combines these high-performance cutting mechanics, a refined stainless steel handle design, a sturdy back lock mechanism, and a distinctive unsharpened swedge that comes to an acute, yet durable point profile. Both tip-up and tip-down, right-side carry options are available via an adjustable pocket clip.



BY07PS


BY07P

CARRY:
TIP-DOWN
RIGHT

FLIGHT™

BY05P

The Flight is a mid-sized all-stainless-steel knife that offers serious and solid performance. Its ergonomic handle features twin finger grooves and a hand-filling profile for a secure grip. The blade's deep hollow grind converges with an unsharpened swedge to create an acute point that is ideal for detailed cutting chores. A durable back lock mechanism secures the blade in the open position and a two-position clip provides the options of tip-up or tip-down carry on the right side. You'll fly high with the affordable performance of the Flight.



BY05PS

BY05P

CARRY:
TIP-DOWN
RIGHT

byrd

CROSSBILL


WEIGHT: 5.7 oz 162 g

BLADE THICKNESS:
0.118 in 3.0 mm

STEEL: 8Cr13MoV

EDGE: P, PS

MADE IN CHINA



OVERALL:
7.80 in
198 mm

LOCK:
BACK

HANDLE:
STAINLESS

CLOSED:
4.55 in
116 mm



FLIGHT


WEIGHT: 5.7 oz 162 g

BLADE THICKNESS:
0.118 in 3.0 mm

STEEL: 8Cr13MoV

EDGE: P, PS

MADE IN CHINA



OVERALL:
7.88 in
200 mm

LOCK:
BACK

HANDLE:
STAINLESS

CLOSED:
4.55 in
116 mm



HAWKBILL™

BY22SBK



The Hawkbill byrd combines the voracious cutting power of a hawkbill blade shape with the lightweight construction of an injection-molded fiberglass-reinforced-nylon (FRN) handle. The handle's Bi-Directional Texture guarantees a positive grip in all environmental conditions and its skeletonized stainless steel liners provide strength for a substantial back lock mechanism. A four-position clip and the blade's trademark Comet-shaped hole allow you to put the blade into action quickly from a full range of carry positions.

CARRY:
4-POSITION
AMBI



FINCH™ 2

BY11GP2



The Finch 2 combines the compact, carry-anywhere size of the Spyderco Ladybug with skeletonized stainless steel liners, G-10 scales, screw-together construction, and a full-flat-ground blade. Designed for in-pocket carry, the Finch 2 is clipless and includes a lanyard hole for simple attachment to a keychain or lanyard.

CARRY:
AMBI
NO CLIP



HAWKBILL

WEIGHT: 2.6 oz 74 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: S
MADE IN CHINA

GRIND:
HOLLOW

EDGE:
2.50 in
64 mm

BLADE:
2.90 in
74 mm

OVERALL:
6.85 in
174 mm

HANDLE:
FRN

LOCK:
BACK

CLOSED:
3.95 in
100 mm



FINCH 2

WEIGHT: 1.0 oz 28 g
BLADE THICKNESS:
0.098 in 2.5 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT

EDGE:
1.56 in
40 mm


BLADE:
1.91 in
49 mm

OVERALL:
4.39 in
112 mm

HANDLE:
G-10

LOCK:
BACK

CLOSED:
2.48 in
63 mm



STARLING™ 2

BY12GP2



The Starling 2 is a carry-anywhere pocketknife that offers impressive cutting performance in a 1.1-ounce package. The business end of the Starling 2 is a full-flat-ground blade crafted from CTS BD1 stainless steel. Its Comet-shaped hole allows easy opening and proudly proclaims the knife's membership in the byrd family. The blade is paired with a handle consisting of full stainless steel liners capped with textured G-10 scales. A sturdy back lock mechanism locks the blade securely in the open position and a lanyard hole in the handle allows easy attachment of lanyards and even key chains. A true pocketknife, the Starling 2 does not include a clip.

CARRY:
AMBI
NO CLIP



TERN™ SLIPIT

BY23GP



byrd

The byrd Tern provides all the advantages of Spyderco's acclaimed one-hand-opening, non-locking, clip-carry SLIPIT knives in an extremely economical package. Its drop-point blade is held open by pressure of the handle's back spring on a notched joint at the pivot. A forefinger choil allows you to choke up for control during use and provides an extra measure of safety against accidental closure. Textured black G-10 scales provide a secure, slip-free grip and a reversible deep-pocket wire clip allows both left and right-side tip-up carry. Versatile, economical, and socially friendly.

CARRY:
TIP-UP
AMBI



STARLING 2

WEIGHT: 1.1 oz 31 g
BLADE THICKNESS:
0.091 in 2.3 mm
STEEL: CTS BD1
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
1.77 in
45 mm
BLADE:
1.95 in
50 mm

OVERALL:
4.42 in
112 mm

LOCK:
BACK

HANDLE:
G-10

CLOSED:
2.47 in
63 mm



TERN SLIPIT

WEIGHT: 2.1 oz 60 g
BLADE THICKNESS:
0.116 in 3.0 mm
STEEL: 8Cr13MoV
EDGE: P
MADE IN CHINA

GRIND:
FULL-FLAT
EDGE:
2.17 in
55 mm
BLADE:
2.75 in
70 mm

OVERALL:
6.40 in
163 mm


LOCK:
SLIPIT

HANDLE:
G-10

CLOSED:
3.65 in
93 mm



Edge-U-Cation[®]



EDGE-U-CATION

CHANGING YOUR POCKET CLIP POSITION	170
STEEL TERMS	171
STEEL ELEMENTS	172
BLADE GRINDS	173
EDGE GRINDS	173
BLADE SHAPES	174
CLIP STYLES	174
LOCK & JOINT MECHANISMS	175
HANDLE MATERIAL & TERMS	176
STEEL CHART/INDEX	INSERT
GLOSSARY OF TERMS	177

CHANGING YOUR POCKET CLIP POSITION

Many Spyderco knives have adjustable clips that allow you to configure them for different carry positions. Some are adjustable for left or right-side tip-up carry, while others offer the flexibility of four-position carry: tip-up or tip-down on the left and right sides.

Because Spyderco provides our customers with the option of configuring their knives to meet their personal preferences, we do not apply thread-locking compound (i.e. "Loc-Tite®") to our clip screws at the factory. To help prevent the clip screws of your knife from loosening over time, we recommend that you apply thread-locking compound to them once you have determined your preferred carry position. Thread-locking compound is available at most hardware, auto supply, and home improvement stores.

GET THE PROPER TOOLS BEFORE YOU BEGIN

Proper tools are critical to good folder maintenance. Before you attempt to change the position of your knife's clip, invest in the correct size of micro screwdrivers, Torx® drivers, and/or hex wrenches for your knife. The exact tools you will need depend upon your specific model of knife and, in some cases, when it was made. As part of Spyderco's commitment to Constant Quality Improvement (C.Q.I.), the clip style and screw types used on some knives have evolved over time. It is therefore impossible for us to provide a comprehensive list of which knives require which clip screw tools. However, generally speaking, a good Spyderco tool kit should include T-6 and T-8 Torx ("star-shaped") drivers, a small Phillips screwdriver (#1 Phillips), a 1.5mm metric hex-head (aka "Allen") wrench, and a small coin like a U.S. penny or nickel. With these tools, you should be able to adjust just about any Spyderco clip.



Before you attempt to remove any Spyderco clip screw, check to ensure that you have the proper tool for the job. A magnifying glass or loupe will help you examine the screw head closely and choose the correct tool for the job. Also, check the tip of the tool to ensure that it is not worn. Using worn or incorrect tools can easily strip screw heads.

CHANGING CLIPS ATTACHED WITH SCREWS

Place a folded towel or computer mouse pad on a firm, flat surface. This will protect your knife and keep it from rotating as you work. Place your closed knife on the pad (never work on a knife with an open blade), insert the tip of the tool into the screw head and apply firm downward pressure as you turn counterclockwise to loosen the screw. Make sure that you maintain downward pressure to avoid stripping the screw head. Repeat this process with the other screws until they are all loose, but leave them in the clip holes.



Lift the clip and the screws together and hold the screws in place with your fingertip to avoid dropping them. Apply a small drop of temporary thread-locking compound to the threads of each screw and then align the clip and screws with the handle holes for your preferred mounting position. With the knife again supported by the towel or mouse pad, turn the middle screw until it engages. This will align the clip and make the other screws easier to install. Turn all screws down until snug. Finish tightening them while applying firm downward pressure on the tool to avoid stripping the screw heads.



CHANGING WIRE CLIPS

Follow the same procedures as described above to loosen the single Torx screw that retains the wire clip. If necessary, apply pressure with your fingertip to the head of the Torx screw on the back side of the knife to prevent it from turning. You may also use a second Torx driver to prevent that screw from turning.



Once the screws have been loosened a few turns (they don't have to be removed completely), lift the wire clip up and remove it from the milled grooves in the handle. Push the screw head on that side of the handle down and turn the knife over. Insert the ends of the wire clip under the screw head on the other side and tighten the screw to hold the clip in place. If desired, you may remove the screw completely and apply Loc-Tite to the threads before completing the installation.

CHANGING BARREL BOLT CLIPS

Hold the closed knife over a towel or pad on a table and place your thumb over the head of the barrel bolt. Insert a coin into the slot on the other side of the barrel bolt and, while maintaining firm pressure, turn counterclockwise to loosen it. Remove the bolt assembly completely to move the clip to the opposite side. Place the clip into the recess in the handle and insert the body of the barrel bolt (the larger piece with the internal threads) through the clip hole into the handle. Apply a drop of Loc-Tite or similar product to the threads of the screw and screw it into the barrel bolt body. Using the method described above, tighten the barrel nut with the coin.

With the proper tools and knowledge, you can easily configure the carry of your Spyderco knife to best meet your needs, preferences, and tactics.



STEEL TERMS

ALLOY

A material that is dissolved in another metal in a solid solution; a material that results when two or more elements combine in a solid solution.

AUSTENITE

The basic steel structure state in which an alloy is uniformly dissolved into iron.

CRITICAL TEMPERATURE

The temperature at which steel changes its structure to austenite in preparation for hardening.

CORROSION RESISTANCE

The ability of a material to resist deterioration as a result of a reaction to its environment. Provided by the elements Chromium (Cr), Copper (Cu), Molybdenum (Mo) and Nitrogen (N).

DAMASCUS STEEL

A steel consisting of multiple layers forge welded together. The layers typically consist of different types of steel and the billet is often manipulated during the forging and grinding processes to create patterns that are revealed by acid etching.

DUCTILITY

The ability of a material to be stretched or drawn, or plastically deform appreciably before fracturing. Provided by the element Manganese (Mn).

EDGE RETENTION

The ability of a material to resist abrasion and wear. Provided by the elements Carbon (C), Chromium (Cr), Manganese (Mn), Nitrogen (N) and Vanadium (V).

GRIT

The physical size of the austenite grains during austenizing. The actual size can vary due to thermal, time and forging considerations.

HARDNESS

The resistance of a steel to deformation or penetration analogous to strength. Provided by the elements Carbon (C), Chromium (Cr), Cobalt (Co), Molybdenum (Mo), Nitrogen (N) and Phosphorus (P).

HARDENABILITY

The ability of a steel to be hardened by a heat treating process. Provided by the elements Manganese (Mn), Molybdenum (Mo) and Tungsten (W).

HEAT TREATING

A controlled heating and cooling process to prescribed temperatures and limits for the purpose of changing the physical properties and behavior of the metal.

IMPACT STRENGTH

The ability of a material to resist cracking due to a sudden force.

LAMINATED STEEL

A steel consisting of two or three layers of different types of steel forge welded together. In knife blades, this typically consists of a high-performance central core flanked by more ductile outer layers.

MARTENSITE

A very hard and brittle steel with a distorted body centered tetragon crystal structure.

PRECIPITATION

The separation of a substance that was previously dissolved in another substance.

QUENCHING

Soaking of steel that has reached a high temperature (above the recrystallization phase) in a medium of air, liquid, oil or water to rapidly cool it. Quenching steel creates martensite.

ROCKWELL TEST

A measurement of steel hardness based on the depth of penetration of a small diamond cone pressed into the steel under a constant load.

TEMPERING

Slow, steady heating of martensite steel to just below recrystallization temperature followed by a controlled consistent cooling phase for the purpose of slightly softening the steel, precipitating carbides, and stress relieving.

TENSILE STRENGTH

Indicated by the force at which a material breaks due to stretching. Provided by the elements Chromium (Cr) and Manganese (Mn).

TOUGHNESS

The ability of a material to resist shock or impact. Provided by the elements Chromium (Cr).

YIELD STRENGTH

The point at which steel becomes permanently deformed; the point at which the linear relationship of stress to strain changes on a stress/strain curve.

Steels are classified accordingly with the elements used in production. These classifications are, Carbon Steels, Alloy Steels, High-Strength Low-Alloy Steels, Stainless Steels, Tool Steels and Exotic Steels (non steel).

+ **Carbon Steels** contain varying amounts of carbon and not more than 1.65% of manganese and .60% of copper. There are 3 types of Carbon Steels, Low (.3% or less), Medium (.4-.7%) and High (.8% and up). High carbon is commonly used for knives.

+ **Alloy Steels** have a specified composition, containing certain percentages of vanadium, molybdenum, or other elements, as well as larger amounts of manganese, silicon, and copper than do regular carbon steels.

+ **High-Strength Low-Alloy Steels** known as HSLA steels are relatively new. They cost less than do regular Alloy Steels because they contain only small amounts of the

expensive alloying elements. They have been specially processed, however, to have much more strength than Carbon Steels of the same weight.

+ **Stainless Steels** contain a minimum of 13% Chromium. The Chromium provides a much higher degree of rust resistance than Carbon Steels. Various sources site differing minimum amounts of Chromium required to deem a steel as stainless (10-13%). It is important to note, that the amount of Chromium needed can be dependant upon the other elements used in the steel.

+ **Tool Steels** contain Tungsten, Molybdenum and other alloying elements that give them extra strength, hardness and resistance to wear.

+ **Exotic Steels** are generally accepted as steel, but by definition are not steel. Examples of Exotic Steels include H1, ZDP-189, Talonite and Titanium.

We hope this information provides you with a foundation to make your own determinations where steel is concerned.

"PERSISTENCE IS TO THE CHARACTER OF MAN AS CARBON IS TO STEEL" — Napoleon Hill

Edge-U-Cation

STEEL ELEMENTS

The world of steel is fluid and ever-evolving. Steel, is very subjective as it relates to knives and knife knuts. There is no clear cut answer as to which is the best steel. We all have different requirements and preferences. All steels are primarily mixtures, or more properly, alloys of iron and carbon.

At Spyderco, we gravitate towards superior products and are committed to using the best materials available at the time. As steel evolves, so do our products. There are over 3000 different types of steel, each having its own positive and negative attributes. In order to determine your own preferences, it is best to understand the history of steel and how it is made.

Although an exact date of discovery is not known, man has been forging steel for as long as he's been working iron. Ironworkers learned to make steel by heating wrought iron and charcoal (a source of carbon) in clay boxes for a period of several days. By this process the iron absorbed enough carbon to become true steel.

Iron by itself is a relatively soft metal, it does not hold a good edge. However, if you add carbon it hardens the iron, making steel. Steel is ideal for making edged tools.

In a very simplified explanation, making steel is like baking a cake. You follow a recipe to achieve the type of cake (steel) that you desire. You begin with flour (iron) and from there you add various ingredients (elements). These added ingredients will determine what type of cake (steel) you end up with. Once you have added all of the additional ingredients (elements) you are left with a batter that is ready to bake (heat treat). Baking (heat treating) is just as much a part of the "recipe" as the ingredients (elements). If not done properly, several properties can suffer. Once baked, you have a new, completely different, finished product. Your cake will forever be a cake; it can never go back to being batter. Of course steel can be re-melted to a molten state, but that simply is the beginning of becoming a new type of steel all over again.

Steel is an alloy made of iron and carbon. Historically, steels have been prepared by mixing the molten materials. Alloying elements are melted and dissolved into molten iron to make a steel. The molten steel is cast into an ingot, which is rolled out (while still hot) and shaped into a sheet. As the steel begins to slowly cool below the critical temperature, things start happening inside the steel. At these elevated temperatures, alloying elements are able to move around in the steel, or diffuse. Different elements diffuse at different rates, (the larger the atom, the slower it diffuses). If the alloying contents are too high for some elements to assimilate with, the excess will separate or segregate out of the steel and form inclusions or possibly combine with another element to form large undesirable carbides. These diffusional processes are also controlled by the austenite grain size of the

steel – grains are little packets of specifically oriented crystals. Grain boundaries act as barriers to diffusion, the smaller the grains, the more boundaries, and the slower the steel. This limits the performance capabilities of the steel both in corrosion resistance, and in wear resistant carbide formation.

Powder Metallurgy has in the past few years, become the chosen method of preparation. The difference in the processing of a powdered metal allows for steel chemistries not possible with traditional steelmaking practices. The process starts out the same as wrought steels – alloying elements are added and dissolved into molten iron. Then comes the large difference, the molten steel is atomized (misted into microscopic droplets) into liquid nitrogen where the steel is instantly frozen, leaving no time for diffusional processes. The chemistry of the resulting powder is identical to that in the molten vat. Additionally, there are no inclusions or large carbides that form. The austenite grain size is the size of the powder at the very largest, which is small. The powder is then cleaned and sorted by size and then the remaining ideal powder is sintered in a hot isostatic press to solidify the steel. Sintering is heating the steel to a temperature just below its melting point, and then pressing it together at high pressure to solidify or remove the voids between powder spheres. This allows for drastic changes in the steel chemistry namely in carbon and vanadium. A larger volume of the highly wear resistant vanadium carbides form upon heat-treating. Since Vanadium has a greater propensity to interact with carbon and form carbides than it does with Chromium, most of the excess carbon is utilized in the formation of vanadium carbides. These leave the Chromium free to keep the steel corrosion resistant. The result is a premium steel product with properties of exceptional wear-resistance and good corrosion-resistance.

Heat treating the steel to its critical temperature allows the carbon atoms to enter into the crystalline molecules of the iron which have expanded due to the heating. Quenching the steel at this point causes the molecules to contract, trapping the carbon atoms inside. More specifically, the process of hardening steel by heat treatment consists of heating steel to a temperature at which austenite is formed. Austenite has the property of dissolving all the free carbon present in the steel. Quenching is then used to "freeze" the austenite, changing it to martensite. These treatments set up large internal strains in the steel; these are relieved by tempering (further heating the steel at lower temperatures). Tempering the steel decreases the hardness, strength and brittleness. It however, increases the ductility and toughness.

Steels are classified accordingly with the elements used in production. These classifications are, Carbon Steels, Alloy Steels, High-Strength Low-Alloy Steels, Stainless Steels, Tool Steels and Exotic Steels (non steel). Spyderco uses all of these types of steel in our product line.

BLADE GRINDS

CENTERLINE GRIND

A blade grind resembling that of a double-edged knife in which the top and bottom bevels meet in the center of the blade's width. Only the bottom edge is sharpened and the spine of the knife is left unsharpened to create a swedge.

FALSE EDGE

A sharpened secondary edge on the spine of a blade near the point. If unsharpened, it is called a swedge.

FLAT SABER GRIND

A blade ground with flat bevels that extend from the centerline of the blade to the cutting edge. This grind maintains full thickness through a larger portion of the blade for increased strength.

FULL FLAT GRIND

A blade ground with flat bevels that extend from the spine all the way to the cutting edge. This grind reduces drag during cutting and decreases overall weight.

HAMAGURI (APPLESEED)

Japanese for "clam" or "clamshell," it describes a blade ground with convex radiused bevels. Also called an appleseed or moran grind, it is often produced by grinding on a slack grinding belt.

HOLLOW GRIND

A blade with bevels that are ground with a concave radius. The bevels may extend the full width of the blade (full hollow grind) or only a portion of its width.

SINGLE-BEVEL GRIND

Also called a chisel grind, this describes a blade that is beveled on only one side. It may be flat or hollow ground.

SWEDGE

An unsharpened bevel on the spine of a blade near the point. If it were sharpened it would be considered a false edge. A swedge reduces blade weight, enhances balance, and improves penetration.

ZERO GRIND

A grind similar to a full-flat grind but without the secondary bevel at the cutting edge. The plane of the bevel continues to create the cutting edge.

ZERO GROUND SABER

(Scandinavian or "scandi" grind) similar to a flat-ground saber, but without a secondary bevel at the cutting edge. The plane of the bevel continues to create the cutting edge.

EDGE GRINDS

PLAINEDGE

A sharpened edge with no serrations or teeth, sometimes referred to as a "smooth" edge.

SPYDEREDGE

An edge featuring Spyderco's two-step serration pattern consisting of one large and two small serrations. This pattern increases the cutting edge's surface area by up to 24%.

COMBINATIONEDGE

A blade with an edge that is partially PlainEdge™ and partially SpyderEdge™.

TRAINER

A purposely blunted blade that is identical in weight and proportion to its live counterpart and used for training and practice purposes. Spyderco trainers are red handled for easy identification.

Edge-U-Cation

BLADE SHAPES



ASSIST

(Patented blunt tip) a hollow-ground blade with a blunt tip designed to prevent accidental punctures. Designed for cutting webbing, rope, seatbelts, or clothing.



BOWIE-SHAPED

Named after the legendary colonel James Bowie, this term has come to describe any number of variations of a blade with a primary cutting edge with a curved "belly" and a clipped point. The clip may be sharpened or unsharpened or may be straight or concave.



DOUBLE-EDGED

A blade with sharpened edges on both the primary edge and the spine or a symmetrical blade with two sharpened edges, like a dagger.



DROP-POINT

A design popularized by the hunting knives of the late Bob Loveless. The spine of the blade follows a subtle convex arc to the point.



HAWKBILL

A sharply curved blade sharpened on the concave side. Designed for cutting with a pulling stroke, it is commonly used by commercial fishermen for cutting line, webbing and netting.



LEAF-SHAPED

A blade shape developed and refined by Spyderco. It is similar to a Spearpoint, but not completely symmetrical, and has a more acute point and typically no swedge.



MODIFIED CLIP-POINT

A blade ground on the spine in an angled or sweeping line downward to meet the point.



REVERSE "S"

A blade shape resembling a backwards letter "S" with the tip curving downward and the widest portion of the blade curved in a convex arc.



SHEEPFOOT

A blade with a blunt rounded tip and a straight cutting edge. The lack of a traditional point reduces the chances of accidental punctures around livestock, inflatable watercraft and during emergency cutting.



SPEARPOINT

A symmetrical blade with an equal amount of curve on the spine and the cutting edge. The grind line of the primary bevel and the point both lie on the blade's centerline. Spearpoint blades often feature swedges or false edges on the back of the blade.



WHARNCLIFFE

A blade shape in which the point of the knife tapers downward from the spine to meet a straight cutting edge at the tip.

CLIP STYLES



DEEP-POCKET CLIP

A knife clip designed to mount close to the end of the handle so very little of the knife remains exposed when it is clipped in the pocket.



INTEGRAL POCKET CLIP

A pocket clip molded as an integral part of the handle rather than a separate component attached with screws. This style of clip was used on early Spyderco models.



METAL CLIP


The most commonly used clip on Spyderco knives, metal clips can be made of stainless steel or titanium. They vary in shape, size, and finish to complement specific knife designs. They may be attached to the handle with screws or barrel bolts and often may be adjusted to provide multiple carry options.



WIRE CLIP


A clip made from formed heat-treated wire that is attached with a screw or barrel bolt. Some wire clips are designed for deep-pocket carry, while others position the knife higher and closer to the pocket's edge.

LOCK & JOINT MECHANISMS




BACK LOCK

A locking system positioned on the back of the handle that uses a rocker arm that pivots in the center. A lug on one end of the arm engages a notch in the blade's tang to lock the blade open.




BALL BEARING LOCK™

A patented compressive lock that wedges a ball bearing between a fixed anvil and the blade tang. The mechanism also serves as a detent to hold the blade in the closed position.




BALL JOINT NON-LOCKING SYSTEM

Designed by knifemaker Bob Terzuola, this is a slip-joint mechanism that prevents a knife blade from closing through pressure from ball bearings set into spring arms in the handle liners. The Ball Joint also serves as a half-stop for the blade for additional safety.




BOLT ACTION LOCK

A locking mechanism designed by Blackie Collins that consists of a spring-loaded bolt that engages on a ramp on the tang of the blade to lock the blade open.




INTEGRAL LOCK (R.I.L.)

Developed by custom knifemaker Chris Reeve, the R.I.L. is similar to the Walker LinerLock, but uses a lock bar that is integral to one of the handle scales.




COMPRESSION LOCK™

A lock mechanism that uses a leaf-like spring from a split liner in the handle to wedge laterally between a ramp on the blade tang and the stop pin (or anvil pin). Developed and patented by Spyderco, it provides extreme lock strength and ease of use.




NOTCH JOINT

A non-locking joint in which the blade is held open by spring pressure against a notch in the tang.




SLIPIT™

A Spyderco non-locking folding knife that opens via one-handed operation and features a pocket clip. SLIPIT™ blades are held open by spring pressure against a notch in the blade's tang.




SLIPJOINT

A non-locking mechanism in which the blade is held open by spring pressure on a flat section on the back of the blade's tang.




WALKER LINERLOCK

A locking system developed by custom knifemaker Michael Walker that uses a leaf-like spring split from the liner to wedge laterally against a ramped surface on the tang of the blade.



POWER LOCK™

A locking system positioned on the back of the handle using two interacting rocker arms. One of which engages a notch in the blade's tang to lock the blade open.



STOP LOCK™

A locking system positioned on the back of the handle using two interacting rocker arms. One of which engages a notch in the blade's tang to lock the blade open.

Edge-U-Cation

HANDLE MATERIAL & TERMINOLOGY



ANODIZED ALUMINUM

Subjecting aluminum to electrolytic action to coat it with a protective and decorative film.



BI-DIRECTIONAL TEXTURING

A patented texture pattern molded into FRN and FRCP handles that consists of opposing, graduated steps radiating outward from the center of the handle. It provides a secure, non-slip grip.



CARBON FIBER

Graphite fibers (the size of a human hair) woven together then fused with epoxy resin. A lightweight material with a high level of tensile strength, it has a three-dimensional appearance and is costly to manufacture.



CARBON FIBER/G-10 LAMINATE

A durable, aesthetically pleasing material consisting of a surface layer of pure carbon fiber bonded to a base layer of G-10.



FRCP

(Fiberglass reinforced co-polymer) a tough, chemical and heat-resistant material that is extremely lightweight and versatile. An injection-molded co-polyester reinforced with glass fiber, it is unique in that it can be made translucent or transparent and tinted with various colors.



FRN

(Fiberglass Reinforced Nylon) a nylon polymer mixed with glass fiber that can be injection molded. Lightweight and extremely strong, it is used in the manufacture of formed, textured knife handles.



G-10

An epoxy-filled woven glass fiber that is rigid, impervious to temperature changes and chemicals and can be tinted into different colors. G-10 is an excellent knife handle material.




KRATON[®]

A high-performance elastomer manufactured by Kraton polymers used as a synthetic replacement for rubber. Kraton provides the flexibility, high traction, and sealing abilities of natural rubber, but with increased resistance to heat, weathering, and chemicals. Kraton is used in the manufacture of knife handles to provide a comfortable, secure grip.




MICARTA

A composite of linen, canvas, or paper that is impregnated with epoxy resin and formed into sheets or blocks. Often used in knife handles, it is lightweight, durable and visually appealing. It can be polished or bead blasted to produce different appearances and textures.



NATURAL MATERIALS

Natural materials such as jugged bone, leather, mother of pearl, abalone, stabilized woods and stone that are suitable for use in making and embellishing handles.




NISHIJIN GLASS FIBER

A high-strength material similar to carbon fiber that replicates the dramatic decorative patterns of traditional Japanese Nishijin woven textiles.




PEEL-PLY CARBON FIBER

A carbon-fiber-filled epoxy resin laminate that has a textured protective layer bonded to its surface during manufacturing. After the machining of handle scales, the protective layer is removed to reveal a non-slip, high-traction texture.



POLYPROPYLENE

The world's second-most widely produced synthetic plastic, polypropylene is a thermoplastic polymer used in a wide variety of manufacturing applications. It is extremely rugged and resistant to most chemicals and solvents.



RAFFIR[®] NOBLE

Manufactured in Denmark, Raffir is a strikingly beautiful composite material that encapsulates metal mesh in a durable, translucent resin. Raffir Noble combines a smoke-colored acrylic with a mixture of brass and copper mesh. When machined and polished to create knife scales, it reveals a stunning, semi-transparent, three-dimensional pattern with amazing visual depth and character.



STAINLESS STEEL

Steel containing a minimum of 13% chromium, making the steel resistant to corrosion. The chromium oxide (cro) in the steel creates a barrier to oxygen and moisture, thus inhibiting rust formation. Stainless steels are corrosion resistant, but not immune to rust.



TITANIUM

A non-ferrous metal that is lightweight, highly corrosion resistant and has a high degree of tensile strength. It is ideally suited to use in the handles, liners and other components of folding knives.



VOLCANO GRIP[™]

Spyderco's trademarked waffle texture used on several of our FRN handled knife models. It consists of a continuous pattern of small squares with central divots that provides tactile resistance to slipping when gripped in the hand.

2019 Steel Chart

	Carbon	Chromium	Cobalt	Niobium	Copper	Manganese	Molybdenum	Nickel	Nitrogen	Phosphorus	Silicon	Sulfur	Tungsten	Vanadium
1095	0.90-1.03	--	--	--	--	0.30-0.50	--	--	--	0.04	--	0.05	--	--
154CM	1.05	14.00	--	--	--	--	4.00	--	--	--	--	--	--	--
20CV	1.90	20.00	--	--	--	0.30	1.00	--	--	--	0.30	--	0.60	4.00
3Cr	0.26-0.35	12.00-14.00	--	--	--	1.00	--	--	--	0.035	1.00	0.03	--	--
420J2	0.15	12.00-14.00	--	--	--	1.00	--	--	--	0.04	1.00	0.03	--	--
420 Modified	0.38	13.60	--	--	--	0.50	--	--	--	--	0.75	0.03	--	0.30
425 Modified	0.40-0.54	13.50-15.00	--	--	--	0.50	0.60-1.00	--	--	0.04	0.80	0.03	--	0.10
440A	0.65-0.75	16.00-18.00	--	--	--	1.00	0.75	--	--	0.04	1.00	0.03	--	--
440B	0.75-0.95	16.00-18.00	--	--	--	1.00	0.75	--	--	0.04	1.00	0.03	--	--
440C	1.00	17.50	--	--	--	0.50	0.50	--	--	0.04	0.30	0.03	--	--
440XH	1.60	16.00	--	--	--	0.50	0.80	0.35	--	--	0.40	--	--	0.45
5160	0.56-0.64	0.70-0.90	--	--	--	0.75-1.00	--	--	--	0.04	0.15-0.30	--	--	--
52100	0.98-1.10	1.30-1.60	--	--	--	0.25-0.45	--	--	--	0.03	0.15-0.30	0.03	--	--
8Cr13MoV	0.80	13.00	--	--	--	0.40	0.15	0.20	--	0.02	0.50	0.01	--	0.10
9Cr18Mo	0.95-1.10	16.00-18.00	--	--	--	0.80	0.40-0.70	--	--	0.04	0.80	0.03	--	--
A-2	1.00	5.25	--	--	--	0.85	1.10	--	--	--	0.35	--	--	0.25
AEB-L	0.67	13.00	--	--	--	0.60	--	--	--	0.025	0.40	0.015	--	--
ATS-34	1.05	14.00	--	--	--	0.40	4.00	--	--	0.03	0.35	0.02	--	--
ATS-55	1.00	14.00	0.40	--	0.20	0.50	0.60	--	--	--	0.40	--	--	--
AUS-6	0.55-0.65	13.00-14.50	--	--	--	1.00	--	0.49	--	0.04	1.00	0.03	--	0.10-0.25
AUS-8	0.70-0.75	13.00-14.50	--	--	--	0.50	0.10-0.30	0.49	--	0.04	1.00	0.03	--	0.10-0.26
AUS-10	0.95-1.10	13.00-14.50	--	--	--	0.50	0.10-0.31	0.49	--	0.04	1.00	0.03	--	0.10-0.27
BG-42	1.15	14.50	--	--	--	0.50	4.00	--	--	--	0.30	--	--	1.20
Cobalt Special	0.95-1.15	15.00-17.00	2.00-3.00	--	--	0.30-0.50	1.00-2.00	0.25	--	0.03	0.60-0.70	0.01	0.20-0.30	0.20-0.30
CPM™ 3V	0.80	7.50	--	--	--	--	1.30	--	--	--	--	--	--	2.75
CPM 4V	1.35	5.00	--	--	--	0.40	2.95	--	--	--	0.80	--	--	3.85
CPM 9V	1.78	5.25	--	--	--	0.50	1.30	--	--	--	0.90	--	--	9.00
CPM 10V	2.45	5.25	--	--	--	0.50	1.30	--	--	--	0.90	--	--	9.75
CPM 15V	3.40	5.25	--	--	--	0.50	1.30	--	--	--	0.90	--	--	14.50
CPM 20CV	1.90	20.00	--	--	--	0.30	1.00	--	--	--	0.30	--	0.60	4.00
CPM M4	1.40	4.00	--	--	--	0.30	5.25	--	--	--	0.55	0.06	5.50	4.00
CPM® Cru-Wear®	1.15	7.50	--	--	--	--	1.60	--	--	--	--	--	1.00	2.40
CPM® REX® 45	1.30	4.05	8.00	--	--	0.30	5.00	--	--	--	0.50	0.06	6.25	3.05
CPM S30V	1.45	14.00	--	--	--	--	2.00	--	--	--	--	--	--	4.00
CPM S35VN	1.38	14.00	--	0.50	--	--	2.00	--	--	--	--	--	--	3.00
CPM S60V(440V)	2.15	17.00	--	--	--	0.40	0.40	--	--	--	0.40	--	--	5.50
CPM S90V(420V)	2.30	14.00	--	--	--	--	1.00	--	--	--	--	--	--	9.00
CPM S110V	2.90	15.25	2.50	3.00	--	0.40	2.25	--	--	--	0.60	--	0.20	9.10
Cru-Wear®	1.10	7.50	--	--	--	--	1.60	--	--	--	--	--	1.15	2.40
CTS™ B52	0.98-1.10	1.30-1.60	--	--	--	0.25-0.45	--	--	--	--	0.15-0.30	--	--	--
CTS B70P	1.10	14.00	--	0.30	--	0.50	2.00	--	--	--	0.30	--	--	1.00
CTS B75P	1.10-1.20	14.00-15.00	--	--	--	0.50	3.80-4.20	--	--	--	0.30	--	--	1.00-1.50
CTS BD1	0.90	15.50	--	--	--	0.60	0.30	--	--	--	0.37	--	--	0.10
CTS BD1N	0.85-0.95	15.00-17.00	--	--	--	1.00	0.50	--	0.10-0.15	0.03	1.00	0.01	--	--
CTS BD30P	1.50	14.00	--	--	--	0.50	2.00	--	--	--	0.30	--	--	4.00
CTS 204P	1.90	20.00	--	--	--	0.30	1.00	--	--	--	0.60	--	0.65	4.00
CTS XHP	1.60	16.00	--	--	--	0.50	0.80	0.35	--	--	0.40	--	--	0.45
CTS 20CP	2.20	13.00	--	--	--	0.50	1.30	--	--	--	0.90	--	--	9.30
CTS 40CP	0.95-1.20	16.00-18.00	--	--	--	1.00	0.75	--	--	--	1.00	--	--	--
D-2	1.55	11.50	--	--	--	0.35	0.90	--	--	--	0.45	--	--	0.80
Elmax	1.70	18.00	--	--	--	0.30	1.00	--	--	--	0.80	--	--	3.00
GIN-1	0.90	15.50	--	--	--	0.60	0.30	--	--	0.02	0.37	0.03	--	--
H-1	0.15	14.00-16.00	--	--	--	2.00	50-150	6.00-8.00	0.10	0.04	3.00-4.50	0.03	--	--
HAP40	1.30	4.00	8.00	--	--	--	5.00	--	--	--	--	--	6.00	3.00
K390	2.47	4.20	2.00	--	--	0.40	3.80	--	--	--	0.55	--	1.00	9.00
LC200N	0.30	15.00	--	--	--	1.00	0.95	0.50	0.50	--	--	--	--	--
M-2	1.00	4.15	--	--	--	0.30	5.00	--	--	--	0.30	--	6.40	1.95
M390	1.90	20.00	--	--	--	0.30	1.00	--	--	--	0.70	--	0.60	4.00
Maxamet®	2.15	4.75	10.00	--	--	0.30	--	--	--	--	0.25	0.07	13.00	6.00
MBS-26	0.85-1.00	13.00-15.00	--	--	--	0.30-0.60	0.15-0.25	--	--	0.04	0.65	0.01	--	--
Micro-Melt® PD#1	1.10	7.75	--	--	--	0.25	1.60	--	--	--	1.20	--	1.10	2.35
Micro-Melt® A11 (PMA11)	2.45	5.30	--	--	--	0.50	1.30	--	--	--	0.90	0.08	--	9.50
MRS-30	1.12	14.00	--	--	--	0.50	0.60	--	--	--	1.00	--	--	0.25
N690Co	1.07	17.00	1.50	--	--	0.40	1.10	--	--	--	0.40	--	--	0.10
O-1	0.85-1.00	0.40-0.60	--	--	--	1.00-1.40	--	0.30	--	--	0.50	--	0.50	0.30
PMC27	0.60	13.00	--	--	--	0.50	--	--	--	--	0.50	--	--	--
PSF27	1.55	12.00	--	--	--	0.40	0.75	--	0.30	--	0.40	--	--	1.00
RWL34	1.05	14.00	--	--	--	0.50	4.00	--	--	--	0.50	--	--	0.20
Sandvik 12C27	0.60	13.50	--	--	--	0.40	--	--	--	0.03	0.40	0.01	--	--
Sandvik 12C27 Mod.	0.52	14.50	--	--	--	0.60	--	--	--	0.25	0.40	0.01	--	--
Super Blue Steel	1.40-1.50	0.30-0.50	--	--	--	0.20-0.30	0.30-0.50	--	--	0.03	0.10-0.20	--	2.00-2.50	0.50
SUS 310	0.25	24.00-26.00	--	--	--	2.00	--	19.00-22.00	--	0.045	1.50	0.03	--	--
SUS 410	0.15	11.50-13.50	--	--	--	1.00	--	--	--	0.04	1.00	0.03	--	--
V-Toku2	1.00-1.10	0.20-0.50	--	--	--	--	--	0.25	--	--	--	--	1.00-1.50	0.20
Vascowear	1.12	7.75	--	--	--	0.30	1.60	--	--	--	1.20	--	1.10	2.40
VG-10	0.95-1.05	14.50-15.50	1.30-1.50	--	--	0.50	0.90-1.20	--	--	0.03	0.60	--	--	0.10-0.30
W-1	0.70-1.50	0.15	--	--	--	0.10-0.40	0.10	0.20	--	--	0.10-0.40	--	0.50	0.10
W-2	0.85-1.50	0.15	--	--	--	0.10-0.40	0.10	0.20	--	--	0.10-0.40	--	0.15	0.15-0.35
X-15TN	0.42	15.55	--	--	--	0.46	1.70	0.30	0.21	0.02	0.23	--	--	0.29
ZDP-189	3.00	20.00	Trace	Trace	--	0.50	1.40	--	--	--	0.40	--	0.60	Trace

CARBON [C]
Carbon is the most important alloying constituent in steel and is chiefly responsible for the broad range of mechanical properties in steel. Carbon allows the steel to harden and increases edge retention and raises tensile strength and resistance to wear and abrasion.

CHROMIUM [CR]
Chromium can increase the toughness of steel, as well as the wear resistance. One of the most well known effects of chromium on steel is the tendency to resist staining and corrosion. Steels with 13-percent or more chromium are referred to as stainless steels. Chromium is also a carbide former.

COBALT [CO]
Cobalt is added to high speed steels to improve hot hardness. It increases strength and hardness, and permits quenching in higher temperatures and intensifies the individual effects of other elements in more complex steels. Cobalt is not a carbide former.

COPPER [CU]
Copper enhances corrosion resistance and may promote precipitation hardening properties. It can be added to lower work-hardening in steels designed for improved machinability and to improve formability.

MANGANESE [MN]
Manganese increases the hardness penetration of steel in the quench by decreasing the critical quenching speed. This also makes the steel more stable in the quench. It increases hardenability, wear resistance and tensile strength and deoxidizes and degasifies to remove oxygen from molten metal. In larger quantities it can increase hardness and brittleness.

MOLYBDENUM [MO]
Molybdenum increases the hardness penetration of steel and increases high temperature tensile strength. It improves machinability and resistance to corrosion. It is also a carbide former.

NICKEL [NI]
Nickel promotes an austenitic microstructure. Nickel increases ductility and toughness and reduces the corrosion rate in the active state and is advantageous in acidic environments. In precipitation hardening steels nickel forms the intermetallic compounds that are used to increase strength. In martensitic steels, nickel, combined with reduced carbon content, improves weldability.

NIObium [NB]
Niobium is a grain refiner and powerful carbide former (also called columbium). It improves strength and toughness, provides corrosion resistance and improves grain refinement and precipitation hardening.

NITROGEN [N]
Nitrogen can be used in place of carbon in the steel matrix. It increases resistance to localized corrosion, especially in combination with molybdenum. The Nitrogen atom will function in a similar manner to the carbon atom but offers unusual advantages in corrosion resistance.

PHOSPHORUS [P]
Phosphorus is generally considered to be an impurity in steels. It can be found in amounts up to 0.04% in carbon steels. In hardened steels it can create brittleness. In higher-strength, lower-alloy steels phosphorus can be added up to 0.10% for improving strength, hardness and resistance to corrosion.

SILICON [SI]
Silicon, when used in conjunction with other alloys, can help increase the toughness and hardness penetration of steel and increases strength. It also deoxidizes and degasifies to remove oxygen from molten metal.

SULFUR [S]
Sulfur is often regarded as an impurity in steel. However, in small amounts, Sulfur improves machinability and chip formation. Sulfur additions are made in proportion to Manganese concentration to control the shape of the Manganese/sulfur formation. Improves machinability when added in minute quantities.

TUNGSTEN [W]
Tungsten when used in small amounts forms carbides and promotes wear resistance. High amounts combined with chromium gives steel a property known as red hardness. This means that the steel will not lose its working hardness at high temperatures. It adds strength, toughness, and improves hardenability.

VANADIUM [V]
Vanadium helps control grain growth during heat treatment. By inhibiting grain growth it helps increase the toughness and strength of steel. Vanadium is a powerful carbide former.

Glossary OF TERMS

ABS

A black amorphous thermoplastic polymer with high impact strength.

Ambidextrous

Using both hands with equal ease. Pertaining to knives, it is a knife that can be operated equally well with both the left and right hand.

Anodize

To subject a metal to electrolytic action as the anode of a cell in order to coat with a protective or decorative film.

Austenite

A solid solution of carbon or of carbon and other elements in gamma iron, having a face-centered cubic lattice at all temperatures.

Austenitic Steel

A major class of alloy steel, especially stainless, composed primarily of austenite. Unlike martensitic steels, which are hardened through heat treating, austenitic steels work harden.

BaliYo®

A skill-based toy inspired by the Filipino baling ("butterfly") knife that combines a high-performance pen and two handles that each rotate 180 degrees. With practice, the weighted, precision-balanced handles can be flipped, swung, twirled, and spun in a variety of patterns, transforming an everyday writing tool into a fascinating game of skill.

Bead Blasted

A finish achieved by bead blasting, a form of abrasive blasting that uses fine glass beads as an abrasive medium. Abrasive blasting is the operation of forcibly propelling a stream of abrasive material against a surface under high pressure smooth, roughen, shape, or clean a surface.

Bolster

A piece of metal, generally nickel silver or stainless steel, that is located at one or both ends of a folding knife handle.

Boltaron®

A recycled ABS/acrylic PVS extruded alloy sheet material used for making sheaths. A moldable thermoplastic, it has excellent impact strength and is resistant to chemicals and abrasion. Similar to Kydex®.

Carbide

A hard, sharp carbon/iron material typically used in tools for the machining or drilling of steel. Spyderco uses carbide to make the glass-breaker tip of the C79 Assist model.

Cast Steel

Steel that is melted into a liquid state in a crucible and then poured into a mold. When cooled to a solid form, its shape is defined by the mold. If this method is used to create knife blades, the result is a dendritic steel with a "tree-like" crystalline structure that gives it aggressive micro serrations at the cutting edge.

Choi

A small scallop or cutout between the cutting edge and the ricasso of the blade that allows the edge to be sharpened all the way to the shoulder of the ricasso.

CLIPIT®

Spyderco's trademarked term for their line of folding knives that feature a pocket clip.

Clip Joint™

A non-locking, clip-carried folder specifically designed for two-handed operation. Unlike SLIPIT knives, Clip Joints cannot be opened one-handed.

Cobra Hood™

A machined flange or shroud positioned over the Spyderco round opening hole on the spine of a blade. It provides increased surface area and a positive

purchase when opening the blade one-handed. Ideal for use with gloved hands, this feature is currently used on Spyderco's C79 Assist rescue knife.

Corrosion

A process in which a solid, especially a metal, is eaten away and changed by a chemical action.

C.Q.I.

Constant Quality Improvement—a process Spyderco applies to product design and manufacture in which changes and refinements are continually made to existing models, improving ergonomics, materials or manufacturing techniques.

Cubic Boron Nitride (CBN)

The second-hardest material after synthetic diamond, CBN is synthesized from hexagonal boron nitride under conditions similar to those used to produce synthetic diamond from graphite. As an abrasive, its primary advantages are its high thermal stability and chemical resistance, allowing it to maintain its hardness at high temperatures. This makes it ideal for machining ferrous materials.

Damascus Steel

A steel produced by forge welding layers, rods, or strands of steel to create a homogenous piece. Nonferrous metals are sometimes also included in this process. After final shaping, parts made from Damascus steel are typically etched to highlight the steel's pattern.

David Boye Dent

Custom knifemaker David Boye removed a small arc or "dent" of metal from the lock bar lever of his knives. This modification, adopted by Spyderco, reduces the possibility of gripping the handle hard enough to depress the lock bar and accidentally unlock the blade during use.

Detent

A minute divot or dimple machined into the tang of a folding knife blade. A ball bearing seated in the surface of the LinerLock drops into the detent hole when the knife is in the closed position to hold the knife blade closed inside the handle.

Diamond Coating

The mechanical entrapment of diamond crystals into a metal substrate. Used in the production of sharpening devices, this process is done by depositing metal, layer by layer, from a plating solution until enough material is built up around the diamond crystals to hold them in place.

DLC Coating

DLC (Diamond-Like Carbon) is a mixture of sp² (graphite) & sp³ (diamond) used for coating blades and parts to make them non-reflective and increase their wear resistance and corrosion resistance.

EDC

An acronym for "everyday carry," indicating a knife that is carried and used daily.

Embellishment

A term used to describe personalized engraving or additional ornamentation added to a knife after it is manufactured.

Emerson Opening Feature

A blade opening device invented and patented by Ernest Emerson of Emerson Knives. It consists of a hook protruding from the blade's spine that catches the edge of the pocket when the knife is drawn to automatically open the blade. Licensed from Ernest Emerson, Pat. #5,878,500.

Ergonomics

An applied science concerned with designing and arranging things people use to maximize safety and efficiency. Knives that are designed to be comfortable and less fatiguing to use are considered "ergonomic."

False Edge

Originally a term that referred to the upper edge of a sword that faced back toward the use and was used in reverse or "back" cutting tactics. When applied to knives, it refers to a section of sharpened edge on the back of the knife near the tip. It is sometimes used interchangeably with "swedge" to describe an unsharpened bevel on the back of the blade.

Finger Chisel

A cutout or scallop in the profile of a knife at the juncture of the handle and blade that provides a purchase for the finger when gripped. On non-locking SLIPIT knives, this feature also helps prevent accidental blade closure during use.

Flash Batch™

A new knife design not previously produced by Spyderco, Flash Batch is a limited edition production run with each knife in the run individually numbered. Once manufactured, Flash Batch models will not be produced again.

Flipper

A small integral tab near the tang of a folding knife blade that extends from the back of the handle when the knife is closed. Invented by custom knifemaker and Cutlery Hall of Fame member Kit Carson, it provides leverage that allows the blade to be opened with a stroke of the index finger.

G-Clip

An adjustable thermoplastic clip affixed to fixed-blade sheaths to support a variety of carry positions on the belt, waistband, or other locations.

Guard (aka Handguard)

A protrusion or expansion at the juncture of the handle and blade of a knife that helps prevent the user's hand from slipping forward onto the edge.

High Alumina Ceramic

The compound used in the manufacture of Spyderco sharpening stones. It consists of a ceramic-bonding agent mixed with alumina particles (synthetic sapphires) that is shaped then kiln fired at temperatures in excess of 3000 degrees F.

Inlay

To ornament an object by embedding a piece of a different material in it, flush with its surface, or the piece of material inlaid into an object.

Jimping

Grooves on the edge of the tang, spine, or other surface of a knife that provide texture for increased control during use.

Kick

The unsharpened portion on the underside of a knife blade adjacent to the edge. The kick prevents the edge from touching the inside of the handle when closed.

Kraton®

A high-performance elastomer manufactured by Kraton Polymers used as a synthetic replacement for rubber. Kraton provides the flexibility, high traction, and sealing abilities of natural rubber, but with increased resistance to heat, weathering, and chemicals. Kraton is used in the manufacture of knife handles to provide a comfortable, secure grip.

Kydex®

A thin thermoplastic material commonly used for firearm holsters and knife sheaths. It can be easily heat formed, yet is flexible, durable, and resistant to perspiration, chemicals, oils and solvents.

Lanyard

A cord passed around the neck, wrist, or other anchor point for holding a knife or other object.

Lanyard Hole

A small hole in a knife's handle through which a cord or lanyard may be threaded. Lanyards provide additional security during use of a knife and help prevent dropping or loss, especially around water.

Liner

A thin, flat metal plate that provides the primary structure for the handle of a folding knife. Liners are typically used in pairs.

Martensitic Steel

A steel composed primarily of martensite, a crystalline structure created when the steel is subjected to a heat-treating process in which it is heated to critical temperature and rapidly cooled or quenched to harden it.

MOLLE

An acronym for Modular Lightweight Load-carrying Equipment—the current system of load-bearing equipment used by military and law enforcement personnel. It consists of a grid of nylon webbing that allows the modular attachment of pouches and other equipment to achieve customized mission-specific configurations.

Nesting

The practice of machining a recess into G-10 or other handle scale material to inlay the liners and lock mechanism. Nesting increases structural strength while reducing the overall thickness of the handle.

Nonferrous

Relating to or denoting a metal other than iron or steel.

Obverse

The side of a coin or medal bearing the head or principal design. When applied to knives, it is the side of the knife visible when viewed edge down with the point facing to the left.

OpFocus®

Short for "operational focus," a term coined by Spyderco that is roughly synonymous with "tactical." It is also the name of our professional purchase program for military, law enforcement, and first-responder personnel.

Phosphor Bronze Washers

Washers placed over a knife's pivot pin between the scales or liners and the blade. They are made of phosphor bronze alloy, which provides a low-friction bearing surface for smooth operation.

Pommel

The knob or expansion found at the butt end of a knife handle.

Powdered Metallurgy

As it applies to knife steels, a manufacturing process in which the component alloys of a steel are gas atomized into powder form and thoroughly mixed before heating and compressing the material into a solid billet. This process ensures a highly homogenous material and the uniform distribution of the alloys throughout the steel.

Quillion

A handguard protruding from one or both sides of a knife at the juncture of the handle and blade. Its purpose is to prevent the hand from sliding forward onto the blade during use.

Reverse (aka Pile Side)

The side of a knife opposite the obverse side. It is visible when the knife is viewed edge down with the point facing to the right.

Scale

A slab of material used as part of a knife handle. Handles typically have two scales that are riveted, screwed or bonded to the tang of the blade.

Skeletonized Liners

Internal steel handle liners that feature a series of holes (skeletonizing) that reduces their weight while maintaining strength and rigidity.

SLIPIT™

A Spyderco non-locking folding knife that opens via one-handed operation and features a pocket clip. SLIPIT™ blades are held open by spring pressure against a notch in the blade's tang.

Slipjoint

A non-locking mechanism in which the blade is held open by spring pressure on a flat section on the back of the blade's tang.

Sprint Run™

A limited, one-time-only production of a specific knife design or variant. Production quantities of Sprint Runs are limited to less than 1500 pieces.

Spyderco Trademark Round Hole™

A round hole in a knife blade that is used for ambidextrous one-handed opening of the blade. In fixed-blade knives, it also serves as a forward-positioned lanyard hole.

Spyder-Drop Opening

A one-handed opening method that involves grasping the closed blade of a folding knife near the pivot pin and swinging the handle down to open the knife. It is best accomplished with a Spyderco knife, using the Spyderco Round Hole to achieve a secure grip.

Stainless Steel

Steel containing a minimum of 13% chromium, making it resistant to corrosion. The chromium oxide (CrO) that forms on the surface of the steel creates a barrier to oxygen and moisture that inhibits rust formation. Stainless steels are corrosion resistant but not immune to rust.

Stepped Pivot

A folding knife pivot that features right-angle "steps" or shoulders between sections of different diameters. Most commonly, the center of the pivot is larger in diameter than the two ends. This pivot style provides increased strength and ease of assembly during manufacturing.

Stonewashed Finish

As it applies to knives, a dull matte finish on a metal part produced by a tumbling or vibratory process using a coarse polishing medium.

Swedge

A beveled area on the back of a blade near the point that is purposely unsharpened.

Tang

The portion of a blade that connects to the handle or serves as the foundation of the handle of a knife.

Tip-Up/Tip-Down

Terms of reference that describe the position of the blade of a closed knife when it is clipped to a pocket. The attachment of the clip to the handle of the knife determines whether it is positioned tip-up or tip-down.

Tumbled Finish

A surface finish applied to a component by tumbling it with various types of polishing media.

Zome

Zome (pronounced "zoh-may") is a class of Japanese handicrafts that specializes in dyeing textiles using dyes derived from plants, flowers, fruit, and other natural sources. Spyderco's Zome knife handles use a technique similar to traditional hiki-zome (brush dyeing) to hand brush various colors of dye onto the handles to create distinctive, one-of-a-kind patterns.



SPYDERCO INC.

820 SPYDERCO WAY

GOLDEN, CO 80403 · USA

TOLL FREE: 800-525-7770

LOCAL: 303-279-8383

FAX: 303-278-2229

SPYDERCO.COM

